Western Industry

August 1956

Vol. XXI, No. 8



TODAY'S
50 BEST
MANUALS ON
WELDING
METHODS AND
PRODUCTS
yours for
the asking
...p. 65

Now...complete stocks, prompt deliveries

of Aluminum rod, bar and wire

from any of the

Western warehouses

of

Clingan & Fortier

Complete warehouse stocks

Experienced technical assistance

Fast, personal attention

... of rod, bar and wire in all sizes and shapes are only a phone call and a short delivery time away from any Western plant or shop.

You can rely on Clingan & Fortier for fast, courteous Western service... for regular shipments and emergency requirements that simplify your storage and inventory problems.

When you phone our customer service specialists, you talk with trained and qualified men who know the application advantages of aluminum rod, bar and wire in terms of serving your particular needs best!

On orders of any size...every time you need aluminum, phone your nearest Clingan & Fortier warehouse FIRST. You'll get the exact aluminum rod, bar or wire you need...when you need it! We believe our specialized aluminum service will please you and pave the way for more calls.

The number of Western plants and shops that have switched to Clingan & Fortier's combination of specialized service and dependable quality is growing steadily. Call TODAY!

ALWAYS CALL . . .

Clingan & Fortier



WESTERN DISTRIBUTORS FOR

LOS ANGELES 2929 Santa Fe Ave. 3201 Third St. LUdlow 3-6581

SAN FRANCISCO FRESNO MIssion 8-0170

2-2164

N. SACRAMENTO SAN DIEGO 1156 Parallel Ave. 220 Acoma Ave. 1201 J St. 3210 Airpor 2-2164 WAbash 5-8577 BElmont 4-3118 MAin 7377

SEATTLE

KEvstone 4838

3210 Airport Way 1517 E. Sprague Ave. 2025 N.W. Overton St. CApital 8-8439

W

... for more details, circle No. 95 on Reader Service Postcord

Ship fast

FASTER ON THE GROUND—United uses special equipment to handle your shipment swiftly, deftly!

FASTER IN THE AIR—United's "Big Lift" DC-6As with weather-mapping radar trim hours off coast-to-coast air time!

Ship sure

YOUR SHIPMENT can be preloaded on recessed-wheel aluminum pallets for protection and speed in handling!

CABIN TEMPERATURES in DC-6As are carefully controlled to suit your shipment—range from 40 to 70 degrees!

Ship United

nd a

stor-

and

rod,

igan

RESERVED AIR FREIGHT guarantees you space dependability on all Cargoliners—and Mainliners!

AIR FREIGHT SHIPMENT with passenger-plane speed and dependability—that's United's offer to you!



Examples of United's low Air Freight rates

					-	er	100	pounds*
CHICAGO to CLEVELAND .						٠		\$4.78
NEW YORK to DETROIT						٠	0	\$5.90
DENVER to OMAHA			9					\$6.42
SEATTLE to LOS ANGELES								\$9.80
PHILADELPHIA to PORTLAND)					0		\$24.15
SAN FRANCISCO to BOSTON	1				,			\$27.00

*These are the rates for many commodities. They are often lower for larger shipments. Rates shown are for information only, are subject to change, and do not include the 3% federal tax on domestic shipments.



For service or information, call the nearest United Air Lines Representative. Write for free Air Freight booklet, Cargo Sales Division, Dept. WI-8, United Air Lines, 5959 S. Cicero Ave., Chicago 38.

... for more details, circle No. 1 on Reader Service Postcard





August 1956 Vol. XXI, No. 8

ARTICLES

A safety program from scratch	37
DC drive controls drying speed	39
Plant face-lifting beats production wrinkles	40
Poor Man's Automation—Part 2	42
"Excellent" maintenance pays off	44
Anti-waste motion production is the key to manufacturing economies at Southern Pacific's new aluminum sign shop—and the key to a dozen good ideas for you.	46
Stainless steel stops tank wear	48
How one industry got smog out of its air	53
Keep it clean or you're losing money	56
50 welding manuals—yours for the asking	65

DEPARTMENTS

Views and Comment	14	New Equipment	82
Letters	16	The Industrial West on Its Way	95
Labor Notes for the West	18	Westerners at Work	105
Western Meeting Reports	22	Classified Advertising	109
Helpful Literature	73	Advertisers in This Issue	110

EDITOR John J. Timmer

ASSISTANT EDITOR

NEWS EDITOR Beverly T. Watkins

CONSULTING EDITORS

A. C. Prendergast
Market and Industrial Development

Roy C. Henning
Electricity and Electronics

SOUTHERN CALIFORNIA EDITORIAL CORRESPONDENT Sterling Gleason Los Angeles, Calif. Phone PLeasant 1-2580

PRODUCTION MANAGER
Patricia N. Mann

CIRCULATION MANAGER
Kyle Cunningham

Published monthly by
KING PUBLICATIONS, INC.
609 Mission Street
San Francisco 5, Calif.
Phone YUkon 2-4343

James I. Ballard . . . President V. C. Dowdle . . Vice Pres., Adv. Selin L. P. Vrettes . Secretary and Tressure

ADVERTISING SALES

NEW YORK—Fred Lockwood 121 N. Broadway White Plains, N.Y. Phone White Plains 8-2801

CLEVELAND—Robert J. Lick 313 E. 216th Street Cleveland 23, Ohio Phone REdwood 1-8562

CHICAGO—Gerden H. Gennett 1386 Asbury Avenue Winnetka, III. Phone ROgers Park 4-4500

MILWAUKEE—Richard W. Morey 725 N. 115th Street Wauwatosa, Wis. Phone SPring 4-9093

SAN FRANCISCO and PACIFIC NORTHWEST—John R. Vanneman 609 Mission Street San Francisco 5, Calif. Phone YUkon 2-4343

LOS ANGELES—Jerome E. Bodgley Vice President 128 So. Mansfield Avenue Los Angeles 36, Calif. Phone WEbster 8-8512

WESTERN MANAGER.—Roderick V. Pierra 1012 So. Westmoreland Ave. Apr. 203 Los Angeles 6, Calif. Phone: DUnkirk: 8-5740






50c per copy

\$4.00 per year

Accepted as Controlled Circulation Publication at Los Angeles, California

Copyright 1956, King Publications, Inc.

Serving Plant Operating Executives in the Nation's Fastest Growing Region



Maintenance costs slashed by this specially engineered belt

For speed and savings buy from your industrial supply distributor. He can help you select the right belt for your jobs—and, if necessary, bring you the free consultation service of Quaker-Quaker Pioneer field engineers.

Are your hot-materials handling jobs taking an unnecessarily heavy toll in belt costs? They needn't—if you use conveyor belts specially engineered for your specific job conditions. Here's a case that gives real weight to that argument. For 11 months this belt hauled 850,000 tons without requiring replacement—more than double the life of belts previously used on this job. It is one of several types engineered by Quaker-Quaker Pioneer for jobs involving temperatures over 400°F. Some, like this one, are rough top construction enabling the belt to react rapidly to cooling methods. Others are of newly developed compounds, exceptionally heat-resistant to prevent hardening and cracking. Get the cost-saving benefit of this specialization by telling us—or your distributor—your problems. Our complete line contains everything you need in industrial rubber products, including hose, packing and moulded rubber for every use.



QUAKER PIONEER RUBBER DIVISION H. K. PORTER COMPANY, INC.

Pittsburg, California

. . . for more details, circle No. 2 on Reader Service Postcard

ONE wide-range

"OXWELD" W-45 BLOWPIPE


handles **EVERY** welding and heating job

NO OTHER SINGLE BLOWPIPE OFFERS
THIS EXTENSIVE RANGE!

Anyone whose daily work includes welding and heating will readily appreciate the amazing wide range and versatility of the new Oxweld W-45 Blowpipe. Its 18 head sizes (2 to 300 cu. ft. per hr. capacity) provide a perfect flame for every metal thickness. Light sheet to heavy plate, one bloupipe does it all!

From chrome-plated tip to offset hose connections, the W-45 shows the results of over a decade of development work by LINDE engineers. Its exclusive "jiffy-lock" heads, "form-fit" handle, and advanced styling are as modern as guided missiles and atomic power. "O" ring gas seals, flame-stabilizing mixers of improved type, and many other innovations put this blowpipe far ahead of the field in economy, ease of operation, and low-cost maintenance.

See for yourself how you can enjoy tomorrow's operating standards today with an OXWELD W-45 Blowpipe. Ask your LINDE representative for a demonstration, or write for free booklet, F-8684.



CW-45 Cutting Attachment adapts the W-45 Blowpipe for cutting steel up to 8 inches thick.

Linde Air Products Company

A Division of Union Carbide and Carbon Corporation

30 East 42nd Street New York 17, N. Y.

Offices in Other Principal Cities

In Canada: LINDE AIR PRODUCTS COMPANY
Division of Union Carbide Canada Limited, Toronto
(formerly Dominion Oxygen Company)


The terms "Linde" and "Oxweld" are registered trade-marks of Union Carbide and Carbon Corporation.



... for more details, circle No. 3 on Reader Service Postcard

WESTERN INDUSTRY - August 1956

HYSTER MAKES THE RIGHT INDUSTRIAL TRUCK FOR YOUR JOB



"Monomast" Spacesaver® 40 lift truck stacking speed-seal® 4" house-connection clay pipe. Each no-deposit, throwaway pallet contains pipe for 4 average jobs—30 pipe 4 ft. long, 30 gaskets.

Pictured above is one of many typical examples of how Hyster[®] Industrial Trucks are helping to effect tremendous savings in the cost of materials handling in Brick and Clay Plants.

Even if you are now using lift trucks or have never used industrial trucks of any kind, your Hyster dealer can show you how you can quickly realize more profit from your operation with these multi-purpose utility tools. Your Hyster dealer knows materials handling...he is an expert on the problems and their solution. He can help you with special techniques and cost reducing methods. Call him today...why not take advantage of his materials handling know-how? He is listed under "Trucks-Industrial" in your telephone directory.

HYSTER DEALERS GIVE YOU ALL 3!

- PLANNING—your Hyster Dealer will plan your materials handling operation from scratch, or will analyze your present system to see if it can be improved.
- THE RIGHT TRUCK for your job from hyster's complete line of industrial trucks (1,000-30,000 lbs.) and over 100 job-attachments for economical load handling.
- THE RIGHT SERVICE—ample spare parts stock, shop facilities, factory-trained mechanics and an efficient field service that keep your Hyster lift trucks going an your job, wherever your job might be located. Hyster trucks are noted the world over for their low downtime.

Materials Handling Trucks from 1,000 to 30,000 pound capacities



956

HYSTER COMPANY 753 9th Ave. North Seattle 9, Wash. Elliott 2401 HYSTER COMPANY
4445 3rd Street
San Francisco 24, Calif.
Mission 8-0680

HYSTER COMPANY 2425 So. Garfield Ave. Los Angeles 22, Calif. RAymond 3-6255 HYSTER SALES COMPANY 2105 S. E. 7th Ave. Portland 8, Oregon BElmont 4-6471

... for more details, circle No. 4 on Reader Service Postcard



Delivery and shipping facilities at Los Angeles branch. Above: Pipe warehouse

Crane meets all your piping needs with complete local service

Regardless of your location, you can realize the full benefits of Crane quality and service right in your own area. 19 strategically located Crane Branches plus Crane Wholesalers everywhere are at your service.

Everything you need in valves and fittings is available through your local Crane outlet. If it's a staple item, chances are it will be in stock—even in large quantities.

You'll like the quick, convenient over-

the-counter service. You'll also like the prompt, efficient way your telephone "will-call" orders are handled.

Any items not stocked locally will be on their way in double-time from the great Crane factory warehouses in Chicago. So either way, you're ahead with Crane. And with the world's broadest line to choose from, you're sure of getting all your needs.

Contact your local Crane Branch or Wholesaler for complete information. FRESNO
LONG BEACH
LOS ANGELES
OAKLAND
SACRAMENTO
SALINAS
SAN BERNARDINO
SAN DIEGO
SAN FRANCISCO
SAN JOSE
SANTA ANA

WASHINGTON

SEATTLE SPOKANE TACOMA

NEVADA

RENO

OREGON

MEDFORD PORTLAND

ARIZONA

PHOENIX

CRANE VALVES & FITTINGS

PIPE . KITCHENS . PLUMBING . HEATING

Since 1855—Crane Co., General Offices: Chicago 5, Ill. Branches and Wholesalers Serving All Areas
... for more details, circle No. 5 on Reader Service Posteril



Thermal Resistance...Chemical Resistance!

Now Available!

- DACRON*
- · ORLON†
- NYLON
- . ARNEL
- · ACRILAN**
- . DYNEL † †

Send today for fact sheets!

*DuPont trademark for its polyester fiber †DuPont trademark for its acrylic fiber ****Acrylic fiber by Chemstrand ††Union Carbide's acrylic fiber Now, American, through its technical research, has perfected the mechanical interlocking of the man-made fibers listed at the left, to produce three-dimensional felt structures.

These new Felts by American have exceptional chemical resistance with thermal stability to 300 F. They are non-hygroscopic, biologically stable and are available in a complete range of thicknesses. Precision engineering assures close

density and thickness control.

The properties which characterize these new Felts are being utilized in filtration—laminated plastics as reinforcing material—high temperature bearing seals—gasketing. In fact, end uses are unlimited!

American's engineering and research staff is prepared to supply you with complete data and product recommendations. Write today!

American Felt Company

GENERAL OFFICES:
GLENVILLE ROAD GLENVILLE, CONN.

PACIFIC COAST: A. B. BOYD CO., 1235 Howard St., San Francisco, also 763 E. 14th St., Los Angeles 21, Calif.; 930 S. E. Oak St., Partland 4, Ore., 404 Dexter Ave., Seattle 9, Wash. PLANTS: Glenville, Conn.; Franklin, Mass.; Newburgh, N. Y.; Detroit, Mich.; Westerly, R. I. ENGINEERING AND RESEARCH LABORATORIES: Glenville, Conn.

... for more details, circle No. 6 on Reader Service Postcard

reas



Inavelouder... revolutionizes long load handling!

Here at last is a practical answer to the awkward problems of yard handling and particularly those nightmarish long loads. Traveloader combines the unique ability to pick up, carry and stack long, unwieldy or multiple pallet loads—indoors or out. Operating over paved or unpaved roadways, it does the job fast, safely, and much cheaper than other equipment.

This one machine, with one operator, replaces two and often three fork trucks, portable cranes or straddle carriers, and does the job better. You save manpower, cost of buying and maintaining other expensive equipment, aisle space, and time. Because Traveloader loads from the side and carries loads lengthwise, it requires much less aisle space than fork trucks.

Unlike a straddle carrier, this new machine can stack up to 12 feet high. And when traveling, the load is nested safely aboard the Traveloader's deck, eliminating dangerous dangling and swaying of load, distributing load over six large wheels, and making speeds up to 30 MPH practical and safe.

Write for descriptive bulletin No. 1360.

ONLY TRAVELOADER







Picks up like a straddle truck . Delivers like a highway truck . Stacks like a fork truck

Baker

THE BAKER-RAULANG COMPANY
1290 WEST 80th STREET • CLEVELAND 2, OHIO

handling equipment

A subsidiary of Otis Elevator Company

514

... for more details, circle No. 7 on Reader Service Postcars

Sergeant Sticky Says...

"Talking Tape Gets Attention!"



Wherever your carton goes, "Talking Tape" speaks right up, sells as it seals—broadcasts your message in your words. It instructs. Warns. Identifies. Provides a person-to-person advertising campaign too profitable to pass up!

And best of all, Flash-Tite "Talking Tape" messages—either stock or custom printed—cost less than applying printed labels.



Another quality product by



CROWN ZELLERBACH

. . . for more details, circle No. 8 on Reader Service Postcard

WESTERN INDUSTRY - August 1956

newnigh. sted leck, and oad

ing

360.

11












Multiple Drum Carriage














with a complete line of interchangeable attachments!


Allis-Chalmers Fork Trucks handle all forms of materials with the dexterity of skillful hands. Depending on the type of material or its container, an Allis-Chalmers Fork Truck can be equipped to scoop it, pour it, boost it, hook it, grip it, turn it upside-down . . . even skewer it.

In addition to the standard attachments shown here. there are many more. Allis-Chalmers will be happy to work with you on attachments to meet your own particular material handling needs.

Ask your Allis-Chalmers Material Handling dealer to show you how this out-in-front versatility can speed many jobs throughout your plant, or write for more information.

MATERIAL HANDLING DEPT., BUDA DIVISION, MILWAUKEE 1, WISCONSIN





Garrett Breakout












. . . for more details, circle No. 9 on Reader Service Postcard WESTERN INDUSTRY — August 1956



EXPRESS TRAIN BRAKES

It's Location of course!



OCALL YOUR CM DISTRIBUTOR TODAY

te

5!

card

956

for catalog, prices or immediate delivery of the safer Lodestar.

CAPACITIES

from 1/4 to 1 ton. Single and 3 phase.

\$149.50

AND UP F.O.B. Factory NOW...FOR POSITIVE SAFETY...this new small electric hoist has ultra-modern dual braking...just like today's streamliner.

- Like a train on a steep grade—AUTOMATIC REGENERATIVE

 ELECTRIC BRAKING safely sustains the descending load.
 - For stopping—the MECHANICAL FRICTION BRAKE safely locks the load. Any power interruption—intentional or accidental—automatically sets the mechanical brake to hold the load securely.

No other small electric hoist offers this dual electromechanical system—THE SAFEST BRAKING AVAILABLE. *

Lodestar really meets the requirements of the National and all State Safety Codes.



CHISHOLM-MOORE HOIST DIVISION

Columbus McKinnon Chain Corporation

Tonawanda, New York

DISTRICT OFFICES: NEW YORK • CHICAGO • CLEVELAND
In Canada: McKinnon Columbus Chain Ltd., \$1. Catharines, On?.

... for more details, circle No. 10 on Reader Service Postcard



HOW DO YOU PICK YOUR BRAND when you buy an electric motor? Or any other piece of heavy industrial equipment? "Purely technical advantages—performance, price, and so on," is probably your answer.

Motivational research just concluded by General Electric should make you stop and wonder a bit. GE's survey has proved that purchasers of industrial equipment are just as subject to personal prejudices and emotional sales appeals as buyers of shirts, cigarettes, and automobiles.

For example, many industrial men think of d-c. apparatus as a bit "old-fashioned" because of the major contributions direct current made in the early days of industrial electrification. This easily leads to a "psychological motivation" that tends to prevent objective consideration of the essential modernday roles d-c. motors and generators are playing in automation processes.

Next time you're talking with an industrial salesman, see if you can spot any emotionally-inspired motivations in your reaction to his product.

TWO "MYSTERY" PRODUCTS MADE BY SMALL WESTERN FIRMS, both of keen interest to economyminded plant operating men, have emerged unscathed from long adjudication before the Federal Trade Commission. One is "Battery AD-X2," an additive reported to double or triple useful life of lead-acid batteries, including large stationary batteries and lift truck batteries. (It's made by Pioneers, Inc., 2411 Grove St., Oakland, Calif.) The other is the "Evis Water Conditioner," a special oversized coupling intended to be fitted into water systems and beneficially affect water so that scale deposits and corrosion are largely eliminated in boilers, evaporators, etc. (made by Evis Manufacturing Co., 40 Boardman Place, San Francisco).

There have been numerous similarities between the two cases, and it may be more than coincidence that the FTC handed down the two decisions within a three-day period after hearings in both cases had extended over two or more years.

A chief similarity, for example, has been that nobody seems to understand much about the principles that make the products work, but an overwhelming majority of users insist that definite and substantial benefits have resulted from their application. In one of the cases (Evis), the FTC examiner summed up this "air of mystery" when he stated: "Scientists admit that they do not understand the theory of its operation and will not preclude that it may operate as represented. In view of this, we must not take the risk of interfering with the development of a device which may prove to be the first practical application of a scientific principle heretofore undiscovered."

In both cases, too, there is a moral, as stated by Jess Ritchie, president of Pioneers, Inc.: "It is our hope that small businesses will draw strength and courage from our long struggle, to fight for their rights."

You'll be hearing a lot more about AD-X2 and the Evis conditioner now that both firms have been freed from restraint on their sales activities.

YOU'RE LOOKING AT A PRIZEWINNER, we're proud to say. In competition among all Western business publications, conducted annually by the Western Society of Business Publications, WESTERN INDUSTRY was awarded two blue-ribbon plaques for (1) best special issue and (2) best departmental column of any Western publication. And WI was the only magazine awarded two first place prizes in the seven major categories of the contest.

To top it off, WI placed third in the "grand prize" classification, for best all-around job in behalf of readers and field served. (Second place was taken by Western Construction, companion publication to WI here at King Publications.)

ANOTHER "FIRST" IN PUBLISHING is coming your way, in the September WESTERN INDUSTRY. Not only will it be WI's first annual Power Issue (with a number of special articles tipping you off on better ways to utilize modern power equipment and systems in your plant), but the issue will also contain the first industrial power equipment buyers' directory ever published for men in the Western manufacturing industries. Manufacturers of all types of plant power products—electrical, hydraulic, mechanical power transmission, etc.—will be listed, along with complete where-to-buy-it data for Western plant operating executives.



d

d

ie be

n

oy ur nd

nd

re ern the RN for tal

in

ze?

of

cen

ca-

ing

RY.

sue

off

ent

also ers'

ern

all

aube

for

956



Engine feeder line . . . completely assembled engine being transferred to final assembly line.


Conveyors Carry 40,000 pound Caterpillar-built Tractors



Track roller frame assembly line . . . unit in foreground is ready for assembling to tractor.

WRITE FOR:

Catalog 50... Trolley Conveyors Catalog 51... Floor Conveyors Catalog 52... Power & Free Conveyors



Tractor at end of assembly line...ready for roller frame assemblies and tracks.

To obtain maximum production of the world's largest track-type tractors, Caterpillar Tractor Co. has installed in its Peoria plant a system of Webb slat conveyors that serves as assembly lines. The main assembly line, which is a slat conveyor 9 feet wide and over 320 feet long, is one of the largest conveyors of this type in the world. Tractors assembled on this conveyor line average approximately 40,000 lbs. each.

Three other slat conveyors, also flush-floor-mounted, complete the tractor assembly system. One conveyor is used for feeding engines to the main line and the other two for assembling track roller frames. Each of the four conveyors is installed and fixtured to automatically carry the assemblies from one operation to another and keep work at the most convenient height.

Large and small industries throughout the world, for over 35 years, have been using Webb engineering skill, manufacturing experience and installation ability to solve every type of materials handling job. We will welcome an opportunity to discuss your needs or problems.

JERVIS B. WEBB CO. of CALIFORNIA

Specialists in Custom Conveyor Systems

9301 RAYO AVENUE

SOUTH GATE, CALIFORNIA


OTHER WESTERN OFFICES

2160 MARKET STREET

4305 EMERSON STREET SEATTLE 99, WASHINGTON 52 W. 2ND S. STREET SALT LAKE CITY, UTAH

FACTORIES: DETROIT • ATLANTA • LOS ANGELES • HAMILTON, ONT., CANADA • ENGLAND • FRANCE • AUSTRALIA
... for more details, circle No. 11 on Reader Service Postcard

WESTERN INDUSTRY — August 1956



... for more details, circle No. 12 on Reader Service Postcard

LETTERS

Electrolytic neutralizers good for boiler scale?

EDITOR—In the June 1956 WESTERN INDUSTRY we read an interesting article, "Today's Package Boilers," by Recee D. Hansen, Consulting Engineer, Long Beach, Calif. The information derived from this article is greatly appreciated

Our company operates several steam boilers in Idaho and Montana, as well as in Oregon. At our two Oregon operations, we find it necessary to use an additive to the water to relieve scale accumulation. This scale presumably is caused by the mineral content of the feed water.

Recently, we have been approached by suppliers of electrolytic neutralizers, which we are told will perform the same function as proper additives to the feed water. Before giving these neutralizers a trial, we would like an opinion as to the correctness of these claims from a qualified engineer, possibly Mr. Hansen.

C. E. KEMMERER.

Manager, L. D. McFarland Co., Eugene, Ore.

(Reese Hansen's answer to Mr. Kemmerer's request for an opinion on electrolytic neutralizers, in the form of a letter direct to him, is reproduced below. WESTERN INDUSTRY intends to present a thorough discussion on electrolytic neutralizers and similar water treatment devices in an issue this fall, and we would appreciate hearing of experiences you have had with them in your plant. Please write us at 609 Mission St., San Francisco 5—Ed.)

MR. KEMMERER—WESTERN INDUSTRY has forwarded your letter regarding electrolytic neutralizers to me.

The neutralizer you have in mind appears to be a type of unit incorporating sacrificial members which the corrosive elements in water would attack instead of the boiler metal. With certain water conditions, such units may be satisfactory. Personally, I have never used units of this type, nor have I seen any reports in various technical magazines on the use of such units.

With the variation in the water in different localities and in the operating conditions of different plants, I feel there is no one treatment that will take care of all of the various possible conditions. As I stated in the June WESTERN INDUSTRY article, I feel that the best method is a treatment based on an analysis of the boiler feed water and periodic checks of the boiler water itself.

REESE D. HANSEN
Consulting Mechanical Engineer
Long Beach, Calif.

Case of the missing card

EDITOR—I have just finished reading the May issue of WESTERN INDUSTRY and am interested in receiving some of the valve and fitting catalogs you have listed. However, I am on the route list for your publication with several other engineers, and by the time I had a chance to read it the reader service cards were both gone. Therefore, the following is a list of the six catalogs I would like to receive.

F. W. Poucher

Process Engineer, General Electric Co., Richland, Wash

(Two reader service cards are supplied in each issue for the benefit of "pass-along" readers, but if they're both used before you receive your copy, a regular postcard or letter is also honored.—Ed)



Alvin G. Hubbard, chief engineer, Arizona Ice and Cold Storage Company, Tucson, Arizona

"with Union's T5X Motor Oil...8,400 hours per year"



read cose The ted. aho gon the orm

Co.

type coroiler y be this nical lities feel f the June od is

vater

ineer

ue of

some

ever.

vera

ead it

ceive.

Wash.

ue for

used

letter

1956

al

"Not long ago an Ingersoll-Rand service engineer came in to tell me that our 285 h.p. engine had the best service record of any in his field, and to ask what our secret was.

"I told him we have no secret. We keep the sump filled with Union's

T5X Motor Oil, and the engine just keeps running.

"This Ingersoll-Rand, which was new in 1939, has been in constant operation 8,400 hours (351 days) per year. It was last rebored in 1951. Since that time we've replaced no rings or other parts because of wear. In fact, when we last ground the valves there wasn't enough wear in the engine to warrant even a check. Oil consumption averages about 12 quarts in 24 hours, and using a standard Nugent filter we change oil only in the course of our annual overhaul.

"I depend completely on T5X to keep this engine driving our 100 KVA generator, our air and our two ammonia compressors. I'll recommend it to any stationary diesel engine operator anytime, anywhere."

Try T5X and you'll be as enthusiastic as Mr. Hubbard is about this amazing purple motor oil. Immediately available from your nearby Union Oil representative.

UNION OIL COMPANY

76

OF CALIFORNIA

Los Angeles: Union Oil Bldg. • New York: 45 Rockefeller Plaza • Chicago: 1612 Bankers Bldg. • Philadelphia: Eastwick Ave. & Edgewood St. Dallas: 313 Fidelity Unjon Life Bldg. • Kansas City, Mo.: 612 W. 47th St. New Orleans: 644 National Bank of Commerce Bldg.

... for more details, circle No. 13 on Reader Service Postcard



A POSTWAR RECORD FOR PEACEFUL RELATIONS between labor and management in California was attained during the first six months of 1956, according to Ernest B. Webb, Director of the California Department of Industrial Relations. Less than 25,000 California workers were involved in work stoppages from January 1 through June 30, the smallest number for this period in more than 10 years. (It compares with 87,500 workers idled during the same period last year.)

Although July saw a marked upturn in strike activity with the outbreak of the steel industry strike, the total number of workers involved in stoppages so far this year in California, including July, is still the lowest of any

The department has just come out with its annual report of union organization and collective bargaining in California, Union Labor in California, 1955. The 68-page bound report lists union membership in ten economic areas of the state and in a number of different industries, discusses aspects of collective bargaining structure in some 38 industries, and supplies a calendar of collective bargaining showing the time of year when major contract negotiations in each industry are scheduled. You can obtain a single copy free from: Dept. of Industrial Relations, Div. of Labor Statistics and Research, State of California, P. O. Box 965. San Francisco 1.

A CHECK-LIST CRITERIA OF EMPLOYMENT PRACTICES

for the guidance of professional engineers and their employers have been adopted by the board of directors of the National Society of Professional Engineers. The criteria were presented to the board as a recommendation of the society's Engineer-in-Industry Committee at the group's annual meeting in Atlantic City.

Printed in check-list format, the criteria cover specific categories of engineering career development, starting with the recruitment of the engineer and leading through the various phases of his experience. The questions on the check-list suggest the responsibilities of the employer to his professional employees, and the latter's responsibilities to the employer.

Topics included in the criteria are recruitment, indoctrination, technical, administrative, personality, and professional development of the individual, salaries, engineering titles, personnel practices, and termination policies.

If you want more information, contact NSPE headquarters at 2029 K St. N.W., Washington 6, D.C.

A NEW PRE-SUPERVISORY TRAINING PROGRAM has been tested, proved, and installed as a regular training feature at the Nevada Mines Div. of Kennecott Copper Corp., McGill, Nev. Purpose of the program is to make sure that men in the working force with supervisory ability and operating skills are not overlooked and to provide management with a broader selection of capable super. visors. Here's how it works:

Any employee can make application. Approved applicants are given supervisory and mechanical aptitude tests and trainees for the course are chosen on the basis of the

test results.

Classes are scheduled on the employees' own time, and training is by members of the firm's Training Center staff Schedule of training includes 54 hours of study in human relations, safety, principles of supervision and management, labor relations, and job simplification. There is no training in craft skills or operational aspects.

After completing the course, applicants' records are filed and supervisory vacancies are filled by those men who have successfully completed the course. Seniority of service is a consideration in making selections for super-

visory jobs, but not the governing factor.

Preliminary test of the plan was made last fall, with 17 men completing the course. Of those men, 13 have since been promoted to permanent supervisory rating. Some sub-foremen took the training at that same time and several promotions have resulted among this group too.


A NEW SLANT ON PAY FOR EMPLOYEE TRANSFER IS

reported by the Industrial Relations Council of Utah. Usually, when an employee is transferred from one city to another, the company pays the expenses of the move, including moving costs for family and household goods. A company now planning to establish a plant in Salt Lake City reports that it also will pay each transferred employee an additional sum equal to 17% of the employee's prior year's earnings. Extra payment is intended to cover such additional expenses as draperies and carpets which do not fit the employee's new home, and added furnishing needed to make the new home suitable.

NEW PUBLICATIONS ON LABOR of probable interest to you, some of them free, are the following: Supplementary Unemployment Pay Plans, West Coast Experiences is a stenographic brief of a panel report given before the California Personnel Management Assoc. and the Personnel Section of the Western Management Assoc. recently. The panel was chairmanned by Neal Hammond, manager of industrial relations for Ford Motor Co, in California, and the brief includes a booklet describing the Ford supple mental unemployment benefit plan. It's \$1.00 from the Research Div., California Personnel Management Assoc. Farm Credit Bldg., 2180 Milvia St., Berkeley 4, Calif. . . Guaranteed Annual Wage & Employment Stabilization, a Bibliography contains an extensive collection of current reference and research sources on this subject. It's also available for \$1.00 from the California Personnel Manage ment Assoc. at address above . . . AMA Management Bookshelf is a free catalog of all currently available "best sellers" published by the American Management Assoc. Books listed cover the entire range of good management practice-effective communication on the job, successful production planning, keeping pace with automation, etc. Get your copy by writing to AMA's Publication Service at 1515 Broadway, New York 36, N. Y.

fa

it



on FALK STEEL Shaft Mounted Drives

Take a careful look inside the Falk all-steel Shaft Mounted Drive, and you will know why this newest member of the famous Falk family is ideal for applications where direct mounting on the driven shaft is desirable. It is the only drive in its field with all these superior "In-built" factors:-

- 1 All-steel Frame, with more than double the rigidity of iron, supports all rotating elements.
- 2 Precision Helical Gears, designed and machined by Falk, rated to AGMA standards.
- 3 Pressed Steel Housings, whose sole function is to keep oil in, dirt out; easily removed for gear inspection without dismounting unit.
- Through Hollow Shaft with counter bore provides for easiest installation or removal from driven machine shaft extensions.
- 5 Backstop can be furnished with the unit or added later for positive prevention of reverse rotation.
- 6 Positive Lubrication, continuous direct dip of revolving elements at all speeds.
- 7 Tie Rod and turnbuckle serve as anchor and facilitate V-belt or chain adjustment.


Write to Department 247 for engineering bulletin, including selection and dimension details.

FFFICIENT SPEED REDUCTION IN LIMITED SPACE



Expressly designed for topflight performance on installations requiring considerable speed reduction in limited space, the all-steel FALK Shaft Mounted Drive has quickly won acceptance throughout industry. This sturdy, compact, versatile reducing unit is an ingenious variation of the highly successful FALK Motoreducer design, pacemaker in its field for more than 20 years. Here, the time-proved design is adapted for mounting directly on the shaft to be driven, using V-belt connection to motor. Investigate now!

A FEW TYPICAL APPLICATIONS



BELT CONVEYOR



GRAVEL CLASSIFIER

THE FALK CORPORATION, Milwaukee 8, Wisconsin

MANUFACTURERS OF

- Motoreducers
- Speed Reducers

ing

lity perpli edi hese

toff mar age S B0 Bts. men v of

iper-

h 17

ince

Office

vera

ER is

Jtah.

ty to

, in-

ls. A

Lake

lovee

prior

such

h do hings

est to

ntary

is a

Calionne

The

er of

, and

pple-

n the

990C.

f. . . tion.

rrent

also

nage

ment "best SSOC.

ement essful

, etc.

ervice

1956

- Flexible Couplings Shaft Mounted Drives
- High Speed Drives
 Special Gear Drives
 Single Helical Gears
 Herringbone Gears
- Steel Castings
- Marine Drives
- Weldments

Contract Machining

...a good name in industry

. . . for more details, circle No. 14 on Reader Service Postcard



National Standard has patents pending on equipment for this entire operation

Check your AIM* . . . National-Standard did

Steel strapping idea cuts two big costs



Acme Idea Man Chuck Deerwester helped National Standard achieve these new savings



NATIONAL-STANDARD COMPANY of Niles, Michigan, with an important assist from Acme Steel, has cut *shipping* and *handling* costs for its customers in the packaging of tire bead wire. This wire formerly was shipped on returnable steel reels.

This wire formerly was shipped on returnable steel reels, for which the customer was charged—then credited when reel was returned. Wire is now wound on a fibre core placed on a collapsible reel. Acme Steel Strapping is applied, reel is dismantled, and coil of wire is ready for wrapping and palletizing. Reel charges are abolished, freight costs to customers are cut, and palletizing with steel strapping is simplifying handling and storage problems.

*Check YOUR Acme Idea Man. He will work with you—give you Acme Steel Strapping ideas to help you with your packaging and shipping problems. Call him at the nearest Acme Steel offices, or write Dept. WCS-86, Acme Steel Products Division, Acme Steel Company, 4903 Pacific Blvd., Los Angeles 58, Calif., San Francisco, Seattle, Portland.

ACME STEEL STRAPPING



LET'S TAKE A CLOSE LOOK AT LP-GAS

Here are the advantages:



* LONGER ENGINE LIFE!

Engines have run up to 8,000 hours before major overhaul was necessary.

* LOWER MAINTENANCE!

LPG does not dilute crankcase oil, foul spark plugs. You need fewer oil changes, fewer tune-ups, get 5 to 8 times longer oil life.

* LOWER FUEL COSTS!

Estimates show that for a 40-hour week, a 10-truck fleet could save from \$30 to \$70 in fuel alone.

* NO OBJECTIONAL EXHAUST FUMES!

LPG burns clean, reduces fumes. Ideal for use in warehouses and other enclosed industrial areas.

* GREATER OPERATING EFFICIENCY!

You get quieter, smoother operation, higher octane fuel, faster refueling, much less downtime.

What about safety?

Clark factory installed LPG carburetion systems are fully approved for safety by Underwriters' Laboratories.


What's the best system?

Clark's factory installed LPG system is specially engineered from fuel tank to exhaust pipe. Engine is designed for maximum LPG benefits, has higher compression ratio, cold manifold, stellite valves and seats, positive valve rotators. Fuel system is sealed and designed for complete fuel combustion . . . top economy.

What's available?

Clark offers a complete line of U-L approved LP-Gas trucks in capacities from 2000 to 7000 lbs. Write for details.

See you at the Material Handling Show, June 5-8, Cleveland, Ohio!



Industrial Truck Division
CLARK EQUIPMENT
COMPANY

Battle Creek 28, Michigan

CLARK

... for more details, circle No. 16 on Reader Service Postcard

1956

WESTERN MEETING REPORTS

UP-TO-DATE INFORMATION ON PROTECTIVE COAT-INGS will be offered at a coatings symposium for the West's protective coatings industry scheduled to be conducted by Hercules Powder Co. at the Rodger Young Auditorium in Los Angeles Sept. 11-14. Endorsed by the Los Angeles Paint & Varnish Production Club and the Los Angeles Paint, Varnish & Lacquer Assoc., the symposium will be divided into two sections; first two days will be devoted to discussions of fast-drying industrial finishes based on nitrocellulose and the final two days' discussions will cover chlorinated rubber and silicone finishes.

Two prominent guest speakers will join Hercules' representatives during the four-day session. Dr. Carl K. Fink, Carbide & Carbon Chemicals Co., will discuss "Balancing economy and performance when selecting plasticizers and solvents" and Robert C. Hedlund, Protective Coatings Laboratory of Dow Corning Corp., will cover "Silicone and silicone alkyd resins for protective coatings." R. L. Skov, manager, Cellulose Products Dept., and William F. Power, manager, Synthetics Dept., both of Hercules' San Francisco offices, will welcome the group and officially open the symposium at 9:00 the morning of Sept. 11. Advance registration for the no-charge symposium can be made by contacting Hercules' Los Angeles sales office, 3460 Wilshire Blvd., but advance registration is not required.

(Good pre-symposium fodder and top-quality technology in the field of paints and protective coatings can be obtained from WI's know-how literature section on the subject in the June 1956 issue. Simply check back, use the Reader Service Postcard for that issue, and we will be happy to see that you get your selection quickly.—Ed.)

COLORADO CONFERENCE ON LOW-TEMPERATURE ENGINEERING is for you, particularly if you attended the High Temperature Symposium sponsored by Stanford Research Institute at the University of California late in June. The 1956 Cryogenic Engineering Conference to be held Sept. 5-7 in Boulder, Colo., is not really a place to cool off though. In fact, engineering discussions on a new field such as low-temperature engineering problems usually become heated. Technical papers planned for the session cover such topics as bubble chambers, instrumentation properties of materials, insulation, and cryogenic equipment and processes.

Now, before we burn out a typewriter bearing, we had better pass this data through a heat exchanger and withdraw the cold facts. Cryogenic engineering, a rapidly growing field due to the larger use of liquefied gases such as hydrogen, oxygen, nitrogyn, and helium, was spurred into existence by a need for safer, larger, and more efficient equipment for producing and using the gases. Unusual engineering probems are encountered because of the marked differences in behavior of materials at very low temperatures—below 150 deg. K. (-190 deg. F.)—as compared with ordinary temperatures.

Information regarding registration and reservations may be obtained from P. L. Barrick of the National Bureau of Standards Cryogenic Engineering Laboratory, Boulder.

Colo.

NEW PANEL OF OFFICERS FOR AMHS, No. Calif. Chapter, is headed up by Harry G. Wood, supervisor of materials handling at Schlage Lock Co., as president. Other officers include Ellis H. Wooley, training officer at Oakland Naval Supply Center, vice president; Roy C. Brown, Elder & Co., treasurer; and William J. Wilkin, Lykke-Wilkin &



HARRY G. WOOD, new president of No. Calif, AMHS, promises a vigorous program of study and exploration projects for the chapter.

Associates, secretary. One of the first steps taken by the new board was to fire a questionnaire to chapter members listing 26 suggested subject topics for meetings and plant tours. Results of this effort are expected to provide a good start toward fulfillment of Mr. Wood's accepting statement: "The year's program will include both study and exploration projects, and field trips for research in the new plants which have recently been opened or are now in construction in the Northern California area. We plan to work with universities as well as with industry in seeking better ways to handle the materials of industry throughout the various channels of their use."

WESTERN MEETINGS

YOU

SHOULD

TO ATTEND

Aug. 21-24—WEST COAST ELECTRONIC MANUFACTURERS' ASSOC. and INSTITUTE OF RADIO ENGINEERS (seventh region), Western Electronic Show and Convention, Pan-Padfic Auditorium, Los Angeles. Contact Herbert Cerwin, WESCON, 344 N. La Brea Ave., Los Angeles 36, Calif.


Sept. 10-12—AMERICAN SOCIETY OF ME-CHANICAL ENGINEERS, fall meeting, Denver, Colo. Contact A. A. Woodward, Public Service Co. of Colorado, 5525 E. 38th St., Denver.

Sept. 11-13—PACIFIC COAST GAS ASSOC. ANNUAL MEETING, Hotel del Coronado, Ceronado, Celif. Contact Assoc. offices, 2 Pine St., San Francisco 11.

Sept. 17-21—AMERICAN SOCIETY FOR TEST-ING MATERIALS, 2d Pacific Area Notional Meeting and Apparatus Exhibit, Hotel Statler, Les Angeles. Contact Bert Folda, chalmor promotion and publicity committee, c/m Ganeral Petroleum Corp., Box 2122, Terminal Annex, Los Angeles 54.

. . . continued on page 26

WE



nt al ne w

er

nt: rants ucork ter

the

NIC OF

tern dific Cer-An-

MEver, vice

OC. Cor-Pine

ESTonal tler, nan, inal

26

256

Which is most important?





a pick-up unit for lifting precast concrete walls, or a swivel hook for the Air Force?



neither

Both are equally important to us. The eye-bolt part of the pick-up unit and the swivel portion of the hook are examples of AmForge engineering and production. Whenever you have a forging problem, large or small, complicated or simple, AmForge is prepared with engineering assistance and equipment to produce many different sizes and shapes, either press or upset forgings. Please phone us collect when you have a "forging" problem. Phone: EDgewood 4-4931.




AMFORGE DIVISION

155 N. WACKER DRIVE, CHICAGO 6, ILLINOIS
PLANTS: AZUZA, CALIFORNIA . CHICAGO, ILLINOIS

... for more details, circle No. 17 on Reader Service Postcard

WESTERN INDUSTRY — August 1956

23



call Jorgensen first!

Up in the air with a steel problem? Let Jorgensen bring you back to earth. This company is built on the idea of service-swift, accurate, friendly. Whether your order is small or large, your business is mighty important to us. Yes, you're a Big Wheel at Jorgensen Steel! So whatever you need in steel or aluminum, CALL JORGENSEN FIRST!

EARLE M. JORGENSEN CO.

LOS ANGELES 10650 S. Alameda St. LOrain 7-1122 OAKLAND

SAN FRANCISCO HOUSTON

DALLAS 700 Pennsylvania Ave. 5311 Clinton Dr. 2200 W. Commerce St. Mlssion 7-7800 ORchard 2-1621 Riverside 1761

TULSA 7311 East Pine 5 TEmple 5-1511



Can a Towmotor Solve My Handling Problems?



Towmotor Fork Lift Trucks and Towmotor Job-Planned Accessories are "tailor-made" for your particular application in many ways. Soundly engineered by materials handling specialists, the Towmotor line includes 15 different models and more than 60 interchangeable attachments, for every handling need.

Ask your nearest Towmotor Representative to show you what Towmotor equipment can do to speed your materials handling, cut man-hour costs and make maximum use of storage space!... or write for Certified Job Studies covering *your* industry. Towmotor Corporation, Div. 6708, 1226 E. 152nd St., Cleveland 10, Ohio.

Read how other companies use Towmotor Equipment to Cut Costs!

Brick Manufacturer: Ask for Job Study #107
Cotton Warehouse: Ask for Job Study #109
Transfer Company: Ask for Job Study #111
Fruit Grower: Ask for Job Study #110
Metals Plant: Ask for Job Study #108

America's best engineered fork lift truck

TOWMOTOR

THERE'S ONLY ONE FORK LIFT TRUCK CALLED TOWMOTOR

... for more details, circle No. 19 on Reader Service Postcard

1956


The low-cost answer to wider use of your machines



REEVES

Vari-Speed Motor Pulley

Add the advantages of accurate variable speed control to your existing machinery with this compact unit. Add versatility and extended life... handle more shapes, sizes and materials!



EASY MAINTENANCE...LONG LIFE!
JUST 5 SIMPLE PARTS





REEVES "Close-grooving"

—a special lubrication
system—insures free sliding disc for easy speed
changes.



For bulletin complete with rating charts and dimensions, write Dept. 21-V545.

REEVES DIVISION

RELIANCE ELECTRIC AND ENGINEERING CO.

. . . for more details, circle No. 20 on Reader Service Postcard

WESTERN

from page 22

Sept. 17-21—SYMPOSIUM ON RADIATION EFFECTS ON MATERIALS, sponsored jointly by Atomic Industrial Forum and American Sodey for Testing Materials, Los Angeles, Contac ASTM, 1916 Race St., Philadelphia 2, Pa

Sept. 19-21—PORCELAIN ENAMEL INSTITUTE, INC., 25th annual meeting, The Broadmar, Colorado Springs, Colo. Contact Porales Enamel Institute, 1145 19th St. N.W., Washington 6, D. C.

Sept. 23-29—NATIONAL ASSOC. OF BE. TRICAL CONTRACTORS, national convention. San Francisco. Contact Clint J. Harder, Mary-treasurer, 1200 18th St., N.W., Washington 6, D. C.

Sept. 26-28—AMERICAN INSTITUTE OF MIN-ING & METALLURGICAL ENGINEERS, field annual Rocky Mountain Minerals Conference, Newhouse Hotel, Salt Lake City. Contact & & Coleman, 600 W. 33rd So., Salt Lake City, Utah.

Oct. 1-4—AMERICAN MINING CONCESS (Metal Mining-Industrial Minerals Convention and Exposition), Shrine Exposition Hell, Le Angeles, Contact American Mining Congres, Ring Bldg., Washington, D. C.

Oct. 16-18—35TH PACIFIC COAST MANAGEMENT CONFERENCE, "Building the Management Team," practical company experience used to get strong team results on principal levels of management, Claremont Hotel, Berkeley, Calif. Contact California Personni Management Assoc., 2180 Milvia St., Berlsley.

Oct. 31-Nov. 1—1956 WESTERN AREA DE-VELOPMENT CONFERENCE, "Resources for Industrial Expansion" theme, co-sponsored by Stanford Research Institute and Confederación de Camaras Industrialas de los Estados Unidos Mexicanos (a Mexican industrial association). Hotel Westward Ho, Phoenix, Ariz. Contad Charles L. Hamman, Assistant Director, Exnomics Research, Stanford Research Institute, Menlo Park. Calif.

Nev. 1-3—NEW MEXICO MINING ASSOC, convention, Carlsbad, N. Mex. Contact J. §. Knaebel, president, P. O. Box 1125, Santa ft, N. Mex.

Nov. 9-10—AMERICAN IRON & STEEL INSTI-TUTE, regional convention, San Francisco. Contact Frank Raglan, secretary, 350 Fifth Avs. New York, N.Y.

Nov. 12-14—PACIFIC LOGGING CONGRESS, San Francisco. Contact Carwin A. Woolley, 1222 American Bank Bldg., Portland 5, On.

Nov. 30-Dec. 1—NORTHWEST MINING AS-SOC. CONFERENCE, Davenport Hotel, Spokant, Wash. Contact Karl Jasper, Radio Central Bldg., Spokane.

1957

Mar. 25-29—AMERICAN SOCIETY FOR METALS, tenth Western Metal Exposition and Congress, Pan-Pacific Auditorium and Ambassador Hotel, Los Angeles. Contact W. H. Eisenman, monoging director, 7301 Eudid Ave., Cleveland 3, Ohio.



ge 22

IATIO

Center Po.

F BR.

OF MIN-5, third ference,

act R. B. ke City,

NGRES oll, Les ongress,

ANAGE-Aanage-erienas orinapel

Hote

EA DEfor in-

ored by

deracion

Unidos ciation

Confed

or, Eco-

ASSOC.

ct J. B. anta fe

L INSTIco. Con-

NGRESS,

5, Ore.

NG AS-pokum, Central

d Am-

W. H.

Euclid

1956

CHASE BRASS & COPPER CO. Dept WI-856 Waterbury 20, Conn. Cantleman: Please send me your free 192-page Buyers Stock Book and Catalog No. 56.

EDITION!

GOOD READING FOR METAL MEN!

192 pages of illustrations and listings of a variety of products...sizes...weights... tempers...shapes!

STATE

Here's the latest enlarged edition of a handy desk-sized book you'll use all year 'round! It lists the brass, copper, bronze and stainless steel mill forms carried in Chase warehouse stocks-ready for quick shipment to you!

Everything about it is designed to save you time, from its thumb-indexing to a headache-saving how-to-order section.

Comes to you free from Chase. Get your copy by filling out and mailing the coupon above. Do it today!

CONTENTS INCLUDE:

Brass, copper, bronze, stainless steel rod, bar, sheet, strip, wire, tube, pipe, angles, channels.


MISCELLANEOUS ITEMS, TOO-bolts, nuts, washers, rivets, burs, nails, tacks, screws, cotter pins, bearing bronze, copper roofing products, wire cloth, insect wire screening, etc.

BRASS & COPPER CO. WATERBURY 20, CONNECTICUT . SUBSIDIARY OF KENNECOTT COPPER CORPORATION

The Nation's Headquarters for Brass & Copper

SEATTLE 4, WASH.1957 First Ave., South, Tel. SEneca 1862

... for more details, circle No. 21 on Reader Service Postcard



Now available with new NEMA rerated L.A. motors for all applications — in sizes from 1/3 to 30 hp

Before we go into the many design features of this compact gearmotor, let's take a look at a few other advantages:

First of all, you can get either foot-or flange-mounted units. Secondly, you can have any motor enclosure you want. can have any motor enclosure you want.
And finally, you can have any electrical
or mechanical modification needed for any specific application.

In other words, here's a line of gear-motors ruggedly designed, versatile and efficient—to give you a sound answer to your right-angle gearmotor drive problems. Here's why:

 Both gear and motor housings are made of high-tensile cast iron to provide maximum strength, rigidity, and compactness.

- The worm, carefully machined from hard-ened alloy steel, is ground to close tolerances to give greater efficiency and longer life.
- The worm gear is cut from a high grade of wear-resistant alloy bronze.
- A double-row angular contact bearing and a ball bearing provide for radial and thrust loads on the worm shaft.
- The output shaft is mounted in tapered The output shart is mounted in tap roller bearings for maximum load-carrying capacity.
- Ample oil-bath lubrication assures longer life and minimum maintenance.
- Special oil seals on all shafts keep the oil in -- dirt out and permit any mounting arrangement.

Here's a line of right-angle gearmotors that's very easy to apply. Standard speed range from 7-1/2 to 300 rpmspecial speeds also are available.



Flange-mounted right-angle gearmotor with new L.A. line explosionproof motor




MILWAUKEE 7, WISCONSIN

WES

... for more details, circle No. 22 on Reader Service Postcard WESTERN INDUSTRY - August 1956

Clear-Span, Low-Cost Soulé Buildings



For Fast, Economical MATERIALS HANDLING

Whether you're working with bulk or packaged commodities,
you can cut handling and warehousing costs with clear-span Soulé
Buildings. Clear-span means there are no interior support columns
to waste storage space or hinder mechanical handling of goods.

Every cubic foot of a Soulé Building is usable. And more usable
building space for your dollar, combined with Soulé standardized
design and mass-production of building parts brings you big cost
savings compared to conventional concrete or brick construction.
You can't buy a more efficient, practical business structure.

CALL OR WRITE FOR CATALOG, PRICES ON SOULÉ BUILDINGS



SOULÉ STEEL COMPANY


Department J

San Francisco 1750 Army Street, VAlencia 4-4141
Los Angeles 6200 Wilmington Avenue, LUdlow 5-0911
San Diego 3741 Fifth Avenue, CYpress 5-6289
Fresno 850 R Street, FResno 4-6930
Portland 2630 N. W. St. Helens Road, CApitol 3-5154
Seattle 4100 West Marginal Way, HOlly 3600
Spokane 405 American Legion Building, MAdison 6000
Phoenix 2026 South 11th Avenue, Alpine 3-3178
Salt Lake City 220 Greyhound Building, EMpire 3-7601

... for more details, circle No. 23 on Reader Service Postcard

CO.

956



handles 200 tons more steel per day with


AMERICAN MONORAIL

The Hamilton Steel Products Company of Chicago now handles 250 tons of sheet steel per day with American MonoRail cranes as compared to 50 tons by previous methods. An increase of 400%.

This is just another example of cost savings with improved handling methods which are regularly realized by American MonoRail users. If you have a materials handling problem call your American MonoRail representative or write us today.

Send for Bulletin SC-1.

Member of Materials Handling Institute and MonoRail Association





AMERICA

OVERHEAD

HANDLING

[IN CANADA—CANADIAN MONORAIL CO., LTD., GALT, ONT.]

San Francisco, Calif. **Grover Engineers**

COMPANY 13117 ATHENS AVENUE CLEVELAND 7, OHIO

Los Angeles, Calif. American Monorail Co 4645 Anaheim Telegraph Road

Seattle 7, Wash. F. T. Crowe Co. 325 Second Ave.

Portland 7, Oregon McMahon Bros., Inc. 44 McLea Court 337 Pittock Block

... for more details, circle No. 24 on Reader Service Postcard WESTERN INDUSTRY — August 1956 Can one grease tackle

all these greasing problems?



Yes... and here's how—with the help of Shell men and techniques

Shell men knew plant operators needed a multi-purpose grease—to simplify inventory problems, to cut greasing errors. But could one be formulated that would withstand such adverse conditions as heat, moisture, and low-temperature operation?

Shell Research men set to work to find out. After extensive testing they developed SHELL ALVANIA GREASE, the revolutionary new multi-purpose lubricant.

Put to the most severe tests, Shell Alvania withstands both high and low temperatures, as well as wet operation (Alvania is water resistant and inhibits corrosion).

Because of its outstanding mechanical and oxidation stability, Alvania stays in the bearings longer, extends time between greasings. And because it serves for practically every application in most plants, Alvania can help you reduce grease costs and greasing errors.

Alvania Grease is just one of many fine products developed by Shell's 1500-man research team—a team with 25 years' experience in lubrication problems.

A telephone call can put this team to work solving your special problems. Why not call in your Shell representative today?



SHELL ALVANIA GREASE

... for more details, circle No. 25 on Reader Service Postcard

steard

1956

Rain Drops



This 5-inch Redler conveyor on roof receives material from the 30 ft. inclined Redler and in turn carries it 51 ft. to the point of discharge into plant (right foreground).




Close-up view of Redier elevator showing double leg at head end, assuring perfect discharge. Discharge is to storage or to roof conveyor. Rate 10 tons per hour. Sealed casing of Redier permits outside operation without housing.



Complexity of layout is illustrated by this interior processing station photo. Skip delivers to mixer which dumps to hopper feeding L type Redler. Mix is then delivered to packaging machine or to storage.

There is an S-A sales engineer in your area. Contact him for sound advice in your conveying problems.



Outside Redier elevates material from track hepper to discharge either at storage tank or to 30 ft. inclined conveyor which in turn delivers to a horizontal cenveyor on the plant roof.

S-A ENGINEERED BULK MATERIAL HANDLING SYSTEM!

Manufactured by the Butay Products Company, Los Angeles, "RAIN DROPS" is a water softening and blueing agent. To provide swift, economical conveying and mixing of this product's base ingredient, Stephens-Adamson engineered a system which saves many costly material handling hours.

Completely automated, this system consists of a batch skip, mixer unit, and L-type sealed casing Redler conveyors which eliminate all dusting problems. From the point of delivery outside the plant to the packaged product itself, raw material moves swiftly and smoothly by 100% mechanical means.

The Butay installation is an outstanding example of Stephens-Adamson overall planning. More than 50 years' experience in designing and manufacturing equipment that conveys at lowest cost per ton qualifies S-A for any assignment in mass movement of bulk material.

SA

STEPHENS-ADAMSON MFG. CO.


85 Ridgeway Ave., Aurora, III. Los Angeles, Calif. — Belleville, Ontario

ENGINEERING DIVISION Designers and manufacturers of all types of bulk materials conveying systems. STANUARD PRODUCTS DIVISION
A complete line of conveyor accessories—centrifugal loaders—car pullers—bin level controls, etc.

SEALMASTER DIVYSIGN A full line of in dustrial ball her ing units available in both standar and special her ings.

... for more details, circle No. 26 on Reader Service Postcard

WESTERN INDUSTRY - August 1956



"OUTSTANDING PERFORMANCE"

THAT'S WHY VALLEY HEAT TREATING CO.

CAME BACK FOR ANOTHER

Lacific-built furnace!

When a heat treating customer is willing to pay a premium price to get the quality he needs, you can be pretty sure he can't afford many rejects.

That was the case with one of Valley Heat Treating Company's customers who selected them because their rigid specifications could be met without expensive rejects. The amazing part of the story is that Valley was actually able to lower their cost by 15% while they still met these specifications!

Much of the credit must go to Valley's new Pacific Gas-fired Shaker Hearth Furnace. This furnace provided a combination of fast and economical operation with extremely uniform control of the work.

Rated at 500 pounds per hour, this new Pacific Furnace is used for Carbo-nitriding and scale-free neutral hardening. It permits maximum

hardness of all parts, and the 14" wide Inconel hearth with Pacific's exclusive shaker design allows a wide variety of work to be handled without damage to the parts.

According to Valley, their work comes out exceptionally clean, requiring only washing before delivery,

and case depth is easily controlled due to Pacific's uniform-heating burner design.

This profitable performance is the reason Valley has installed two different types of Pacific Furnace, and has recently ordered a

For more information on a Pacific Furnace for your heat treating job, whatever it is, write today!



Typical of the wide range of parts handled in this furnace.



ny,

ter

ift

od-

On

stly

sts

led

all

erv

it.

hly

nq

an-

n-

eys

iny

. CO.


ASTER SION no of in

tears

1956

INDUSTRIAL HEAT TREATING EQUIPMENT

PACIFIC SCIENTIFIC COMPANY LOS ANGELES
SAN FRANCISCO
SEATTLE
PORTLAND, OREGON
ARLINGTON, TEXAS



QAS-FIRED OR ELECTRIC



PACIFIC SCIENTIFIC CO. P. O. Box 22019, Los Angeles, California

Please send me bulletins and specifications on a Pacific Furnace for:

ind Nons fic Cor:

Addre

Company_____

(type of work)

____State____





- 1. Loading carrier van with power truck.
- Up she goes. Depressing wall button sends carrier on its way.
- 3. En route to another building.



Robot 3. Carrier Delivers Materials Automatically

WITH a Cleveland Tramrail Robot Carrier, it is no problem to move materials between buildings. Heavy loads can be dispatched great distances without operators, safely, at low cost. The equipment opens and closes doors,

if necessary, and stops automatically upon reaching the selected delivery point.

Cleveland Tramrail has developed a wide variety of automatic materials handling equipment which is now in service providing tremendous savings.

GET THIS SPECIAL REPORT
Write us for your free copy of
"AUTOMATIC DISPATCH PORTFOLIO"
Gives data on a variety of cost-reducing
automatic handling installations.

CLEVELAND TRAMRAIL DIVISION
THE CLEVELAND CRANE & ENGINEERING CO.



... for more details, circle No. 28 on Reader Service Posters

WESTERN INDUSTRY - August 1956





Completely redesigned to meet the increased demands being placed on modern industry, G.E.'s new Pacific '55' Gear-motor incorporates the many advances gained from over 25 years experience in gear-motor design and application. Simplified design of this packaged low-speed drive provides far greater versatility.


GREATER FLEXIBILITY: Motor can be replaced in minutes without disconnecting gear unit from load. The new Series "N" unit accommodates any G-E NEMA standard motor in the same frame size or horsepower.

LONGER LIFE: Double protective seals keep lubricant in—dirt out; concentricity of bearing bores assures precision line-up of gears.

REDUCED MAINTENANCE: New unit can be disassembled in three steps; breather and filler hole are combined for fast inspection.

NEW G-E PACIFIC '55' GEAR-MOTORS are now available from 1-5 hp, 520 to 13.5 rpm. Other ratings up to 50 hp will be available soon.

FOR MORE INFORMATION on the new Pacific '55' Gear-motor line, write for Bulletin GEA-6487, Section 852-1, General Electric Company, 235 Montgomery Street, San Francisco, California, or contact your nearest G-E Sales Office or authorized gear-motor supplier.



GENERAL 🍪 ELECTRIC



3 kinds of help on sheet and strip steel

Sheet and strip buyers tell us that three kinds of purchasing help keep them coming back to Ryerson:

1. WIDER SELECTION OF TYPES—More than 20 kinds of sheet and coil stock are on hand in an unusually wide range of gauges—making it easier to get the exact steel needed for any requirement.

2. GREATER PROCESSING CAPACITY—The most extensive cutting and processing facilities in the steel-service industry enable buyers to get quickest service on requirements for special sizes, strip and sketch cutting, blanks, slit coils, edging, or any other processing.

3. HELP ON SHEET AND STRIP PROBLEMS—The large Ryerson staff of sheet and strip specialists gives buyers a valuable source of help in selecting the most satisfactory and economical stock—or in solving any other problem of application and fabrication.


In addition, sheet and strip buyers like the good packaging, the dependable weight and onschedule delivery that they get from Ryerson—and the convenience of one-order buying of all steel products from the same source. So call your nearby Ryerson plant for 3-way help on sheet and strip needs.

RYERSON STEEL

PRINCIPAL PRODUCTS: Carbon, alloy and stainless steel—bars, structurals, plates, sheets, tubing, industrial plastics, machinery & tools, etc.

JOSEPH T. RYERSON & SON, INC., LOS ANGELES—Plant: 4310 E. Bandini Blvd. Mail: Box 3817, Los Angeles 54. Phones: Angeles 2-6141, from San Diego (no tell)
Zenith 6660. SAN FRANCISCO—Plant: 65th & Hollis Sts., Emeryville. Mail: Box 188, Emeryville, California. Phones: Olympic 3-2933, Douglas 2-4211. SEATILE—Plant:
1200 4th Ave., South. Mail: Box 3525, Seattle 24. Phone: Seneca 2300. SPOKANE—Plant: North 207 Freya St. Mail: Box 2158, Spokane 10. Phone Keystone 5-1581.

ti ii d d d b



TO ELIMINATE STRAIN INJURY on the assembly line, AiResearch devised and built these special carts to handle turbine motors. Units remain on the carts through assembly, inspection, testing and all the way to shipping.

A safety program from scratch

. . . and how well AiResearch did it is proved by sharp accident cost drop and blue-ribbon safety honors during 20-fold plant expansion.

HOW TO start a safety program from scratch—that was the question facing AiResearch Manufacturing Co., a division of the Garrett Corp., in August 1951 when it opened its Phoenix, Ariz., plant. With production, assembly, and test facilities designed to produce small gas turbines, air turbine drives, pneumatic valves and controls, and electronics equipment for military and civilian aircraft, the new but small plant was planned with expansion in mind. How rapidly this growth was to come about could not be anticipated.

Individualized at the start

At the start, safety was a function of the AiResearch personnel department and, naturally enough, was approached from an individual employee angle rather than as part of a planned, overall campaign. A talk on safe job practice was given to a new employee when he reported for work and from there it became the duty of supervision to instruct and enforce safety rules. In the rush of getting its initial 170 employees into production, it was

nearly 10 mo. and 500 employees later in May 1952 when safety was made the responsibility of an industrial relations staff member and began to assume the form of a definite program.

Steps in formalizing program

As a first step toward a safety program, procedure for the accurate reporting and recording of accidents was given top priority. Lack of such information had proved a serious handicap for the infant program. More

immediately a supply of personal safety equipment was ordered, a poster campaign stressing safety launched, and a technical library started.

The following month a safety committee of employees was formed and assigned the task of reporting unsafe conditions and practices. This employee committee was designed to represent all phases of the firm's aircraft accessories manufacturing operations. Starting with its original five members, it has expanded to a present 21 member group representing three

UNIQUE EMPLOYEE-RUN COMMITTEE makes suggestions and has final authority on plant's safety methods and procedures. Part of 21-man group (7 from each of 3 shifts) meets with safety administrator Evan Stallcup (r).



(no toll) _P(ant: 5-1581.

1956

shifts. The organization is perhaps unique in that it is entirely employee run, each employee appointing his own successor at the end of a one-year term. The group functions under the guidance of the safety office, but final authority on safety method and procedure rests only with the committee. This idea of supervision acting in an advisory capacity with the employee establishing policy is basic AiResearch practice in the personnel field.

Employment doubles, effort steps up

With a work force which had nearly doubled in size to 1,150, in early 1953 safety went on a full-time basis with the hiring of a former Arizona Industrial Commission safety engineer. A short while later the AiResearch industrial insurance program was altered to the "self-rater" type in which the company directly benefits from any reduction in accident costs, and the firm entered into national safety competition with other manufacturers in similar fields.

AiResearch at this time began its offer of prescription safety glasses at no expense to the employee. With a prescription form signed by a doctor, the employee was sent to a local optometrist where lens were ground and frames fitted and later adjusted if needed. Any employee in an eyehazard job who needs the special aids is eligible under the company paid plan. It has and remains AiResearch policy, as established by the safety committee, to encourage the use of safety glasses by all persuasive means but to leave the final decision to each individual worker on a voluntary basis.

In an effort to bring employee participation and interest into the campaign a safety slogan contest was started and widely promoted. Over a 10-wk. period, paychecks bore the prize winning mottos and a "mystery quizzer" circulated awarding \$2 bills to employees who could correctly repeat that week's slogan. Successful enough to warrant repeats, the contest has become an annual affair with each contest bringing entries from approximately one-third of the employees.

Ideas for the long range

As part of its nationally recognized suggestion award system, the then 2-yr. old company began long range promotion seeking new safety ideas from its workers. To date over 300 safety suggestions have been bought and used with such suggestions comprising about 5% of the total entries submitted to the board. The ideas put into effect through this plan range



SUPERVISION is charged with setting the safety example; employee cooperation is voluntary. Tool room foreman Carl Sciurba (right), talking with machinist A. J. Wilson, wears safety glasses.



STYLE AND SAFETY go together, as electrical worker Beverly Pickett considers popular model safety glasses offered by Barbara Yutzler, safety department.

from correction of an uneven path to an elaborate bell and light warning system which notifies machine operators when the compressed air, used on many of the machines to chuck parts, falls to 80 lb. (below which parts may fly out of the air controlled jaws). Payment for the improvements usually ranges from \$10 to \$75, with the company paying the taxes.

Employees, supervisors pull together

While importance of employee participation was being stressed, cooperation at the supervisory level had not been overlooked. Also early in 1953, a series of development conferences including all levels of management was held, and monthly safety reports with complete accident coverage and breakdown distributed to all employees. Time-loss and cost figures for each department were given in the report and inter-departmental safety competition was encouraged.

The end of 1953 with an expanded work force of 1,300 saw AiResearch with an accident frequency rate of 10.7 lost time injuries for each million manhours worked and a total accident cost figure of \$57,031. This included direct and formulized indirect costs.

Faced with an unenviable position

in its safety division at the end of the first fully recorded year of safety et. fort, and with the groundwork for a safety program laid, intensification of effort seemed the only answer to the safety group. An additional series of supervisory and employee conferences brought out the fact that unsafe practices were often not recognized until after an accident focused attention on the unsound, or unthinking, basis for them. To correct this a new safety in struction booklet was prepared and distributed to every employee, the safety committee expanded, and the educational program intensified. With prevention in mind a closer study of any unusual accidents or apparent injury trends was made.

alm

ere

sal

It 1

col

tio

dis

In

ma

of

ini

ful

the

ot

sta

ca

lai

tic

ce

in re si

В

fi

g3 e a gC

c d

c c s

t

A tremendous improvement over 1953 accident figures demonstrated the value of this stepped-up campaign. With an expanded work force of 1.800 the 1954 frequency rate dropped to 4.88 and total accident costs went down by over \$21,000 to \$35,904.

Campaign against biggest enemies

By this time the two worst safety enemies at AiResearch had been definitely identified as strain injury and eye damage, and a specific campaign against them initiated. Most of the strain accident reports tagged improper handling of some of the company's heavier units as the cause.

pany's heavier units as the cause. New lift trucks, carts, and hoists were introduced in the shop, and all concerned personnel were instructed in their proper use. The assembly line. however, with its hard-to-handle turbine and air starter units presented a different problem. Seeking an answer AiResearch turned its own engineers loose on the solution and then gave its shop the job of designing and building specialized carts. With the new cart that was developed two men could easily place the basic housings around which the units are built into a cradle mounted on four rubber wheels. The unit can then be turned a full 360 deg. in any direction and locked into any desired position. The unit remains on this cart through assembly, inspection, testing, and until it is moved to shipping ready for customer delivery. Virtual elimination of all strain injury on the line was the dramatic result and, as an extra divident, it was found that the cart speeded production.

35% drop in eye injuries

AiReseach felt that eye injury, particularly exasperating from the safety outlook since use of adequate eye protection is a known answer, needed a fresh approach. In addition to

the program of free safety glasses, prescription ground when required, almost by accident AiResearch discovered how to make its employees more eve conscious when it noted that its discarded safety glasses were being salvaged by its workers for home use. It was decided to encourage this and company bulletin boards and publications were used to announce the free distribution of un-reworkable glasses. In view of the unexpectedly large demand, it was decided that reworking of safety glasses to salvage the small initial cost was a waste of time. Mindful of the number of home workshops. the danger of rotary lawnmowers, and other home hazards, and in hopes of starting eve safety at home with a carryover into work, this program was later expanded to include all glasses turned in through transfer or termination. Graphically illustrating the success of this idea is the noticeable shop increase in use of safety glasses and a rewarding 35% drop in eye injuries since inception of the program.

f the y ef-

or a

on of

the

es of

nces

Drar.

until

n on

s for

y in-

and

the

the

With

v of

nt in

OVET

rated

aign.

pped

went

mies

afety

defi-

aign

the

im-

com-

oists

d all

cted

line.

fur-

ed a

swer

eers

e its

uild-

new

men

ings

into

bber

rned

and

The

1 25-

intil

CUS-

n of

the

livi-

cart

par-

fety

ded

to

956

Best safety isn't good enough


During 1955 company frequency fluctuated between a low of 2.47 and a high of 4.94 to average 3.29 for a group of employeees now over the 3,000 mark. These figures were good enough to place AiResearch first among the 29 manufacturers in its regional division of the National Safety Council.

While 1956 figures are as yet incomplete, monthly safety reports to date give a 3.00-per-million-manhour reading which is lower than last year's comparable figure. No fingers are crossed by AiResearchers however, since they know that luck can't replace hard work to achieve safety.

In analyzing development of the safety program AiResearch Safety Administrator Evan Stallcup states, "We feel that the toughest part of any safety program is to keep it fresh. We try constantly to fight any trend toward complacency by actively gathering ideas from as many sources as we can and then tailoring them to fit our AiResearch problems.

Good reporting is essential

"A good reporting and record system," he asserts, "is the pulse of any safety program. It often lets you cure a patient before any major illness develops. Next is cooperation—you need all of it you can get from management and from every employee. We get just that here at AiResearch by keeping everybody informed, asking for and using their ideas, and explaining how we feel they can best help us to aid them."



TO ACCOMMODATE CHANGES IN SPEED AND TORQUE required by this glueing machine was the problem at Hammond Lumber Co., Samoa, Calif. The machine, converting odd lengths of lumber into continuous boards for cutting into standard lengths, does the job without a hitch now that . . .

New d-c drive controls crucial drying speed

A VARIABLE SPEED DRIVE problem on a machine installed at Hammond Lumber Co.'s Samoa, Calif., mill has been solved by a new type d-c. motor—the first Western application of the new unit.

In their constant effort to improve lumber quality and reduce waste, Hammond engineers devised a glueing machine that binds odd lengths of boards end to end in a continuous strip from which standard lengths are cut. Thus, pieces that otherwise would be downgraded are combined to produce high grade lumber.

However, before this economy could be achieved, a means of controlling the speed of the feed rolls had to be reached so that the many thicknesses of boards available could be processed without extensive changes in the apparatus.

Thin, faster; thick, slower

With ends freshly glued, the boards enter the machine and are passed between feed rolls which keep the head end of each board tightly butted against the tail end of the preceding piece, assuring a good joint. Powered by the feed rollers, the boards pass through a high frequency dielectric heating section that completely cures the glue in the joints.

Thicker boards require more time for the dielectric heat curing than thinner pieces do and the only means by which the curing time could be varied was a variable speed drive on the feed rollers. Thicker boards also require an increase in drive torque due to the increase in weight and friction and slower processing speed. However, the horsepower requirement for the machine tends to remain at a constant value.

The "power package"

The drive chosen to meet these requirements was General Electric's new Kinematic d-c. motor. A unit with a 2:1 speed change by field control was selected because it would provide constant horsepower over its speed range and further reduction in speed could be obtained by armature voltage control. For the new type motor on the industrial market for only a short time, this proved to be the first Western installation. The motor is built in accordance with the new NEMA standards for d-c. motors and generators. D-c. power is supplied to the unit by a "power package" that includes within its compact sheet enclosing case an a-c.-d-c. motor generator set, an exciter to provide excitation for both the generator and the motor, and the drive control system. From his station, the operator controls the drive through its entire speed range by a single dial located at his fingertips.

Production's mighty smooth in this face-lifted plant!

When Norton Co. decided the Western market for its abrasive wheel products could be served better from a Western-homed manufacturing facility, it methodically weighed the many site-selection factors involved. Final decision led to the purchase of a 50,000-sq. ft. building in Santa Clara, Calif. Having purchased a facility not designed specifically for its operation, Norton had to modify the plant somewhat prior to occupation. Electrical distribution and lighting facilities had to be altered and up-dated and an air conditioning and dust collection system had to be installed to meet the special requirements of abrasive manufacture. Here's how it was done.

Clean, dust-free air is one key to operating success

MANUFACTURING thousands of grinding wheels per month could easily create an extreme dust problem, but a 40-ton air conditioning unit and a two-collector dust gathering system keep Norton Co.'s modern Western plant dust-free and provide temperature and humidity control important to successful mixing and pressing of resinoid bonded wheels—one phase of abrasive manufacture.

Dust in abrasive manufacturing operations occurs at many points. If

not removed from the air at its point of origin, it gets into moving parts of machinery and creates an unhealthy and objectionable atmosphere for workers. Top these factors off with the housekeeping load dust can impose and you have a sizable problem.

Both of the dust collectors at the Norton plant are of the reversed jet, self-cleaning type. They discharge cleaned air back into the working area, effecting a substantial saving in the heating load during cold weather.


One of the Aeroturn collectors serves an area devoted to operations that require closely controlled temperature and humidity conditions. Here, the dust collector assists the plant air conditioning system in maintaining these factors at a predetermined level, thus reducing the load im-

posed on the 40-ton air conditioning unit.


An unusual feature of the Norton dust collector installation is the use of separate pipes running from each machine serviced to the collector. This prevents settling of dust when individual pipes are shut off by dampers which might occur in systems involving the use of main lines and branches. It also provides flexibility. If additional equipment is added later, it will not be necessary to redesign the piping to compensate for additional capacity. The collector units were selected to provide ample capacity for foreseeable additional equipment.

Norton's air conditioning unit consists of a 40-hp. Trane compressor with Marlo cooling coils. A 10-hp. compressor will soon be added for standby.

ti E ti u ii o to fi le ri si ti S h st v d



SEPARATE COLLECTION PIPES running from each machine provide operating flexibility.



COLLECTED DUST is delivered to one of two central points by reverse jet action of the system. Collectors discharge cleaned air back into the working area, effecting a substantial saving in heating loads.

Revamped power distribution and lighting systems

AT the time Norton Co. purchased the building to house its Western manufacturing plant, the 50,000-sq. ft. Santa Clara, Calif., structure had been vacant for several years. It was originally built to house a textile printing operation. Thus, not only were the electrical and lighting facilities outdated and inadequate, they were not originally designed to meet the power and illumination requirements of abrasive manufacture.

Equipment required for the manufacture of Norton's line of grinding wheels presents a relatively heavy electrical heating load, developed by kilns and tunnel ovens near the center of the 360 ft. long building. Concentrations of the motor loads for finishing operations, however, are located near the west end of the building and additional motors for forming operations are located near the east end. Existing lighting consisted of twotube, 96-in. T-8 slim line industrial units mounted on 15-ft, centers-an inadequate system for modern factory operations.

Due to the distance separating Norton's home office in Worcester, Mass., from the new plant location, the problems imposed by the needed electrical renovation-and subsequent responsibility for the new system-were contracted to Kurze Electric, Inc., of San Jose, Calif. Engineers of this firm handled the electrical layout and construction work under the direct supervision of Norton's plant engineering

department.

ing

ton

e of

ma

his

vid

pers

olv-

hes.

ddi-

will

ping

city.

d to

able

COL

with

nres


dby

rking

1956

Initial studies to determine the most economical service location indicated savings in feeder costs by bringing the service into the center of the building. However, the physical problem of locating the necessary transformers and switchgear in this area more than

NEW LIGHTING UNITS were provided in the finishing area of the plant. The two-tube, 96-in, slim-line units were hung at 41/2 ft, end to end on 10-ft. centers providing about 48 ft. candles of light. Fixtures in the forming area were rearranged in an end-to-end pattern on 10-ft. centers.



SUPPLEMENTARY LIGHT was found to be desirable at the point of contact of numerous grinding operations. Some of these situations could be handled by spot lights, but shielding hoods on the equipment made conventional machine-mounted lights necessary in most cases.

counterbalanced these theoretical savings, and the 1,600-amp., 480-v. service was finally located in the mechanical room at the east end of the build-

From this main switchboard, the distribution system was laid out utilizing the existing feeders and panel boards wherever possible and extending a heavy backbone of 600-amp. feeders into the center of the plant to carry the electrical kilns and ovens.

In the finishing area, the finishing grinders are located on both sides of a central conveyor, and all of these machines are served from a 225-amp. plug-in busduct, with fused switches running the length of the conveyor.

Existing 10-kva. lighting transformers were grouped into three 30-kva:,


the 1600-amp., 480-v. service were located in the mechanical room at one end of the building because center-entry was precluded by ... concluded on page 81

space problems.

AUTHOR OF THIS ARTICLE



PERRY J. COLLONGE **Electrical Engineer** Kurze . Electric, Inc. San Jose, Calif.



POOR MAN'S AUTOMATION

at Dalmo Victor Company San Carlos, Calif.

Second of a continuing series showing how on-their-toes Western plants are boosting production with smart but simple operating ideas.



SMOOTHING THE WELD by router was a precision job; the aluminum sheet was to be used in a radar antenna and breaks in surface continuity would disturb reception. Tool that did the job was a compressed air driven router straddling the weld on small wheels.

Revolving drum for sheet welding

GET A sheet of aluminum 20 x 16 ft. welded together—aluminum does not come in 16 ft. widths—and rolled up like a jellyroll? Use the thinnest possible aluminum and eliminate all weld "bumps" so it can be used in radar microwave reception? Sounded impossible to engineers and welders at Dalmo Victor when they were confronted with the task of providing the "jellyroll" for an experimental radar antenna. But, many huddles between mechanical engineer Gordon Shepherd and welding foreman William Graves produced a solution.

They soon found that aluminum sheet could be welded as thin as .015, but the real problem was to weld it without permitting the length of the welds involved and the width of the overall piece to cause buckling. They also had to find a method of welding the sheets without warpage at the seams and of smoothing the weld joints level with the surrounding surfaces. At first it was envisioned as a flat operation, but this presented a problem of how to hold the pieces flat—how to brace the work.

Realizing it just could not be done against the ceiling, they designed a giant drum to handle the job. Accordingly, a drum more than 16 ft. long and 7 ft. in diameter was fabricated for the job by Consolidated Western Steel in South San Francisco. It was set up on steel stands to clear the floor at Dalmo Victor.

At one end of the drum a variable speed gearmotor was stationed. It drove the drum through a Whitney chain which rimmed a circular piece of 1½-in. steel. Short steel dowels set in the rim of the steel plate about every 9 in. acted as sprocket teeth for the chain drive. The drum was also scribed with a 25/1000-in. wide and 3/16-in. deep groove encircling it at one end.

Two sheets of .020 aluminum 20 ft. long and 3 ft. wide were then drawn onto the drum. The joint between these two sheets was made to coincide with the 3/16-in. groove in the drum. "Belly bands" were cinched around each sheet of aluminum and the sheets were ready for welding.

Another stand was built to hold a welder high enough to give him easy access to his work. With the dram turning at a slow but even rate, as aluminum weld was laid into the joint by heli-arc process the length of one revolution of the drum. This required about 75 min.

To prevent pulling at the cooling weld, another man stood at the rotating drum peening the weld to give it the proper expansion factor. A special tool was devised to smooth the weld ridge. Riding on small wheels, a compressed air driven router ran along the surface of the sheets while straddling the weld. The bite of the router could be set at an exact level to remove the weld ridge. When one side had been thoroughly smoothed, the sheets—now effectively joined—were peeled from the drum, turned over, and smoothed on the under-side of the weld seam.

purp

lead

man

wiel

idea

para

mou

of the

air o

step Vic

ing "sw

gui Thi

ten

wit of

ren

ing the ing acr

The first two welded sheets were then moved down the drum and a third sheet wound on to butt with the joint edge exactly over the 3/16-in. groove in the drum and the welding operation repeated. Three more sheets were added in this manner and finally the required sheet of aluminum, smoothly and effectively welded, was removed ready to be used in the assembly of the experimental antenna.

Air cylinder speeds up lathe operation

ONE OF Dalmo Victor's major contour turning of reflector brackets—has recently been streamlined and made more accurate as a result of another employee-generated suggestion. Turning the brackets on a lathe was previously performed by a counterweight, rope and pulley attachment. Working in conjunction with a fixed follower and cam, this actuated a longitudinal movement of the lathe carriage when the cutting tool was fed automatically across the work.



AIR PRESSURE replaced a carriage actuator consisting of a counterweight, rope, and pulley attachment. Now, the cylinder forces the lathe compound forward and brings the fixed follower ogainst the cam face, giving the operator constant control of cutting tool.

Although that mechanism served its purpose, it was bulky and difficult to handle. Al Scherer, machine operator leadman in the department and foreman Jack Bilok ganged up on the unwieldy situation and came up with the idea of swiveling the lathe compound parallel with the machine ways and mounting an air cylinder on the base of the compound.

rotat

ive it

pecial

weld

com-

along

strad-

outer

move

had

sheets

peeled

and

f the

Were

and a

th the

16-in.

elding

sheets finally inum, l, was

he astenna.

major

abolic

ackets

d and

of an-

e was

unter-

ment

fixed

a lon-

e caras fed

1956

Once installed and operating, the air cylinder provided pressure to force

the compound forward toward the work surface and, at the same time, bring the fixed follower—now assembled to the compound—against the cam face. This new set-up eliminates the necessity of moving the lathe carriage except to position it correctly in the initial set up. No longer is the operator concerned with the carriage movement. Instead, he has immediate and constant control of the cutting tool mounted on the compound.

Milling time cut by 86% with new operating linkage

A MILLING job formerly requiring 35 min. of work has been stepped up in efficiency until Dalmo Victor milling machine operators only spend 5 min. on it. The piece being milled is a rotary choke on a "switch" which enables the mounting of two sets of tubes known as "wave guides" on one end of a rotary joint. This type mounting permits radar antenna to scan at twice the rate possible with single "wave guide" units.

The rotary choke requires milling of one portion to .011 in. below the remaining surface. A Bridgeport milling machine was previously used for the job and was equipped with a dividing head which had to be passed across the entire surface of the piece



MILLING TIME WAS REDUCED from 35 min. to 5 min. by a Hardinge spur spacer linked to a Nichols handmill by linkage levers working from the machine cross slide.

at least a dozen times to achieve the necessary cut.


Section foreman William Rixon pioneered an improvement calling for attachment of a Hardinge spur spacer on a Nichols handmill by means of linkage levers which work from the

cross slide of the machine. When the lever is moved, an end milling cutter passes across the surface of the piece just once producing the necessary .011-in. cut in the radial surface. This method of milling the piece not only reduced the time required, but improved the quality of the finished surface greatly.

Offset attachment boosts tapping efficiency 500%

EFFICIENCY has been increased by 500% at Dalmo Victor Co. in tapping holes on the inside of gimbal frames for an antenna used on radar equipment manufactured by this San Carlos, Calif., plant. Access to the holes is through a 10-in. opening in the gimbal frame which made the use of machine tapping equipment impractical. The holes had to be tapped by hand.

Finding the hand-tapping operation tedious, tool room machinist Eugene Burkhard put his imagination to




SPECIAL MILLING ATTACHMENT was devised to tap holes within a 10-in. cylinder. By linking the tapping machine's action to an offset tap, hand tapping was eliminated.

work at home and developed an offset attachment which hooks onto the tapping machine and automatically threads the gimbal frame holes. The attachment consists of a steel body, two shafts, and a set of gears to provide the mechanical power transmission from the tapping machine to the tap inside the frame.



LUBE SYSTEM for such machines as this Hydro Press underwent thorough study at Pastushin because plant operators were not satisfied with "Fair" maintenance.



LUBE FREQUENCY was cut down, as was the number of different products used. For example, both factors were reduced by 50% on this Maximiller.

He


de sh ch ch

lal fr

pl

'Excellent' maintenance pays off

Here's how Pastushin Aircraft in Los Angeles jumped its government machine maintenance rating from "Fair" to top grade.



PARTS REPLACEMENT and cleaning, a task that was previously a cause of much downtime on the line of presses at Pastushin, has been reduced to a minimum as a result of changes in upkeep practices.

PLANTS WORKING on government contract often jest at the "pain in the neck" given them by official inspectors of plant facilities. However, the inspection and subsequent rating of maintenance effectiveness of government-leased production equipment provides a yardstick as to quality of maintenance that is otherwise difficult to obtain. Poor maintenance can eat up plant operating funds quickly and "almost excellent" maintenance will eat up a proportionale share.

Maintenance rating goes up

Pastushin Aviation Corp., Los Angeles, realized the benefits of such inspection when, upon a January 1956 inspection, the Air Force issued the following statement: "A remarkable improvement has been effected in the care and maintenance of government leased equipment located in this facility. Rating: Excellent." A year and a half prior to that, Pastushin's maintenance rating was "Fair."

The difference between fair and ex-

cellent was attained through the joint efforts of Pastushin engineers and the Imperial Oil & Grease Co., also of Los Angeles. The lubrication firm conducted a lube survey. A guide and recommended lube practice list was prepared with the cooperation of the Pastushin maintenance department. Following the guide and using a metallic lubricant (Molub-Alloy), time required to lubricate the equipment was reduced by about two-thirds.

Previously, 12 principal lubricants were required to maintain the equipment. Under the new lube system, only four lubricants are required. Furthermore, down-time has been reduced to practically nil and bearing and parts replacement has been cut by about 50%.

Here's how they did it

mber

ictors

ern-

vern-

t the

by of-

lities.

anhee.

ctive

action

as to

other-

ainte

funds

main-

onate

ch in-

1956

d the

kable

in the

is fa-

r and

main-

id ex-


1956

An equipment record sheet and equipment work card were designed and set up by Pastushin's maintenance department. The equipment record sheet is a complete history of the machine, giving details of all repairs and changes along with the cost of all labor and materials used. Information from the Imperial survey has been transferred to the work card—a complete four-year record of maintenance, inspection and lubrication.


Work cards are filed in the maintenance superintendent's office in such a manner that cards representing machines to be lubricated during a given week can easily be pulled out on a Monday morning. These cards are given to the maintenance foreman who is responsible for the performance of required lubrication and inspection. When the necessary work has been completed, the cards are initialed and returned to the file and placed in the proper position for their next lubrication cycle.

Pastushin's aggressive development of new products and new processes for the aviation industry may lead to additional expansion of their productive facilities. The controlled maintenance program, with its change to more efficient and fewer lube products, has already enabled Pastushin to increase production without addition of maintenance personnel. These economies, basic in nature, are expected to extend into the future as the company grows.

FOR LATEST TECHNICAL DATA ON LUBRICANTS, check WI's special know-how literature section on page 56, June issue. We'll be happy to get your selection (as you indicate it on the June Reader Service Postcard) to you quickly and without obligation.



LUBE RECOMMENDATIONS were given Pastushin Aircraft in chart form (top). Data was transferred to an equipment record sheet devised by the plant's maintenance department (center) and equipment work cards (bottom), which provide a four-year record of lubrication, were filed in chronological machine-lube order and pulled each Monday morning.



NO WASTE MOTION HERE, with electric-hoist equipped monorail spanning entire processing line to handle aluminum sheets from vapor degreaser (right background) to dryer in foreground. Load is shown here coming out of boiling water bath. It's a good example of many built-in smart operating ideas, that show you how . . .

Anti-waste-motion production

. . . is the key to manufacturing economies at Southern Pacific's new aluminum sign shop. There are a dozen good ideas here for you.

WANT A DOZEN good production ideas, particularly those that save waste motion? Then take a trip with us here through the new sign shop set up last November by the Southern Pacific Co. at its West Oakland yard. A new type of reflectorized metal railroad sign has gone into mass production there in the 38 x 80-ft. shop under the supervision of W. R. Jones, superintendent of SP's mill of which the sign shop is a part.

Chief product at the shop right now is the new aluminum sign, which is rapidly replacing old-style wood and steel signs along the line's right-of-way (because they afford sharp visibility of warnings at night or in storm and fog conditions, they outlast other signs two to three times, and require virtually no maintenance).

The production scheme

The shop's manufacturing process, planned to eliminate waste motion, is separated into two primary steps: (1) preparation of aluminum sheets and (2) actual production of the signs.

Aluminum sheets are purchased in various gages, and in sizes pre-sheared to specifications. First step is to have SP's blacksmith shop punch mounting holes in the sheets, using special jigs, thus insuring conformity between lots. A fork lift truck brings the palletized sheets to the sign shop, where a pneumatic rubbing machine first removes lacquer ink print from the face of the sheets. A rack on a castered dolly receives 51 large or 102 small sign blades. Made of stainless steel, the racks are designed to hold sheets spaced in a positive vertical position.

Loaded racks are rolled under a monorail which spans the processing line and lifted by electric hoist into a degreasing tank. Sheets are immersed in a vapor for 10-15 min. An exhaust blower removes fumes. The Blakeslee degreaser also has an automatic water flow valve on the condenser and an automatic remote-controlled temperature valve on the steam line, which functions in case of a condenser failure.

Step two in the lineup is immersion in a 400-gal. capacity etch bath of 8% phosphoric acid solution, for a period depending on the temperature of the bath. Good production scheme here was to make an etch bath heater and temperature controls unnecessary by placing the bath near the degreaser.

Racked sheets come out of the degreaser hot and dry. The acid solution is preheated at the start of a shift to about 95-deg. F. by steam injection. After the initial heat it increases in temperature through use to some 120 deg.

dra twe

> wh aro

onl

ya

by Al wi

> ba in na fle co ci

Upon completion of the etch, which gives the aluminum surface a "bite," the load is switched to a cold water bath. Fast immersion stops the etching and releases surface acid on the plates, which in turn frees the aluminum particles held in suspension from the etching. A flow of clear water through a skimming trough at the top removes waste particles, doing away with tank sedimentation. A 3-min. wash is sufficient to clean the load.

Double-purpose hot air dryer

Hoisted along the monorail again, the load is dropped into boiling water for 2 to 3 min. This removes all traces of acids or alkalies and brings the sheets to a high temperature for final drying.

A specially-built hot air dryer is the last stop on the etching line. This consists of a heater unit prefabricated from finned radiator pipe and steam heated. It has a built-in blower that draws filtered dry air from a space between roof and ceiling and exhausts it through the heating fins before passing upward through the aluminum sheets. At 180 deg., a load dries in less than 90 sec.

The dryer is a dual-purpose unit, in that the blower delivers 50% more air into the shop than the exhaust blower on the degreaser is taking out. Thus the shop remains free of dust which normally would be drawn in around door openings. In dry weather, when aluminum is not being processed and the degreaser is shut down, the heat on the dryer unit is cut off and only the blower remains in operation. This raises the inside pressure and prevents cement dust from entering the shop from the adjacent concrete vard.

From the dryer, the load is detached from the monorail and trucked by dolly to horizontal storage racks. Aluminum sheets are handled only with washable cotton gloves to prevent skin oils from affecting the etched

Uniformity out of variety

surfaces.

out of

ific's

ne de

solu-

a shift

ection.

ses in

e 120

which

bite,"

water

etch-

on the

e alu-

ension

clear

igh at

doing

n. A

in the

again,

water

traces

gs the

final

is the

s con-

1956

The second major phase of the signmaking operation is the application of backgrounds and legends. These are in a variety of colors, depending on the nature of the sign. Reflective backgrounds are Scotchlite, and non-reflective legends are Scotchcal. Both come in 50-yd. rolls, stocked in a specially-made storage cabinet.

Letters and numerals are made up in stock lots, cut from the 24-in. wide Scotchcal material. Here is an exam-

ple of the procedure:

A composite of all the necessary letters is arranged on the 24-in. width, giving a finished dimension of 14 x 24 in., by juggling the letters around. The composite is duplicated on a silk screen stencil, which becomes the permanent pattern. From this stencil prints are run on sheets of Masonite, 14 x 24 in., for the actual cutting pattern. Then as many 14 x 24-in. sheets of Scotchcal as desired are cut and stacked in piles of 100 each with a Masonite template on top. Each letter is then cut out by scroll and jig saw. Superintendent Jones says the SP achieves a considerable saving by this procedure.

When an operator is ready to produce a sign, he selects the desired color and width of background material and places the roll on a spindle at one end of the 3 x 10-ft. cutting table. Setting the required length with a gage bar, he feeds the roll through a spring-loaded shear which is operated by a foot-

controlled air cylinder. An electronic counter keeps a record of the number of lengths cut. The shear blade is shielded by a Plexiglas guard.

Another SP sign shop innovation is to use a small motor-driven abrasive wheel to loosen the backing of cut sheets of Scotchlite, rather than picking at it with a thumbnail.

Actual sign fabrication now begins on the makeup table. The correct size of aluminum sheet is aligned against jib stops. The same stops are used to align the stripped reflective background on the aluminum, tacking it with a hot iron or liquid activator. Another of the interchangeable jigs is swung into place and used as a guide to tack down the legend.

Now, from four to six 4 x 6-ft. Masonite sheets are covered with the signs on loading tables. These are topless racks of angle iron on casters. As the loading boards are filled by one workman, another moves up a table with loading board in place.

Rolled to the opposite end of the shop, loading boards and their contents are placed two at a time in a vacuum applicator, made by Minnesota Mining & Manufacturing Co. The vacuum cover is closed and a full vacuum of 25-27 in. is applied in approximately 60 sec. After another inspection of sign faces and legends, the heat chamber cover is lowered and locked and steam heat at 188 deg. is applied, the time varying with the gage of aluminum. Pressure is in the range of 1 ton per sq. ft. At the expiration of the bonding process, boards and contents are placed in an adjacent cooling rack which permits free air circulation. Work proceeds continuously during bonding cycles, with operators assembling signs at the makeup table.

Packaging techniques

From the cooling rack, boards go directly into custom-made corrugated paper cartons. This operation is done on a large castered table, near the cooling rack and knocked-down carton storage section.

Signs go face up in an open carton. At this stage the operator removes a protective paper covering which has been over the legend throughout the fabrication. The sheet of backing paper which was originally removed from the Scotchlite now goes over the face of the sign. Into the package goes all the necessary hardware, including shims for signs that will be adapted to existing posts, and full instructions to insure correct mounting. Cartons are sealed with gummed tape supplied by electric dispenser which delivers right length by dialing.



SPECIAL RACKS carry sized and punched aluminum sheets on fast journey through the etching line.



FOOT-OPERATED SHEAR has plastic guards and electronic counting device to record lengths cut.



METAL JIG is flipped over aluminum sheet positioned in wooden jig, for lettering alignment.


LOADING BOARDS with signs get set for heat-pressure bonding.



WESTERN INDUSTRY - August 1956




THREE SEMI-AUTOMATIC WELDING UNITS operated in each of the 40-ft. high pulp digesters at the Longview, Wash., pulp plant. In certain areas, the walls required as much as a 1-in.



BUILD-UP OF STAINLESS STEEL, shown above with lower section clad with 3/16-in. beads and the upper section not yet surfaced.

40-ft. tanks relined by welding

Here's how a semi-automatic welding process made stainless steel relining of Weyerhaeuser's big pulp digesters economically possible.



WHEN INITIALLY INSTALLED, wall thickness of the digesters was 1.5% in. Sloughing action reduced this to an unsafe .5% in. on certain wall areas.

F IVE 40 ft. high digesters which have been used and worn at Wegerhaeuser Timber Co.'s Longview, Wash., pulp division plant were recently restored to service with the aid of automatic welding equipment at a savings of about \$250,000 over the cost of new digesters. Stainless wire overlay of the digester shells, which had been reduced to an unserviceable minimum by sloughing and abrasive action of pulp processed, was only determined to be economical with the advent of gas shielded welding equipment.

Nature of sloughing unknown

The digesters are each 11 ft. 2 in in diameter and, when initially installed, had a wall thickness of 15% in During their seven-year use, the shell thickness was reduced to 5% in in certain sections. Known causes of this reduction are chemical attack from the cooking liquors, sodium hydroride and sodium sulfide, and the abrasive action of the pulp mass. Other matters such as electrolysis and cavitation could also be listed as possible



NEW FLEX-WEAVE COVER IMPROVES FLEXIBILITY...
INCREASES LIFE OF GATES V-BELTS

The patented Flex-Weave cover now available on Gates light duty V-belts allows the belt to bend easily around even the smallest pulleys. Less internal stress, lower heat build-up mean longer V-belt life for your drives. A complete line of finely-designed Gates V-belts, sheaves and hose are in stock at Garrett Supply.

above s and

steel

Weygview,

re re-

he aid

t at a

er the

wire

which

ceable

rasive

only

th the

equip-

y in-5/8 in.

shell in. in f this

from drox-

abra-Other

cavi-

1956

Whether your need is for tools or industrial supplies, you'll find large stocks of more than 100 other famous brands at the Garrett Supply Company. And if you need quick service, "Get it from Garrett," too!

HEADQUARTERS IN SOUTHERN
CALIFORNIA AND ARIZONA FOR THESE
AND OTHER FAMOUS BRANDS

Norton Grinding Wheels
Boston Gears
Chicago-Latrobe Drills
Starrett Precision Tools
General Electric Motors
Putnam End Mills
Carboloy Tools

GARRETT

LUdlow 8-7221
IN PHOENIX
ALpine 8-5701

3844 South Santa Fe Ave., Los Angeles 58, California

130 West Madison St., Phoenix, Arizona

a division of THE GARRETT



CORPORATION

... for more details, circle No. 31 on Reader Service Postcard


WESTERN INDUSTRY - August 1956

49

METAL & THERM

a dependable source

Chemicals & Metals



TIN CHEMICALS - Metal & Thermit is the world's principal supplier of inorganic and organic tin chemicals.

Make Metal & Thermit your one source for:

ANTIMONY CHEMICALS-Metal & Thermit is a leading producer of high quality antimony chemicals including antimony oxide, sodium antimonate and potassium pyroantimonate.

ZIRCONIUM PRODUCTS - ULTROX® zirconium opacifiers for ceramic glazes and other M&T zirconium products are of unvarying quality.

CHROMIUM, FERRO-TITANIUM, NICKEL-**TITANIUM** — of carefully controlled analysis.

When you need any of these special chemicals and metals, it will pay you to give us a call.

TIN & TIN CHEMICALS CERAMIC MATERIALS ORGANIC COATINGS WELDING SUPPLIES RABIOGRAPHIC EQUIPMENT PLATING MATERIALS METALS & ALLOYS *MEAVY MELTING SCRAP*

"First Name in Tin Chemicals"

LOS ANGELES, CAL. SO. SAN FRANCISCO, CAL.

... for more details, circle No. 32 on Reader Service Postcard

causes, but the exact nature of the sloughing action is not entirely understood in the pulp industry.

Old overlay methods impractical

Wood chips are cooked in the digesters at a pressure of 104 lb. per in. gage and a temperature of 340 deg. F. These operating conditions make the digesters unsafe for use when shell thickness has been reduced to less than 5/2 in. It had been found that overlay. ing the shells with type 310 stainless steel-using stick electrodes-com. pletely stopped the sloughing, How. ever, this is an exhausting method for welding personnel and it made complete overlay impractical until development of the gas shielded welding processes.

Using Air Reduction's Aircomatic process, Weyerhaeuser was able to horizontally overlay the digester shells in a vertical position. Three model 21 guns with CAV welding machines and allied equipment were used. All three guns were operated in the digester at the same time. Each operator worked a 1/3 section of the vessel with an overlap at each end of the operator's zone.

New equipment used

The entire operation was semiautomatic. Travel equipment consisted of No. 10 radiagraphs with special indexing racks and Aircomatic guns with racking assemblies. Indexing racks were cut with a four threadper-in. lead so that 3/4 turn of the wheel raised the gun 3/16 in. Accurate indexing was important to get a uniform overlay and the setting had to be the same for each pass.

Radiagraph's were equipped with side roller attachments which served as a guide to hold the equipment to the contour of the digester shell. Shell contour was not uniform so the in-andout racking on the guns was necessary to maintain a reasonable nozzleto-work distance and gas pattern. Fresh air was introduced into the digesters while welders were working through an 8-in, outlet at the bottom of the digesters.

6,000 lb. of wire per digester

Each of the digester's 1,330 sq. ft. required 4.5 lb. of 1/16-in. type 310 stainless steel welding wire—a total of 6,000 lb. per digester. Approximately 43,000 cu. ft. of Airco No. 2 shielding gas was used during the overlay of each shell. Total time consumed for all five digesters was 8 mo.



Ask the man with the gun

The chances are you know him. You can find him in every plant and factory, every lumbering camp or construction site in America. And when he *points* that gun, wheels turn, gears mesh-things happen! All of industry moves on the grease-barrage he lays down.

diin.

ell an ayesa m-W. for im. veling atic to ster ree ing ere ited ach the l of

emiconwith atic dexeadthe

et a

with

rved

t to

Shell

and-

eces-

zzle-

tern.

e di-

king

ttom

q. ft. 310

total roxi-

the

con

was

956

Previously, it took a lot of different greases to do all the jobs the gunman had to do. Sometimes a single plant would stock as many as forty or fifty types! But now one multipurpose grease meets all these needs. That grease is Richfield Rocolube.

HOW YOU BENEFIT

Richfield Rocolube can be used to lubricate everything from a small electric motor to a locomotive...includ-


ing conveyors, water pumps and airplanes...trucks, track rolls and construction equipment! You need no other grease. This means that you save money so many ways: fewer, larger purchases are possible...inventory can be reduced...and the chance for lubrication error is virtually eliminated.

In addition to being versatile – and competitively priced – Richfield Rocolube has other fine qualities. It works as well in arctic cold as in desert heat. It's water-proof, tough and also easy to pump.

PICK UP YOUR TELEPHONE

Call the Richfield office nearest you today. Let the lubrication expert there show you what grease gunmen have *proved* about new Richfield ROCOLUBE. Call now!

RICHFIELD ROCOLUBE ADVANCED MULTI-PURPOSE GREASE



FINE INDUSTRIAL LUBRICANTS FOR EVERY NEED

RICHFIELD

... for more details, circle No. 33 on Reader Service Postcard



ERRINGBONE GEAR SPEED REDUCERS AND INCREASERS

TO 2000 H. P.

0 TO 12,000 R. P. M.

1 TO 1 TO 70 TO 1

WHERE SPEED IS REDUCED OR INCREASED

> **Eighty Different Sizes** From Which To Choose



PIPELINE PUMP



SALT WATER DISPOSAL



ALSO SPIRAL BEVEL REDUCERS FOR COOLING TOWERS


h

CHINE COMPANY LUFKIN FOUNDRY

LUFKIN, TEXAS

Branch sales and service Houston, Dallas, New York, Tulsa, Los Angeles, Seminole, Oklahoma City, Corpus Christi, Odessa, Kilgare, Wichita Falls, Casper, Wyaming; Great Bend, Kansas PACIFIC COAST DIVISION—5959 South Alameda, Los Angeles 1, Calif.

... for more details, circle No. 34 on Reader Service Postcard





NO FUMES, (above) even though workmen are adding solids. To conserve space, vapor incinerator is installed beyond No. 3 parapet wall and fan behind No. 4 parapet wall. Enclosed panel board for electronic type of combustion safeguard is at right of operator.

SAFETY FEATURES (howler and temperature limit) are pointed out at left by Clarence Nelson of Dunn Edwards Corp. while John Hirt, president of Hirt Combustion Engineers, looks on. Dunn Edwards installed the unit to replace a water wash system after neighbors complained

A CASE HISTORY

CERS

How one industry got smog out of its 'air

INDUSTRY usually gets most of the blame for bringing on the smog in the Southern California basin, so it's no wonder that plants in the basin are making great efforts and spending plenty of dollars to avoid the stigma of being branded as smog "violators."

One of the most frequently-cited industries in the area's smog battle has been the varnish industry. When varnish is cooked, many of the basic constituents break into lower hydrocarbon molecules that cause irritation to eyes and nose. By water-washing fumes, 90% of the irritants can be removed-but the remaining 10% get into the atmosphere to create a nui-

To eliminate this nuisance and to allow the varnish industry to meet the requirements of the Air Pollution Control District (which has ruled that all fumes of a combustible nature must be eliminated from the atmosphere), a unique vapor disposal unit especially constructed for disposing of varnish vapors was developed. Many varnish plants in the area have already installed the unit in their plants, and other industries-paint plants and lithographers, for example—have also put it to good use.

Hirt Combustion Engineers, a Los Angeles engineering firm, designed the unit not only to be efficient in disposing of varnish vapors but also for oper-

DID YOU KNOW ...

that . . .

Lufkin Foundry and Machine Company is the world's foremost manufac-turer of Herring Bone Geared oilfield pumping units



Lufkin Foun-dry and Machine

Company's home office and plant at Lufkin, Texas is located in the Southern Timber Belt . . . a beautifully wooded section of East Texas . . . sometimes termed the as . . . sometimes termed the "Piney Woods" country, where for-ests of Loblolly and Long Leaf Pine thrive?

Lufkin Foundry and Machine Company is the home of "Lufkin Gears for Industry" . . . built to meet the specifications of Industry's most discriminating engineers and to endure under the most severe types of service which can be imposed?

Coon hunters consider Lufkin a "Piney Woods Paradise" and they say that some of the greatest coon hunting in the world is within 15 minutes of the city limits?

Lufkin Foundry and Machine Company has nothing to do with the restaurant business, but maintains a little hunting club out at Piney Ridge where the cook and his helpers dish out some of the finest Southern Cooking you ever shook a corn pone at . . . m-m-m . . . fried catfish, black eyed peas and turnip greens . . . You all come!

Lufkin Foundry and Machine Company maintains factory sales and service offices throughout the U.S. and serves Canadian oil fields through its subsidiary, Lufkin Machine Company, Ltd. at Edmonton.




Write for new G-4 Gear Bulletin

& MACHINE COMPANY PACIFIC COAST DIVISION


5959 S. Alameda St., Los Angeles 1, Calif. NORTHWEST SALES AND SERVICE J. W. Minder Chain and Gear Co. 307 So. East Hawthorne Blvd.

Portland, Ore. Lufkin, Texas

New York



Designed for a broad range of clean liquid applications, the Roper Series 3600 General Purpose Pump is widely recognized for its highly dependable performance, low maintenance characteristics, and ease of installation • Roper standard fitted models have cast iron housings, hardened iron gears, 4 high-lead bronze bearings and precision-ground steel shaft. All iron models, with hardened iron bearings, are also available for specific needs. All models are available with or without adjustable relief valve in mechanical seal or packed box construction • The Roper representative in your vicinity will be glad to go over your requirements with you, whether you are interested in pumps for replacement or for original equipment in new processing operations. Call him today!



Send for Catalog

GEO. D. ROPER CORPORATION PACIFIC COAST OFFICE, PUMP DIVISION 2011 SANTA FE AVE. . LOS ANGELES 21, CALIF. ation with a minimum of capital la. cause, although smog control is con. sidered a necessity, it also remine non-productive capital. Here's how the unit works:

Prior methods of disposing of us. nish vapors consisted of a blower sad. ing off the fumes and pushing the through an incinerator. Although the system is generally satisfactory, Fire engineers decided that the cost of blower maintenance due to vapor on densation was excessive. Another and was to eliminate the nuisance of clean ing the blower.

How the system works

The Hirt unit instead uses a system that sucks fumes through a disposal incinerator and then uses the blown to dispose of the remains after incing ation. The unit has five basic compo nents. In addition to the blown motor, and exhaust stack, the mi utilizes a special hood collection m tem and a specially-designed inci-

The hood collection system takes all fumes without taking in an excess of air so that fumes become diluted without becoming too air saturated to be incinerated. The incinerator is de signed to incinerate all products with minimum combustion volume. To & sume a minimum amount of excess fuel, the unit has an automatic throttling control.

The blower has a high temperature alloy impeller that resists the heat. For economy, the remainder of the blower is not insulated. Insulation is not needed because the blower gases an completely incinerated. This permits an inexpensive design compared to blowers in conventional systems.

For safety, special controls have been incorporated into the unit. The damper is designed so that it will open or close completely, with no possibility of being half open. This eliminates flashback that occurs when fume travel too slowly from the hood through the ducts to the incinerator. Other safety controls shut off the main burner if the fire goes out, temperature becomes excessive or the blower stops, and warns the operator immediately if the incinerator is not working normally.

The operating economies have been satisfactory. The system has been but anced so that at maximum vapor production the main burner is automs tically throttled down to almost a pilot burner. Therefore only during the early heat up stages is full fuel input required. In plant installations to date fuel costs have not increased to any

major extent.



s a system

a disposal

he blower

er incine.

ic compo

blower.

the uni

ction su

ed inci-

takes up

e diluted

urated to tor is deucts with

e. To 35-

of exces

tie throt-

perature neat. For e blower is not

ases are permits

pared to ns.

nit. The

ssibility minates fumes e hood negator.

ne main

mnen-

blower

mmedi-

vorking

ve been

en bal-

or pre-

utomaa pilot

ng the

to date

WALKIE or SMALL RIDER MOTO-TRUC Model PAL-R Builds Both!

Moto-Truc builds the largest, most complete line of walkie and small rider trucks in the world. The sheer simplicity of these small, power packed trucks insures outstanding han-

You can count on finding just the right truck for your handling job when you come to Moto-Truc. In addition to those models illustrated, the line includes tractors, reach trucks and many special models. So, to make sure you have full information send for your copies of these latest catalogs . . .

dling performance at minimum operating cost.

copies of these latest ca
WRITE TODAY—Get capacities, dimensions
and engineering details on all Moto-Trucs.
"Walkie" Trucks—Bulletin 56W
Rider Trucks —Bulletin 56R

Model MPT-R

PLATFORM TYPE—For transport of skids, skid boxes, bins, etc. A variety of platform sizes are available.

Model MPT


WE an WAR AND THE STATE OF TRANSPORT OF TRANS

Model EF

OUTRIGGER TYPE—For high tiering loads on pallets. High platform trucks for stacking skids are also available.

Model EF-R







Model

COUNTERBALANCED TYPE—For high stacking operations. Built with tilt and with or without telescoping uprights.

Largest exclusive manufacturers of "Walkies" and Ride-A-Man Trucks

1963 E. 59th St. Cleveland 3, Ohio

Representatives in Principal Cities

Pallet . . . Platform . . . Hi-Lift Truck

WESTERN INDUSTRY - August 1956

... for more details, circle No. 36 on Reader Service Postcard

55

1956



SCRUBBING FLOORS properly and often can mean fewer accidents and a saving in production dollars.



MECHANIZED EQUIPMENT for floor maintenance not only cuts time, but efficiency goes up too.

Keep it clean and save \$\$\$

Sharpen up your floor maintenance, and you'll cut accidents and production losses. Here's an expert's views on how to do it.

SLIPS and falls on plant working surfaces took the lives of nine men and injured 2.319 others during the month of December 1955 in California's industrial plants. About 30% exactly 674 workers-of these injuries occurred on floors, ramps, runways, and platforms. Only two were fatal, but lost time and production cost a staggering sum, not to mention the suffering and inconvenience experienced by the injured workers.

When it is realized that these figures (taken from "California Work Injuries" published by the Depart-ment of Industrial Relations, State of California) cover only one month for one state, the vast import and extent of the problem of keeping floors and other surfaces dust and litter-free becomes starkly evident.

Beat the dust dangers

The mundane task of floor maintenance is frequently over-shadowed by the larger and more romantic mechanical and other building-maintenance operations. Millions are spent annually on plant and mechanical maintenance, and rightfully so. However, the National Sanitary Supply Assoc. reports that last year \$19,000,-

000,000 was spent for labor and \$1.-000,000,000 for sanitary maintenance materials, a not inconsiderable sum.

We all recognize the threat inherent in dust as one of the worst destrovers of machines, equipment, and inventory as well as the role of dust in the occupational hazards of breathing contaminants continuously. Yet less attention is given to the most important source of dust and unsafe conditions -horizontal surface and floors-than to anything else.

Until they become a considerable problem, very few people stop to think about floors. It can be readily seen, however, that the floor of any structure is the very heart of the structure.

The walls and ceilings and roof are only provided for one purpose-to protect the floor. Everything we do is done on the floor. We sit, work, fabricate, store, keep records, and plan on the floor. Without a floor there is no usable building.

How to treat cement floors

One of the most popular plant floor construction materials is cement or concrete. Because it is relatively strong and economical, there is more square footage of concrete than any other type of floor material in use. However, it is subject to a few weaknesses that can be corrected or minimized with proper care

Perhaps due to the economy of these floors, it seems that they are more neglected than any other type. We have all seen worn, rutted, uneven, dusty, unprotected, unsightly cement floors which can contribute immeasurably to advanced wear of machinery and increased cost of mechanical

maintenance.

Modern high speed materials handling equipment, such as forklifts, with their highly concentrated loads, give floors more wear and abuse than they ever had before. Uneven, rutted, or worn floors frequently contribute to

AUTHOR OF THIS ARTICLE



WILLIAM H. WHITE Wilwite Associates Oakland, Calif.



Now Marwedel can serve your needs for grinding and abrasive tools even faster and better. The Norton Company, largest manufacturer of abrasive products in the world, has established a completely equipped plant in Santa Clara, first of its kind in the West.

C. W. Marwedel is exclusive distributor for Norton products in the Bay Area. Our inventory includes more than 6000 items. This is another of our more than 100 famous brands of tools and industrial supplies. And our service is on the same high level as our stock. For the finest, call Marwedel!

HEADQUARTERS IN
NORTHERN CALIFORNIA FOR THESE
AND OTHER FAMOUS BRANDS

Prosser Carbide Grinders
Black & Decker Portable Grinders
Delta Abrasive Cut Off Machines
Dumore Lathe Grinders
Hanchett Saw & Knife Grinders
Stanley Bench Grinders
Diamond Wheel Dressers
Covel Tool & Cutter Grinders

UNderhill 1-2125

C.W.MARWEDEL

1235 MISSION STREET

SAN FRANCISCO 3, CALIFORNIA

a subsidiary of THE

is no

floor

nt or

tively

more

any

1196.

weak-

mini-

y of

type. even, ment asur-

nery

lifts,

than tted, te to

956





TOOLS

METALS

INDUSTRIAL SUPPLIES


... for more details, circle No. 37 on Reader Service Postcard

ELIMINATE PROCESSING DELAYS

The strategic application of Cleveland Vibrators on

Bins, Hoppers and Chutes Packaging Tables Spray Driers and Screens

saves many man hours by speeding the flow of material and eliminating blockages.



Food processors are finding that a small investment in Cleveland Vibrators brings returns far beyond the original costs.

You will probably be interested in our new, completely silent line of electric vibrators. Write for a catalog and price list.



2914 Clinton Avenue • Cleveland 13, Ohio 7 Front Street • San Francisco 11, California ... for more details, circle No. 38

MECHANICAL SWEEPERS, by eliminating soil and litter, are a production aid in many ways. For example, keeping floors free of waste materials and dirt provides better traction and tire savings for lift and hand trucks.

the "dumping" of loads and result in lost merchandise, lost time and production, and possible injury to the operators.

Modern chemistry has devised sealing products that are simple, easy, and economical to use. These materials will fill the pores, bind the cells of the concrete together, and seal the surface so that there is little, if any, dust and so that wear is kept to a minimum.

Most concrete floors "dust" or "bloom" through the natural action of the lime content of the floor uniting with moisture either in the air or from outside sources. This "dusting" is in reality the slow disintegration of the concrete and can be controlled greatly or eliminated entirely by the use of cement seals, finishes, paints, or hardeners.

Many fine products for these purposes are available but have not been as popular as they should be due to the fact that most are surface finishes. Any surface finish will wear off leaving unsightly traffic lanes. Because traffic lanes are hard to reblend into the general appearance of the floor, chemical manufacturers are turning to the use of penetrating seals. These products have been highly recommended in the past and did a good job as far as possible, but they were subject to destruction by the natural efflorescence of the lime salts contained in the floor.

They were also difficult to apply, requiring a completely dry surface that had first been thoroughly cleaned and then "etched" with muriatic acid and water or sodium bisulphate alone or

combined with scouring powders and water. The floor then required rinsing and naturalizing to control excess acidity or alkalinity.


More recently developed floor sealers contain chlorinated rubber and are good, but the chlorinated rubber materials do not lend themselves to penetration of the surface to any great degree and have a tendency to wear. No product will withstand the abuse that a floor takes. Even thick steel plates wear in time.

Today it's vinyl plastics

Today, vinyl plastics are used in paints and in floor coverings themselves. One manufacturer has a combination of two vinyl plastics with a chlorinated rubber bonding agent which provides penetration, sealing, binding, and filling actions. Products of this type are impervious to efflorescence or lime action and do not usually require the etching, naturalizing etc., operations, thus saving time and labor in application. They also dry quickly to a hard, walk-on film in 20 to 40 min.

Proper application of these materials extends the life of floors greatly and leaves them more dust free, more sweepable and easier to clean. Floors treated with these products are extremely resistant to stains and soil as well.

Wood floors or wook block floors must be sealed as an act of preventive maintenance and good housekeeping The recommended treatment for wood floors of all types, whether hard or



MULTIPRESS installation automates assembly operations

* Sets new safety levels

ials ks.

and sing cess ealare maenereat ear. ouse

l in

om-

h a

gent

ing.

nets

fflo-

11211

ing.

and

dry

20

ate

atly

OTE

oors

ex-

oors tive ood ood

956

- * Reduces tool and die costs, eliminates down-time
- * Improves product quality, provides for future expansion

The installation of seven 48-station Multipresses at the Fostoria, Ohio, plant of Electric Auto-Lite has introduced added efficiency into a critical production stage—final assembly of spark plugs.

One unit with a single operator (1) pre-presses the top gasket of a spark plug to centralize the insulator within the shell; (2) cold forms the shell to anchor the entire sub-assembly as an integral unit; and (3) seals the shell and insulator. These operations had required three individually operated presses.

Since Multipress equipment was installed, materials handling has been reduced and tool and die costs cut substantially. Down-time has been virtually eliminated; maintenance can be carried on without interrupting production. Exact control over force application is now possible, with improved product quality control a direct result.

The experience of Auto-Lite is typical of hundreds of companies who have found that a Denison Multipress, with its automatically controlled hydraulic ram, can produce a better product . . . faster, more efficiently, and at less cost. Write for complete details.

THE DENISON ENGINEERING COMPANY

1184 Dublin Road • Columbus 16, Ohio
A Subsidiary of American Brake Shoe Co.

HYDRAULIC PRESSES . PUMPS . MOTORS . CONTROLS



... for more details, circle No. 39 on Reader Service Postcard



Here's the solution to production flow on latest multiple-level conveyor systems... Weld-Bit Automatic Conveyor Lift designed to lift or lower packages or parts from one level to another — without manual attention. Automatically selects certain packages, passes others, loading or unloading in any direction, any height. Any capacity, with controls to handle any situation.



Single Pedestal type, lifts sheets or parts from 28" to 44". Has 30" steel swivel top, locks in any position. Hand operated hydraulic pump or electric controls. Capacity, to 10,000 lbs

West Coast Sales Representatives:

P. F. O'Donnel Co.
2298 Jerrold Ave.
San Francisco, Calif.
Keville Ind. Service
1599 Ganesha Place
Pomona, Calif.
Equipment Supply Co.
16 Past Office Place
Salt Lake City, Utah
Stryce Sales Ce.
312 Industrial, N.W.
Albuquerque, N. Mex

Myers Equipment Co. 1025 11th Ave. San Diego, Calif. Hallidis Machine Co. 210 Hudson St. Seattle, Wash. N. 2-605 Division St. Spokane, Wash. 200 Floral Bldg. Tacoma, Wash. 1545 S.E. Union Ave. Portland, Oregon

WEST BEND EQUIPMENT CORP.

307 WEST WATER STREET . WEST BEND, WIS.

... for more details, circle No. 40

soft, plank, strips or block, is the application of a penetrating seal which will seal off open pores of the wood. Then a finish surface may be applied if desired.

Resilient floors are usually found in non-manufacturing locations or in light manufacturing or assembly locations. They are generally of linoleum, asphalt tile, rubber tile, cork tile, mastic tile, or the newer vinyl plastics. Vinyl plastic resilient floors are being marketed in combinations of vinyls with asbestos, vinyl linoleum, vinyl rubber, and also pure vinyl.

An informal survey made at a recent meeting of one chapter of the Industrial Sanitation Management Assoc. disclosed that the majority of first choices for resilient floors with ease of maintenance was evenly divided among inlaid linoleums, vinyl asbestos tile, and rubber tile. Second choice was between full thick vinyl tile and asbestos tile.

Resilient floors are best protected by a surface finish which may be a natural or synthetic wax or floor finish, or a 100% synthetic floor dressing or floor coating. This type floor should never be sealed, except when it becomes old, brittle, or softened through misuse or poor maintenance.

Check your cleanser's pH factor

Oils, greases, and fats have a strong tendency to "bleed" the colors of these materials, with the exception of vinyl and possibly linoleum, and to soften the floor to a point where the investment may be a total loss. High caustic cleaning compounds should never be used on these floors. In selecting cleaning agents for resilient type floors a pH above 10 or below 6 is not desired.

Regardless of its composition, once a floor has been properly sealed or protected, the maintenance problem is greatly reduced. Spillage, soil, and stains are readily removed. Illumination is improved because of better reflected light permitting higher production and neater work. Litter and other hazards are more visible on the floor and fewer accidents occur due to the greater visibility. Proper protection and maintenance of the floor results in longer life to the property, more satisfaction to the management, better employee-customer relationship through more pleasant working conditions and easier housekeeping.

Safety department programs, industrial hygiene and medical services, regardless of how well administered, will never be fully effective without competent, systematic sanitary maintenance. A sanitary maintenance program, to be fully effective, requires



Co.

any (

ment

bear the

on t

keep

1080

labo

USI Vi:

It

dr

to

Vi

It

op

FF

0p

qu

Ca

Sa

FC

fu

Fu

Re

Bu

VACUUM CLEANERS REALLY PAY when it comes to effective cleaning of walls, rafters and hard-to-read areas.

continuous inspection of facilities with overall responsibility and concern for the cleanliness, hygiene, and maintenance of the plant.

It is essential for the success of such a program that it be under separate and responsible supervision, administered from a position of authority and with the full understanding and support from, and responsibility to, too management.

Mechanization in the field of sanitation equipment has been largely over-shadowed by advanced and automatic production equipment. However, shortages of custodial labor and increasingly high hourly labor scales have made mechanized maintenance an economical "must."

Mobility from scrubbing to dusting

One of the most versatile, vital, and valuable floor maintenance tools available today is the modern industrial vacuum cleaner. This fine tool combines power cleaning with mobility and portability never before achieved. Cleaning ability and cleaning capacity have been greatly improved in the past few years. The mechanized cleaners require less labor and less capital expense and will cover more area with less cost than any hand method. Today these machines will clean, dry, dust, and scrub all working surfaces and, even more important, overhead beams, extinguisher systems, ceiling lights, inaccessible corners, and horizontal surfaces.

During the recent floods in California, many industrial vacuum cleaners were purchased to remove large quantities of water from the floors of fac-

Standard Engineer's Report

Calol Vistac Oil

LUBRICANT

Hydril Co., FIRM FOS Angeles, Colif.

Tacky oil eliminates loss of heavy-duty bearings!

IN 8 YEARS OF USING CALOL VISTAC OIL, the Hydril Co. Los Angeles, has not lost a single bearing in any of the 31 pieces of heavy-duty machining equipment in its plant (below). Calol Vistac Oil is used in bearings in the plant, ranging in size from ½" up to the 36" plain bearing that carries the six-ton table on the 84-inch boring mill at right. They report it keeps a lubricating film on bearings under extreme loads, saves the cost of down-time, parts, and labor formerly involved when bearings went out.



with in for for intesuch arate minority and y to, sanirgely auto-

cales

ting

and vail-

trial

com-

eved.

acity

the

ean-

pital

with

dust,

and,

s, in-

sur-

ners uanfac-

956

USED ON WAYS OF ENGINE LATHES in the plant, Calol Vistac Oil stays in place overnight and week-ends. It eliminates the trouble caused when previous oil drained off these precision surfaces, allowing grit to get into pores of the metal. They also use Calol Vistac Oil in all gear trains except worm drives. It comes in several grades to meet a wide range of operating conditions.

FREE CATALOG: "How to Save Money on Equipment Operation." will be sent on re-

quest to Standard Oil Company of California, 225 Bush Street, San Francisco.

FOR EXPERT HELP on lubrication or fuel problems, call your Standard Fuel and Lubricant Engineer or Representative; or write to 225 Bush Street, San Francisco.





How CALOL VISTAC Oil cuts costs in industrial operations



Has wide use range in heavy-duty plain bearings operating in hard service, air cylinders, reduction gears, motor gear-heads, etc.; excellent air-tool lubricant—atomizes quickly and stays fluid at low temperatures.

- A. Additives help form oily, pressure-resistant film...sticks on slow-moving parts and resists high temperatures.
- B. Economical—small quantity will lubricate efficiently, dissipate heat.
- C. Tenacious film cuts power loss and wear.

STANDARD OIL COMPANY OF CALIFORNIA


from tea strainers...
to catalytic crackers...


you will find

[[a] INDUSTRIAL WIRE CLOTH

It's a versatile product, this CF&I Industrial Wire Cloth. For it plays an essential part in the tiny tea strainer and in the oil refinery's huge catalytic cracker. Chances are that you're using it—or could be using it—to good advantage right in your own operations.

CF&I Industrial Wire Cloth will meet your most exacting specifications—whether it's for screening, filtering, grading, cleaning or processing. That's because CF&I Cloth comes in a wide variety of weaves and meshes and can be supplied in non-ferrous metals, as well as carbon and alloy steels. Why not get the complete details from your nearby CF&I representative today!





THE COLORADO FUEL AND IRON CORPORATION: Albuquerque · Amarillo · Billings · Boise · Butte Casper · Denver · El Paso · Ft. Worth · Houston · Kansas City · Lincoln (Neb.) · Los Angeles · Oakland Oklahoma City · Phoenix · Portland · Pueblo · Salt Lake City · San Antonio · San Francisco · Seattle Spokane · Wichita · WICKWIRE SPENCER STEEL DIVISION: Atlanta · Boston · Buffalo · Chicago Detroit · New Orleans · New York · Philadelphia

CANADIAN OFFICES AT: Calgary · Edmonton · Vancouver · Winnipeg

... for more details, circle No. 42 on Reader Service Postcard

tories, offices, and warehouses. Thousands of dollars worth of machines, materials, and inventories were saved as a direct result of the use of wet or dry industrial yacuum cleaners.

Frequently you will find industrial vacuum cleaners much at home in the production department. Here, they assist in keeping both machines and floor areas free from litter as well as picking up spillage, wet and dry, from the floors, thus preventing accidents. Vacuums are used as vital adjuncts of production, being coupled with production line specialized uses in many ways.

Today's vacuum cleaners are available in stainless steel resistant to acids, alkalies, and wetting agents. As an accessory, many have specially woven filter bags that will actually shed soot, cement dust, talc, flour, and palpable dusts. They virtually never clog. These specially woven bags are resistant to rot, alkali, acids and extreme high temperatures.


Polishers branch out

Modern floor maintenance requires the use of the floor polisher. The single-disc and twin-disc polishing machines of today are fast, lightweight, balanced, and ruggedly constructed. Although originally designed primarily for polishing, today they scrub, wax, polish, sand, steel wool and hone floors, and are engineered for practically every heavy-duty type of maintenance.

Mechanical sweepers which are available on today's market range from manually operated units to large riding types which are ideal for large square-footage and unobstructed areas. These giant carpet sweepers will eliminate dirt, dust, and litter from 10,000 to 100,000 sq. ft. per hr. Many users of mechanical sweepers report savings as high as 76%.

Mechanical sweepers or vacuum cleaners, by the elimination of soil and litter, provide better traction for lift and hand trucks and as a result tires and machines last longer. The slip-free unlittered traffic areas result in safer conditions for the workers and prolonged floor life.

Keeping pace with the latest in automation is a new low priced unit that enables one man to replace three on the janitor scrubbing crew. This new unit will scrub, floor-rinse, and vacuum dry a floor with coverage up to 15,000 sq. ft. per hr. Actual time studies show one man with the unit scrubbing, rinsing, and drying a 6,000-sq. ft. floor in 26 min. Previously it took three men 40 to 45 min. to do the same area.



Safer!

NEW LINK CHAIN AIR HOIST!

*ROLLER CHAIN ALSO AVAILABLE — ALL MODELS

NEW Link Chain Hoist now added to the popular ARO line . . . up to 1000 lb. jobs!

VARIABLE SPEED... 0 to 38' per minute... load can be inched or zipped.

AIR-POWERED FOR SAFETY... no spark hazard... explosion-proof motor... can't burn out or overheat... unaffected by dust or fumes.

LIGHTWEIGHT... only 29 lbs.... overall length 10 ½". Can be converted to Roller Chain type if desired.

Also available, Roller Chain Hoists—2,000 lb., 1,500 lb., 1,000 lb., 500 lb., 300 lb., 100 lb.

See Your ARO Distributor
THE ARO EQUIPMENT CORPORATION

Bryan and Cleveland, Ohio Aro of California, 3141 S. Grand Ave., Los Angeles 7 Aro Equipment of Canada, Ltd., Toronto 15, Ontario Offices in All Principal Cities



AIR HOISTS

Also . . . Air Tools . . . Lubricating Equipment
. . . Aircraft Products . . . Grease Fittings . . .

... for more details, circle No. 43 on Reader Service Postcard

honnes. eved t or trial the they and ll as rom ente ts of proanv vail. cids.

oven soot, bable hese nt to high

uires

cted.

hone pracnain-

are

s to

ideal inob-

arpet

and

t. per

6.

l and r lift esult

The

re-

rkers

t in

unit

This and time unit g a revi-


956

MICRO precision switches

THEIR USE IS A PRINCIPLE OF GOOD DESIGN









High-Capacity enclosed switches for plant applications with heavy electrical loads

Many plant applications call for installation of switches which have more than average electrical capacity. MICRO SWITCH high-capacity enclosed switches meet this requirement with the capacity to make and break steady state currents of 20 amperes, 125, 250, or 460 volts a-c. They will handle inrush currents as high as 75 amperes — switch 10 amperes 125 volts when controlling tungsten filament lamp loads on a-c circuits.

All the types shown are available for either right- or left-hand mounting. They are widely used on present plant equipment as safeties, limits, and interlocks.

Button-type lever actuator: This actuator can be adjusted horizontally through 360° and vertically through 225°. The actuator is sealed with an elastomer (neoprene) boot. The switch is for manual operation.

Sealed plunger actuator: An elastomer boot covers the operating plunger and a ring gasket seals the cover. Die-cast aluminum enclosure protects the basic switch from vibration and shock.

Sealed roller plunger actuator: For cam or slide operation in applications where the approach of the actuating device is not parallel to the switch. Roller plunger assembly adjustable through 360°. Seals prevent entrance of dust, dirt, or moisture.

Sealed roller lever actuator: Well adapted to operation by any type of operation—straight line or cam. Roller lever can be locked in any position at intervals of .2 degrees within a range of 225°. Entire roller bracket can be rotated horizontally through 360° and tightened down in any position.

These switches are typical of a wide variety of MICRO precision switches which have proved successful in making existing machinery safer, more automatic, and more productive.

Basic Switch is Replaceable



The basic switch can be easily replaced, if necessary, without removing the enclosure from its mounting. Ample wiring space within the enclosure and the side facing terminals of the basic switch simplify wiring. ju

ne

1

5

Underwriters' Laboratories Listing

2 H.P. 230 volts a-c 20 amperes 125, 250, or 460 volts a-c

1 H.P. 115 volts a-c

½ ampere 125 volts d-c

1/4 ampere 250 volts d-c

Send for Catalog 101 "Switches for Industry"



MICRO precision switches are carried in stock by distributors in every key city.

Look under "Switches, Electric" in the Yellow Pages.

MICRO SWITCH

A DIVISION OF MINNEAPOLIS-HONEYWELL REGULATOR COMPANY

In Conoda, Leaside, Toronto 17, Ontario • FREEPORT, ILLINOIS

... for more details, circle No. 44 on Reader Service Postcard

0 WELDING MANUALS -yours for the asking

Here are reviews of best available manuals covering welding products and processes. Obtain your selection by circling item numbers on rip-out postcard, page 69

REVIEWED BELOW are 50 of today's best manufacturer technical manuals covering all phases of just one subject-welding.

Packing in their pages a tremen-dous fund of the latest know-how needed by buyers and users of welding equipment, the manuals were collected

y renout

n its pace side

witch

g

city.

steard 1956 over the past three months by the editors of Western Industry as a special service to readers. By special permission of the manufacturers, the manuals are made available here free of charge to key production and plant operating men in the West's manufacturing and processing plants.

You are invited to check the listings on pages 65-72 and select those manuals that promise to be most helpful with your welding problems. Circle appropriate key numbers on this month's WI Reader Service Postcard and we will be glad to see that you obtain your selection promptly.

170-page pocket manual on welding precedures

This 170-page pocket sized book covers simplified welding procedures for every base metal and covers 120 welding rods, electrodes, and welding compounds. It is a guide to improved torch and metallic arc welding, brazing, and soldering with how-to-weld information for fabrication, maintenance repair and salvage, overlaying for wear and corrosion resistance and welding of dirty and rusted parts. Methods of gouging, chamfering and removing unwasted metal without special equipment are covered. (Book TIS 2575) Eutectic Welding Alloys Corp. . . . for your copy circle No. 150

70 pages on welding, cutting equipment

All types of apparatus used in welding and cutting are detailed in this 70-page book, which covers torches for cutting, welding, and heating, tips, valves, hose fittings, nozzles, regulators, and many more. Each piece of equipment is pictured and identified by model number, then described briefly. Specifications are given and the book concludes with operation data charts. (Catalog 20) Victor Equipment Co. . . . for your capy circle No. 151

50-page data book on gas, arc welding

Hand and machine apparatus and accessories for both gas and are welding are pictured and described in this 50-page manual, which treats each type of product in detail. Included are machines, torches, tips, electrodes, and welding clothing, such as gloves, face shields, and goggles. Divided into sections for easy reading. (Bulletin ADC 662B) Air Reduction Co., Inc.

. . . for your copy circle No. 152

Complete guide to welding accessories

The 22 pages of this booklet picture and discuss many different welding accessories, including electrode holders, helmets, goggles, shields, cable connectors and splicers, ground clamps, tempilstiks, cleaning tools, and protective clothing. Each individual item is pictured and accompanied by a paragraph of information about it.

Metal & Thermit Corp. . . . for your copy circle No. 153

Data on control combinations for welders

Control combinations for spot, projection, or butt welders are explained in this four-page brochure, which pictures the units, lists pecial features, suggests applications, and points out construction details. Two charts are included, one on standard NEMA types, the other with ordering specifications. Weltronic Co.

. . . for your copy circle No. 154

How to get better welds

A weldors' vest pocket guide, called "How to Get Better Welds," has 40 pages of information on metals and electrodes. Four essentials of proper welding procedures are given along with pictures of different types of joints, typical positions and the weld best for them, and standard shapes. Picture pages tell about common welding troubles and what to do about them, discuss average electrode consumption, and explain welding symbols. A comparative index of welding electrodes is also given. Hobart Brothers Co.

. . . for your copy circle No. 155

How to arc weld and cut with Heliarc torches

Heliarc torches for inert gas shielded arc welding are detailed in a 16-page booklet, which treats six different types. Each is pic-tured and specifications are given. Treated briefly are electrodes, welding rods, regulating equipment, and accessories. A second fourpage leaflet discusses Heliarc cutting of non-ferrous metals, giving complete diagrams of the cutting method and showing pictures of cut samples. Linde Air Products Co.

. . . for your copy circle No. 156

50-page electrode selection guide

Questions about where to use what kind of electrode are answered in this 50-page pocket sized guide. About 35 different electrodes are detailed as to application, color marking, power supply, and chemical and mechanical properties. One page gives are welding symbols and arrow side examples with explanations. An electrode trouble shooting chart pictures common problems, gives possible causes and corrections. General Electric Co. . . . for your copy circle No. 157

84-page pocket book on welding electrodes

A complete line of welding electrodes is detailed on the 84 pages of this pocket sized manual. Included are those for welding mild steels, cast iron, alloy steels, stainless steels, and for hard surfacing, along with iron powder and low hydrogen electrodes. The book is divided into sections by type of electrodes and is easy to use. Harnischfeger Corp. . . . for your copy circle No. 158

Data on special purpose resistance welder

A four-page brochure on special purpose resistance welding machinery covers a television tuner welder, door lock, air blower, locker frame, and file card box welder as well as several other types. Eleven machines are detailed in all with each pictured. Banner Manufacturing Co. . . . for your copy circle No. 159 How to operate a welding outfit

Step-by-step instructions for operating a welding outfit are given in this 24-page brochure. It opens with a discussion of the oxygen and acetylene to be used, tells how to clean off cylinder valves, connect regulators to cylinders, attach and flow out hose lengths, attach torch, and adjust gas pressure before welding. All opera-tions are well illustrated, but lighting the torch and adjusting the flames are shown in more detail. Book concludes with a welding nozzle selector chart, a cutting tip selector chart, and a list of 14 safety suggestions. National Welding Equipment Co.

. . . for your copy circle No. 160

Application data for 34 welding electrodes

Opening with an electrode selector which includes uses and characteristics, color code and number of electrodes, this 36-page book continues to picture and explain uses for 34 welding electrodes. A detailed description of the electrode is included along with its special uses, welding procedure, mechanical properties of deposited metal, specifications with which it complies, and a chart of recommended amperage and voltage range. (Bulletin WE-165) A. O. Smith, Corp. . . . for your copy circle No. 161

Two Weldirectories for steels, metals

Two Weldirectories of 28 pages each treat stainless steels, non-I wo weldirectories of 20 pages each treat stainless steels, non-ferrous metals, cast iron, manual hardsurfacing, and mild steel, and low-alloy, high-tensile steel. Each electrode is described and application, properties, procedure, and current range are all given. A key to electrode identification is included along with information and procedure pointers on shielded arc welding and jetwelding. (Books SB-1351, 2) Lincoln Electric Co. , , , for your copy circle No. 162

Data on complete welding equipment line

Weldit's complete line of welding equipment, accessories, and supplies is covered in this 26-page catalog. Each item is pictured and described briefly, and the line includes complete welding outfits, torches, tips, and blowpipes. Line drawings are used to explain construction features of the different equipment. (Catalog Weldit, Inc. . . . for your copy circle No. 163

Machine catalog for resistance welding

This 12-page catalog on machines for electric resistance welding is divided into four sections. The first on industrial applications has three case histories involving mild steel, stainless steel, and alumin num. A section on operation gives explanations of single-phase, three-phase, and three-phase Modu-Wave machines accompanied with photographs and schematic drawings. Specifications for the sistance welders are also included in a third section. The final sec tion looks behind the scenes in the manufacturer's plant. (Bulletin 333) Sciaky Bros., Inc. . . . for your copy circle No. 164

How to join and cut stainless steels

The Joining of Crucible Rezistal Stainless Steels" is a 22-page pocket sized book detailing the various methods employed in ing stainless steel by fusion processes. It was written by Jack God ford, chief welding engineer for Crucible, and explains 17 methods which may be used, including manual, automatic, and semi-sub-matic welding, brazing, and soldering. The booklet also has a seeinate weiting, hazing, and soldering. The procedures common used for severing stainless steel. Crucible Steel Co. of America.

. . for your copy circle No. 165

Spot welding of low carbon steel

Single impulse and pulsation spot welding of low carbon steel is explained in this brochure, which tells how to make and test a spot weld. Preparation of the material to be welded, preparation of parts, setting up the welding machine and carrying out the open-tion are all outlined. Welding data charts conclude the eight-page book. Taylor-Winfield Corp. . . . for your copy circle No. 166

50-page pocket electrode selector

Westinghouse's pocket electrode selector is divided into sections covering electrodes for mild steel, powdered iron, low alloy steel cast iron, hard surfacing, automatic welding wire, and stainles steel. Description and application information is given for each type of electrode, along with procedure for welding, physical prop erties. recommended current ranges, and a list of the code require ments met. (Catalog 26-000) Westinghouse Electric Corp.

. . . for your copy circle No. 167

Faster Service on DEPENDABLE Dick Power Transmission and Conveying Equipment

3 CONVENIENT WEST COAST SERVICE CENTERS

You'll get immediate attention and fast deliveries when you contact one of R. & J. Dick Company's three easily accessible West Coast offices and warehouses - at Los Angeles, San Francisco or Seattle.

Each center is stocked with the complete line of dependable Dick power transmission and conveying equipment . . . accepted by manufacturers who rely on the Dick line to help them avoid costly breakdowns and production delays. For information on how you can step up your plant's efficiency, call or write the office nearest you.

FACTORY SALES REPRESENTATIVES FOR Atlas Roller Chain . Sewall Roller Chain Sprockets

BARRY STEEL SPLIT PULLEYS



Scientifically designed. Electrically welded. Light weight. Easily installed. Maintain exact shape under all loads.

DICK ROPE QD SHEAVES

Heavy duty "quick-demountable." On or off shaft in minutes. No wobble or loss of balance. 802 stock sizes fit over 25,000 stock drive combinations from ½ to 600 hp. Also . . . stock V-Belt drives and "special" sheaves for every application.



DICK'S BALATA BELTING



Hard surface, closely woven Hard surface, closely were duck, thoroughly impreg-nated with Balata Gum. Free from stretch and shrinkage. Moisture resist-ant. High transmission efficiency.

BARRY CONVEYOR PULLEYS

Light weight combined with super strength. Welded steel construction. Easily installed. Wide range of sizes for all general convevor services.



SEAT

los

WE

3 Convenient West Coast Service Centers

COMPANY, INC. PASSAIC . NEW JERSEY

MAYWOOD (Los Angeles) | SAN FRANCISCO 7 5276 Atlantic Blvd. LOgan 8-4014


510 Bryant St. SUtter 1-1341

SEATTLE 4 307 Maritime Bidg Mutual 1922

... for more details, circle No. 45 on Reader Service Postcord

SAN FRANCISCO

ANGELES



Does your production line end here?

Not by a long way! Your products have to move out over a complicated network of cities, towns and cross-road stores to the consumers in your sales territory. And, if you want to obtain the widest possible distribution, your products should go by a distribution-type carrier.

elding

panied for retal secsulletin

2-page n join-Goodnethods ni-autonamonly ca.

operaht-page

ainles

all

preg-

and

sion

Bidg 22

ostcard

That's the kind of carrier CF is. CF daily serves more points direct than any other carrier in the west.

We appreciate that in today's highly competitive market, distribution is simply an extension of your production line . . . that your product must be kept moving 'less Thon Truck load

out "to market" swiftly. And to help you meet this problem, CF has a ready-made distribution-type motor freight system available to you... the convenience of a private fleet with the economy of the common carrier.

Yes, for LTL* or full load, one shipment or many, CF's objective is to provide you with direct...sure...economical distribution. Call CF today!



SATTLE · PORTLAND · SAN FRANCISCO · OAKLAND
105 ANGELES · SPOKANE · SALT LAKE CITY
MINNEAPOLIS-ST. PAUL · CHICAGO

Imminals in 49 other key cities from the Pacific Coast to the Great Lakes...Thru service to all major eastern cities.

• • Foster Freight Lines, a subsidiary of CF serving Indianapolis, St. Louis, Louisville, Cincinnati, Dayton.

... for more details, circle No. 46 on Reader Service Postcard

WESTERN INDUSTRY - August 1956

67

Unbeatable

for fast, clean pipe or conduit cutting . . .

efficiency-balanced

RIBGID

Heavy-Duty

Pipe Cutter

It's a tool that knows its business, that comes to your hands like an old friend. It rolls easily through any pipe or conduit, scarcely a trace of burr. Strongly built, guaranteed not to warp or break, always tracks perfectly. Thinblade or heavy-duty cutter wheels (special wheels for stainless or cast iron). For pipe or conduit cutting that's a satisfaction, buy present's at your Supply House.



7 models for 1/s"
to 6" pipe and conduit

RIMID 4-WHEEL

for easy cutting in tight places



The Ridge Tool Company, Elyria, Ohio, U. S. A. ... for more details, circle No. 47 on Reader Service Postcard

40 pages on cutting, heating, welding equipment

This 40-page booklet is divided into 12 sections which coutting assemblies, cutting torches, fluxes, goggles and eyeshed hose, combination welding and cutting outlits, regulators, torches, and welding torches. Each piece of equipment is piece and discussed with all pertinent information given. Special tures are pointed out on cutaway drawings. A price list, design to go with the catalog, is included. (Catalog 756) Smith Vel. Equipment Corp.

Principles, practices of resistance welding

This 28-page booklet is a complete manual on resistance weldopening with an explanation of it and a resistance welding for and continuing to explain thoroughly spot, pulsation spot, flatiprojection, and seam welding. Each type is illustrated with a tures and diagrams; examples and solutions of welding problems of the projection. (Bulletin PP-54) Federal Machine & Welder Co.

. . . for your copy circle No to

Line of resistance welding products, accessories

Weldaloy's line of resistance welding products and accessoring covered in this 56-page catalog, which describes and illustrates standard and special spot welding electrodes, seam welding detrode wheels, dies, back-up bars, shafts, and bushings. Section and devoted to recommendations and usage of special alloys and detrode materials, and specification charts on physical and mechanical properties of Weldaloy alloys. A glossary of metallurgical prosing and production terms concludes the book. Weldaloy Production. . . . for your copy circle No. 10

Picture book on electronic welding machine

Opening with a complete explanation of the automatic shields are welding process, this brochure continues with a group of large pictures showing the automatic electronic welding machine action. Pictures also point out some of the features of the machine it welds in different directions, can be used on high or low jumakes weldments in many sizes and shapes. The electronic commare pictured and explained, and specifications for the machine as given. (Bulletin 83-A) Niagara Machine & Tool Works.

. . . for your copy circle No. 171

Three leaflets on air operated spot welders

Two of these leaflets are devoted to air operated press-type and projection welders. They each have pictures and drawing of the welders, and discuss timers and contractors, pulsation welding, air equipment, heat regulation. Special features of each una mentioned and specifications and general capacity information given. (Bulletins 73, 74) The third leaflet gives similar treatment to rocker arm-type spot welders. (Bulletin 52-B) Acme Electic Welder Co.

Data sheets on weld preheating, stress relieving

Three data sheets on pipe weld preheating and stress relieving by a system of low frequency induction heating give information about using pre-formed coils and water-cooled coils. Advantages of each are listed and accompanied with technical data and chart information. Loss frequency induction heaters are pictured and discussional their specifications given. Electric-Arc, Inc.

. . . for your copy circle No. 173

Stud welding ferrous and non-ferrous metals

This is the title of an eight-page section reprinted from a engineering handbook. It explains in article form the stud welding process, some of its advantages, how to weld different metals, and the technique's general limitations. The article is well illustrated with pictures and line drawings. Nelson Stud Welding Dissian. Gregory Industries, Inc.

Two booklets on welders, accessories

An eight-page booklet pictures and details many different type of electric motor-driven are welders, gasoline engine-driven at welders, and an a-c. power-welder combination. Charts give infamation on type of mounting, motor rating and speed, general rating, welding range, weight, and overall dimensions. A section a "build your own" generators is included. The final page is devoted welding electrode charts. (Booklet EW-189) A second book on secssories covers shields, lenses, hats, and other clothing, and classing tools, electrode holders, welding cables, clamps, etc. (Booklet EW-191) Hobart Brothers Co.

cover nicks, tipe ctured if fee-signed clains o. 140

elding ormalia sahing th pic-oblima).

ories is astrates ag clarons are ad clarhaniai processrodus. No. 170

chielded of large hine in achine: ow jobs, controls hine are

ype spot
wings of
welding,
unit see
ormation
teatment
Electric
No. 172

eving by on about of each informa-discussed

No. 173

from m welding tals, and llustrated Division, No. 174

ent types riven and ive infor-generator, ection on devoted to ok on ac-(Booklet No. 175

st 1956



ET DATA AND LITERATURE YOU NEED

Use one of these postpaid WESTERN INDUSTRY Reader Service Postcards. They provide a quick, easy way for you to get copies of literature you want and full details on products and services described editorially or advertised in this issue. Simply circle appropriate key numbers on card, sign, and drop it in the mail today—WESTERN INDUSTRY will have material sent to you promptly and without obligation.



1 26 51 76

2 27 52 77

3 28 53 78



BUSINESS REPLY CARD First Class Permit No. 3755, San Francisco, Calif.

Postage will be paid by

WESTERN INDUSTRY

609 Mission St. San Francisco 5, Calif.



READER SERVICE CARD—AUGUST 1956 Circle key numbers for data and literature you want. free of charge. Please mail before October 31, 1956.

-	40	24	10												
5	30	55	80												
6	31	56	81	101	121	141	161	181	20	221	241	261	281	301	321
7	32	57	82	102	122	142	162	182	20	2 222	242	262	282	302	322
8	33	58	83	103	123	143	163	183	20	3 223	243	263	283	303	323
9	34	59	84	104	124	144	164	184	20	224	244	264	284	304	324
10	35	60	85	105	125	145	165	185	20	5 225	245	265	285	305	325
11	36	61	86	106	126	146	166	186	20	8 226	246	266	286	306	326
12	37	62	87	107	127	147	167	187	20	7 227	247	267	287	307	327
13	38:	63	88	108	128	148	168	188	20	B 228	248	268	288	308	328
14	39	64	89	109	129	149	169	189	20	9 229	249	269	289	309	329
15	40	65	90	110	130	150	170	190	21	0 230	250	270	290	310	330
-	41		91	111	131	151	171	191	21	1 231	251	271	291	311	331
	42	-	92	112	132	152	172	192	21	2 232	252	272	292	312	332
	43		93	113	133	153	173	193	21	3 233	253	273	293	313	333
19		69	94	114	134	154	174	194	21	4 234	254	274	294	314	334
	45		95	115	135	155	175	195	21	5 235	255	275	295	315	335
	46	~ ~	96	116	136	156	176	196	21	6 236	256	276	296	316	336
		72	97	117	137	157	177	197	21	7 237	7 257	277	297	317	337
		73	98			7.00		198	21	8 23	3 258	278	298	318	338
		74	99					199	21	9 23	9 259	279	299	319	339
25	50	75	100	120	140	160	180	200	22	0 24	0 260	280	300	320	340

(Please print or type)

NAME

TITLE

COMPANY.

ADDRESS



WHAT'S YOUR PROBLEM TODAY?

Make use of WESTERN INDUSTRY'S special service to readers. These business reply cards save you time, effort and expense in obtaining literature you want and full details on products and services described or advertised in this issue.

In addition, WESTERN INDUSTRY will help you locate sources of information concerning unusual plant operating problems that you may have. Write and describe your problem briefly, to: Editor, WESTERN INDUSTRY, 609 Mission St., San Francisco 5, Calif.

Western Industry READER SERVICE CARD—AUGUST 1956
Circle key numbers for data and literature you want, free of charge. Please mail before October 31, 1956.

		00														
4	29	54	79													
5	30	55	80													
6	31	56	81	101	121"	141	161	181	201	221	241	261	281	301	321	(01
7	32	57	82	102	122	142	162	182	202	222	242	262	282	302	322	· (Please print or type)
8	33	58	83	103	123	143	163	183	203	223	243	263	283	303	323	
9	34	59	84	104	124	144	164	184	204	224	244	264	284	304	324	· NAME
10	35	60	85	105	125	145	165	185	205	225	245	265	285	305	325	
11	36	61	86	106	126	146	166	186	206	226	246	266	286	306	326	TITLE
12	37	62	87	107	127	147	167	187	207	227	247	267	287	307	327	. IIILE
13	38	63	88	108	128	148	168	188	208	228	248	268	288	308	328	
14	39	64	89	109	129	149	169	189	209	229	249	269	289	309	329	COMPANY
15	40	65	90	110	130	150	170	190	210	230	250	270	290	310	330	
16	41	66	91	111	131	151	171	191	211	231	251	271	291	311	331	•
17	42	67	92	112	132	152	172	192	212	232	252	272	292	312	332	
18	43	68	93	113	133	153	173	193	213	233	253	273	293	313	333	ADDRESS
19	44	69	94	114	134	154	174	194	214	234	254	274	294	314	334	ADDICESS
20	45	70	95	115	135	155	175	195	215	235	255	275	295	315	335	
21	46	71	96	116	136	156	176	196	216	236	256	276	296	316	336	
22	47	72	97	117	137	157	177	197	217	237	257	277	297	317	337	
23	48	73	98	118	138	158	178	198	218	238	258	278	298	318	338	
	-	74		118	139	159	179	199	219	239	259	279	299		339	
-			100	120	140	160	180	200					300		340	
	-	-	-		-	-	-									



1 26 51 76 2 27 52 77

3 28 53 78



BUSINESS REPLY CARD

Postage will be paid by

WESTERN INDUSTRY

609 Mission St.

San Francisco 5, Calif.







cket guide to choosing an electrode

How to pick the right electrode is explained in this pocket sized etrode guide. It explains mechanical properties and testing, conmance and approvals, and filler metal specifications. A two-page hart gives classifications and properties of electrodes. This is followed by pictures and discussions of electrodes suited for cast ren, mild steel, high tensile steels, low hydrogen weld metal, stainsteels, and non-ferrous metals. A stainless steel electrode comon chart concludes the book, Air Reduction Co., Inc.

. . . for your copy circle No. 176

Application manual for hard-facing products

Among the applications for hard-facing products covered in this nanual are 11 in the brick and clay industry, 12 in coal mining, 15 in deedging, 33 in earth moving, 24 in metal mining, and 12 in the feld of rock products. Each application is illustrated with a large icture, which is accompanied by a brief paragraph discussing the olication. What to use for each application is also mentioned. Victor Equipment Co. . . . for your copy circle No. 177

A welding equipment buyers' guide

"Which welder is best for your operation?" This is the question that this buyers' guide sets out to answer in 20 pages. In the process it covers rectifier welders, heavy-duty, general purpose, motor genreator, engine-driven, semi-automatic, and automatic welding equip-ment. Each is pictured and described with applications suggested. A complete line of holders and torches is pictured and described. well as welding accessories and special clothing, General Electric . . . for your copy circle No. 178

Engineering data on arc welding electrodes
This 35-page book has descriptive information, chemical and physical data, and engineering data for mild steel and low alloy arc welding electrodes. Engineering data includes AEC steels and supporting tables, preheating, estimating, weight, hardness comparin, wire and sheet metal gage, and a section on standard welding symbols. About 20 different types of electrodes are detailed in this two-color book. Metal & Thermit Corp.

. . . for your copy circle No. 179

Data on metal inert gas welding process

West-ing-arc, a metal inert gas welding process, is thoroughly explained in this eight-page brochure, which tells what the weld can do, where you can use it, and pictures five different types: fillet, lap, but, plug, and cross section. The components of the system are pictured and explained in detail. The final section of the booklet covers physical properties in diagram and chart form. Westinghouse Electric Corp. . . . for your copy circle No. 180

Recent developments in inert-arc welding

Current applications of inert-gas tungsten-arc and metal-arc olding with an eye to reducing manufacturing costs is the subject of this article written by F. J. Pilia and reprinted from the Welding mernal. Article includes process developments, applications, and maiders what factors are involved in choosing welding processes for specific jobs and whether or not welding should be manual or automatic. Linde Air Products Co.

. . . for your copy circle No. 181

Data on 40 arc welding electrodes

Over 40 arc welding electrodes are treated in this brochure in rms of color identification, applications, procedure, physical properties, and recommended currents. A great many application pictures are included. Accessory welding items are treated briefly at the close of the book. Hobart Brothers Co.

. . . for your copy circle No. 182

Details about electronic welder control

A predetermined electronic counter welder control is detailed in chure which is divided into two sections: development of the welder control and specific features of it. A full page picture of the controlled welder is included. Features explained include dial caliration, plug-in sub-assembly, and tubes. (Bulletin 338) Sciaky . . . for your copy circle No. 183

pplications for sequence weld timers

Application data and special features are given for sequence weld on synchronous relay firing timers. Several different types of timers re pictured and detailed. Complete specifications are included. . . . for your copy circle No. 184 Join the throng regulars SLICK TEAMWORK in speeding shipments... lowered rates (by as much as 58%) ... new low minimum (down to a dollar) ... stepped-up flight schedules (All-cargo DC-6A overnight service to New York, overnight and direct service tying the Midwest and also Texas to the Pacific Coast) ... all these SLICK innovations are bringing cheers from our growing roster of regular customers. Compare a typical thirty pound shipment...see for yourself why ... even in freight savings alone ... IT PAYS ALL WAYS TO SHIP VIA SLICK! Between LOS ANGELES and New York \$4.50

Between SAN FRANCISCO and Boston \$3.90 Between SAN DIEGO and Detroit

Call your nearest SLICK office for more details today.





3000 N. Clybourn Avenue Burbank, California

... for more details, circle No. 48 for Reader Service Postcard

HELPFUL LITERATURE for the West's plant operating executives

FOR YOUR FREE COPIES, circle appropriate key numbers on postcard, page 69

48-page manual on bearings, parts, filters

hure in a special

No. 185

and de

nce. Se.

coating

s listings Steel Co.

No. 186

ted with

welding

eral M.

No. 187

and wire

quipment

diagram

tion Co.

No. 188

welding

ers, pipe

No. 189

), 16,700.

rated and

Idealate

and de.

old start

uction of

and pic-

portable ir valves.

No. 192

inted out.

No. 193

st 1956

Opening with the Oilite process and a discussion of products, this 48-page manual is divided into three sections: hearings, finished machine parts, and permanent metal filters. Typical properties, design, lubrication, and machining of bearings is included, while the parts section covers properties, design features, and machining. A short section on special parts concludes the book, along with case histories. Many charts, pictures, and diagrams are included. Amplex Division, Chrysler Corp.

. . . for your copy circle No. 201

How to install steel floor tile

Methods of installation for steel floor tile are explained in a four-page brochure which gives step-by-step pictures of what to do from the arrival of the tile to the final step in making the floor. Construction features of the tiles are explained and applications suggested. (Folder 623) Bethlehem Pacific Coast Steel Corp.

. . . for your copy circle No. 202

32 page booklet on choosing solenoid valves

A 32-page condensed valve catalog explains the latest designs in Automatic Switch's line of two, three, and four-way solenoid valves. It contains engineering information, flow charts, operation and construction details, illustrations, and prices. A selection chart will tell the reader at a glance which valve will suit his requirements. Automatic Switch Co.

. . . for your copy circle No. 203

Introduction to new All-Weather motors

This brochure introduces new 10 and 15-hp. All-Weather single phase motors developed by Robbins & Myers. The four-page leaflet describes the capacitor-start, capacitor-run motors, which are available in 1.725 and 1,140 rpm. speeds, and lists eight features, Robbins & Myers, Inc.

. . . for your copy circle No. 204

56 pages on simplified drafting practices

"Standard and Simplified Drafting Practices" is a 56-page book devoted to standards of drafting room practice and techniques of simplified drafting. All basic drafting operations are comprehensively treated and four pages are given to helpful data on general procedures. The 24-page section on simplified drafting opens with 11 basic rules and covers the specifics of simplified practice. Also included is a speech by Jay H. Gergen, AMF standards administrator, on drafting. Well illustrated with drawings. American Machine & Foundry Co.

. . . for your copy circle No. 205

34 pages on industrial lifters, trucks, tables

This 34-page booklet includes a list of features, specifications, product and application pictures for the Leverlift, Leverlift double-faced pallet truck, leveler, four-post lifter and several other lifters. The final section of the booklet is devoted to special job-designed equipment pictured in action. Colson Corp.

. . . for your copy circle No. 206

148 pages on complete line of roller chain

Link-Belt's complete line of roller chain and sprockets is described in this 148-page book. which includes sections on stock drives, drive chain, conveyor chain, installation and maintelubrication, sprocket wheels, casings, chain tighteners, and many other items. Thoroughly illustrated, the book is designed to give the information necessary for choosing the right roller chain for a given application. Link-Belt Co.

. . . for your copy circle No. 207

Facts on heavy, medium, light-duty casters

Casters designed for extra heavy duty, heavy, medium, and light duty are detailed in this 20-page two-color booklet, which pictures each different type of caster covered, and lists design and special features. Included is a chart for each caster giving wheel diameter, load capacity, tread width, overall height, swivel radius, etc. (Catalog S-56) Bassick Co.

. . . for your copy circle No. 208

Guide to improving handling methods

"Materials in Motion" is a 12-page materials handling guide designed to show you how to improve materials handling methods, reduce damage to parts and components. Construction of the Kennett receptacles designed for materials handling is discussed along with their advantages. Case histories are also included. National Vulcanized Fibre Co.

. . . for your copy circle No. 209

IRAG. PERIN CO. Material Handling Equipment

LOCAL STOCK & PARTS

SAN FRANCISCO 5 575 Howard Street Phone GArfield 1-1827

SERVICE . . . SURVEYS

... for more details, circle No. 51 on Reader Service Postcard



More power from existing conduit

Greater current-carrying capacity of Anaconda Type AB butyl high-voltage cable enables users to transmit the same amount of current with smaller cable...or up to 22% more current with the same size cable, when installed in conduit at 40°C ambient temperature. New engineering Bulletin EB-27 gives you full details on performance of Anaconda Type AB insulation in 15 Industry Specification Tests, including operating temperature. Write for your free copy—Bulletin EB-27. Anaconda Wire & Cable Company, 25 Broadway, New York 4, N. Y.

SEE THE MAN FROM ANACONDA

-PIONEER IN BUTYL INSULATION
... for more details, circle No. 49 on Reader Service Postcard

PO YOU KNOW?
YOU CAN BUY A GENUINE MAGLINER MAGNESIUM
DOCK
BOARD \$ 50

IT'S A FACT—a standard Magliner magnesium dock board costs so little when you consider its many advantages . . . one man handling, greater safety, faster loading, and lower costs—that it will pay you big dividends to try one on your dock.

Magliner magnesium dock boards are now available in 48 standard sizes. They're light, strong, tough—only a third the weight of steel equipment! Patented, adjustable drop-lock

anchors boards securely for varying truck height differences and dock-to-carrier spans. TRY A MAGLINER dock board, Immediate shipment from factory stock.



Write for Bulletin DB-203.

MAGLINE INC., P. O. BOX 58, PINCONNING, MICH.
Canadian Factory: Magline of Canada, Ltd., Renfrew, Ontario

... for more details, circle No. 50 on Reader Service Postcard

Fact book on air-gas torches

Types of air-gas torches covered in this 36-page brochure include the ribbon flame, bench crossfire, cannon fire, and a special blowpipe. Several pictures of each type are included along with pertinent data in brief form. A section on air-gas mixers, one on hose connections, and one on tips complete the bookiet. National Welding Equipment Co.

Data sheet on stainless steel electrodes

This 16-page data sheet on stainless steel electrodes, a-c. and dewelding, and bare welding wire is indexed for easy reference. Sections include electrode analyses, descriptions, dimensions, coating, the welding procedure and finally, a table of recommended currer ranges for a-c. or d-c. welding. Included with the book is a comparative index of stainless steel electrodes which includes listing for 15 other companies in addition to Crucible. Crucible Steel Co. of America.

a d

ma

bea

erti

chi

the

des

sho clu tor

gra Ch:

Ho

floo

bro

the

are

cifi

WI

Basic types of resistance welders

A 12-page booklet describes the basic type of resistance welders and suggests applications for them. Spot, projection, flash ban, seam, and roll-spot welding are all explained and illustrated with drawings. Types of welders detailed include portable or fixture, bench, rocker, projection press, seam, and circular, longitudinal or universal types. A short section is included on resistance welding engineered specifically for a job. (Bulletin SP 353) Federal Mechine & Welder Co.

... for your copy circle No. 187

Picture book on Aircomatic welding equipment

Aircomatic guns, heads, control equipment, accessories, and wine are covered in this 16-page booklet. Individual pieces of equipment are pictured as well as equipment in use. The Aircomatic system of welding is explained and illustrated with a schematic diagram showing how the component parts work. Specifications and ordering data are given also. (Booklet ADC 717C) Air Reduction Co. Inc.

Welding and cutting accessories, supplies

A 38-page book pictures and describes many cutting and welding accessories and supplies, including clamps, clothing, cutting machines, tip cleaners, electrodes, welding machines, hammers, pipe patterns, positioners, etc. Specifications are included, along with pictures of some of the equipment in action. (Catalog 24) Victor Equipment Co.

Data on positioners for welding downhand

Four welding positioners with capacities of 3,000 6,000, 16,700, and 36,600 lb. are described in this brochure. Each is illustrated and information given includes table tilt speed, table turn speed, moor information, weight. Each is accompanied with a load table also. Construction features of the positioners are explained and a list of advantages given. (Bulletin P1-3) Harnischfeger Corp.

. . . for your copy circle No. 190

Introduction to a-c., d-c. Idealarc welder

This eight-page booklet details the combination a-c., d-c. Idealare welder and some of its advantages. It illustrates where a-c. and d-c current are best suited, and when to use hot starting and cold starting. An explanation is given about the machine's production either a soft or penetrating arc; controls are explained and pictured. Charts are included. (Bulletin 1343) Lincoln Electric Ca... for your copy circle Na. 191

Data on 7 resistance welders

Seven resistance welders—bench, rocker arm, press, seam, but multi-electrode, and tri-phase—are covered in this 12-page brochure. Several different models within each type range are pictured and their specific functions outlined. Brief mention is made of potable welders, transformers, controls, and solenoid-operated air values. (Catalog SP1-A) Taylor-Winfield Corp.

... for your copy circle Na. 192

Two leaflets on foot-operated spot welders

Two leaflets of four pages each picture and describe foot-operated spot welders of four different types. These are all rocket amappe spot welders but individual characteristics of each are pointed of Specifications are given along with general capacity information. (Bulletins 50-B, 51-B) Acme Electric Welder Co.

. . . for your copy circle No. 193

HELPFUL LITERATURE for the West's plant operating executives

FOR YOUR FREE COPIES, circle appropriate key numbers on postcard, page 69

48-page manual on bearings, parts, filters

186

188

ding

189

st of

start-n of

191

192

1956

Opening with the Oilite process and a discussion of products, this 48-page manual is divided into three sections: hearings, finished machine parts, and permanent metal filters. Typical properties, design, lubrication, and machining of bearings is included, while the parts section covers properties, design features, and machining, A short section on special parts concludes the book, along with case histories. Many charts, pictures, and diagrams are included. Amplex Division. Chrysler Corp.

. . . for your copy circle No. 201

How to install steel floor tile

Methods of installation for steel floor tile are explained in a four-page brochure which gives step-by-step pictures of what to do from the arrival of the tile to the final step in making the floor. Construction features of the tiles are explained and applications suggested. (Folder 623) Bethlehem Pacific Coast Steel Corp.

. . . for your copy circle No. 202

32 page booklet on choosing solenoid valves

A 32-page condensed valve catalog explains the latest designs in Automatic Switch's line of two, three, and four-way solenoid valves. It contains engineering information, flow charts, operation and construction details, illustrations, and prices. A selection chart will tell the reader at a glance which valve will suit his requirements. Automatic Switch Co.

. . . for your copy circle No. 203

Introduction to new All-Weather motors

This brochure introduces new 10 and 15-hp. All-Weather single phase motors developed by Robbins & Myers. The four-page leaflet describes the capacitor-start, capacitor-run motors, which are available in 1,725 and 1,140 rpm. speeds, and lists eight features. Robbins & Myers, Inc.

. . . for your copy circle No. 204

56 pages on simplified drafting practices

"Standard and Simplified Drafting Practices" is a 56-page book devoted to standards of drafting room practice and techniques of simplified drafting. All basic drafting operations are comprehensively treated and four pages are given to helpful data on general procedures. The 24-page section on simplified drafting opens with 11 basic rules and covers the specifics of simplified practice. Also in-cluded is a speech by Jay H. Gergen, AMF standards administrator, on drafting. Well illustrated with drawings. American Machine & Foundry Co.

. . . for your copy circle No. 205

34 pages on industrial lifters, trucks, tables

This 34-page booklet includes a list of features, specifications, product and application pictures for the Leverlift, Leverlift double-faced pallet truck, leveler, four-post lifter and several other lifters. The final section of the booklet is devoted to special job-designed equipment pictured in action. Colson Corp.

. . . for your copy circle No. 206

148 pages on complete line of roller chain

Link-Belt's complete line of roller chain and sprockets is described in this 148-page book, which includes sections on stock drives, drive chain, conveyor chain, installation and maintenance, lubrication, sprocket wheels, casings, chain tighteners, and many other items. Thoroughly illustrated, the book is designed to give the information necessary for choosing the right roller chain for a given application. Link-Belt Co.

. . . for your copy circle No. 207

Facts on heavy, medium, light-duty casters

Casters designed for extra heavy duty, heavy, medium, and light duty are detailed in this 20-page two-color booklet, which pictures each different type of caster covered, and lists design and special features. Included is a chart for each caster giving wheel diameter, load capacity, tread width. overall height, swivel radius, etc. (Catalog S-56) Bassick Co.

. . . for your copy circle No. 208

Guide to improving handling methods

"Materials in Motion" is a 12-page materials handling guide designed to show you how to improve materials handling methods, reduce damage to parts and components. Construction of the Kennett receptacles designed for materials handling is discussed along with their advantages. Case histories are also included. National Vulcanized Fibre Co.

. . . for your copy circle No. 209

IRA G. PERIN CO. Material Handling Equipment

LOCAL STOCK & PARTS

SAN FRANCISCO 5 575 Howard Street Phone GArfield 1-1827

SERVICE . . . SURVEYS

... for more details, circle No. 51 on Reader Service Postcard

Three folders on painting methods and equipment

This eight-page folder opens with a list of six ways to benefit from using the hot spray method of painting, and continues to explain the method thoroughly. A diagram of the system is included. (Booklet F-286). Two other leaflets treat paint heaters and paint pumps giving diagrams, pictures, specifications, and illustrating painting hook-ups. (Booklets IE114B, 1-3100) DeVilbiss Co.

. . . for your copy circle No. 210

How to stop alage problems in cooling

A new algaecide designed to eliminate algae problems in cooling systems is described in a four-page leaflet. A table illustrates the algaecide's effectiveness on six different species of algae. The booklet is divided into sections explaining what algae are, what the new algaecide is and how it should be applied. Safety and cost factors are also considered. Allis-Chalmers Manufacturing Co.

. . . for your copy circle No. 211

32-page monthly digest covers aluminum news

"Revnolds Aluminum Di. gest," a monthly publication covering aluminum news, is now available to the metalworking industry; it was formerly distributed only to Reynolds' employees. The digest is a 32-36 page publication which contains 50 to 60 reviews of articles relating to aluminum that have been published in the technical press during the preceding 30 to 60 days. A summary of related current events is also in. cluded. To be placed on the mailing list for the publication, circle number below. Reynolds Metals Co.

. . . for your copy circle No. 212

40-page design data book on investment castings

Design data for investment castings are outlined in this 40-page book, which includes typical physical, mechanical, and chemical properties of 26-investment-casting alloys, Helpful hints as to when to consider the investment-casting process to solve design, production, and metallurgical problems are given and supplemented with photographs and case histories of some of the parts produced by the investment-casting method. (Booklet F300017) Havnes Stellite Co.

. . . for your copy circle No. 213

Specification book for variable speed transmission

A line of variable speed transmissions for machines using up to 10 hp. V-belt drives is detailed in this specification book, which lists features and applications for four styles. Charts give dimensions, drive data, shaft assemblies and applications for various belts. Well illustrated. Maurey Manufacturing Corp.


. . . for your copy circle No. 214

12-page booklet on "Any Feed-Speed Paks"

"Any Feed-Speed Paks," designed to simplify fluid power application and provide precision fine feeds and high traverse speeds, are described in this 12-page booklet, which has four oil flow diagrams, information on oil and electrical circuits, typical machine cycles, electric controls components, and pump and base installation drawings. (Booklet 44200-A) Oilgear Co.

. for your copy circle No. 215

WE



CAINE STEEL CO.

ROLL FORMING DIVISION

Los Angeles ... 2451 E. 23rd St., KImball 1211 Emeryville...1289 65th St., HUmbolt 3-0900

handling equipment (coil slitters, shearing, etc.).

top value, dollar for dollar. Today, call or write:

From drafting board to final delivery, Caine "all-in-one" facilities guarantee faster delivery, greater economy,

... for more details, circle No. 52 on Reader Service Postcard

FIRST CHOICE

on the Pacific Coast!*



*Official Truck Registration Records PROVE —

á

13

p. ci-

rts aft ri-

14

nd

oi

18

115

56

In 1955, in the 26,000 lb. G.V. W. and over class, more White products were registered throughout the Pacific Coast States—California, Oregon and Washington—than any other make! Sound reasons explain White product's ever-increasing popularity with Western truck operators. Their lightweight construction—the big White "plus"—permit greater payload ... give White undisputed advantages for over-the-road as well as off-highway operations.

Today, throughout the West, more White products are used in the logging industry than any other truck. In other industries, too, where payload and profit go hand in hand, truck operators are going the White way. See how White can serve

you best. Call your local White Representative today.

THE WHITE MOTOR COMPANY

CLEVELAND I, OHIO
Factory Branches, Distributors & Dealers Everywhere

FOR MORE THAN 55 YEARS THE GREATEST NAME IN TRUCKS

... for more details, circle No. 53 on Reader Service Postcard

Materials handling is faster with the economical R-W "460"

the only completely packaged

continuous power chain conveyor!

Here's an overhead conveyor designed to meet the light-load handling needs in your plant. It's the R-W "460"—a unique, continuous power chain conveyor—with three outstanding advantages: requires no special engineering; easily adapted to any plant layout; and it can be quickly installed by your own personnel.

Shipped completely packaged from stock, the R-W "460" combines unusual flexibility, convenience and safety with special economies due to lower load limits. Use it as a supplementary conveyor unit on production lines, drying ovens, washers, paint sprayers, degreasers and similar operations in which a heavyduty conveyor is not required.

*Ask for descriptive Richards-Wilcox Catalog A-96.



Shipped from stock throughout the U. S.— in easily handled packaged units. Available up to 200-ft. maximum lengths only, the R-W "460" has capacities of 8½-lbs. on 6-in. centers, or 17-lbs. per lineal foot, and 200-lb. drawbar pull.



Branch Offices: 909 Santa Fe Ave., Los Angeles 21, California 288 Seventh St., Room No. 5, San Francisco 3, California

... for more details, circle No. 54 on Reader Service Postcard

30-page engineering manual on enclosed conductor systems

Opening with a basic description and some of the advantages of enclosed conductor systems, this booklet is divided into sections covering installations, installation procedure, parts, and selection of conductors. The final section gives engineering data—installation instructions for the standard mount, collector dimensions for installation, installation instructions for the lateral mount, tongue and sliding switches. Book has many diagrams and pictures. *Insul-8-Corp*.

. . . for your copy circle No. 214

How to speed packaging with steel strapping

Five basic ways to use steel strapping—reinforcing, palletizing and skidding, bundling, baling, and tying—to help speed packaging, lower handling costs and insure safer shipments are given in this 44-page book. A complete description of steel strapping tools and equipment is included also. A section of the book illustrates and describes freight carloading methods, including the anchored load, full floating load, and controlled floating load. Acme Steel Co.

. . . for your copy circle No. 217

Digest of uses for snap-action switches

Forty-three illustrated descriptions of uses for snap-action switches are contained in this 16-page Micro Tips Digest. Ideas in the booklet have been submitted by plant operating men and describe a wide variety of industrial uses for the switches in improving safety, lowering costs, and increasing production. Micro Switch Division, Minneapolis-Honeywell Regulator Co... for your copy circle No. 216

4-page picture book on internal drive head pulley

This folder explains the advantages of the "head pulley with the motor inside," and pictures the internal drive head pulley in use by contractors, batch plant manufacturers, and aggregate producers. Folder has easy-to-read chart of sizes, dimensions, and operating speeds. Yuba Manufacturing Co.

... for your copy circle No. 219

Information book on

blast cleaning cabinet
The EN-2 blast cleaning cabinet for
small or intermittent work is described
in an eight-page brochure, which has
15 photographs and drawings illustrating the airblast cabinet. Two tables

operation of the control of the cont

Data waste "Pament"

let on which comporthrough is clear include how it Belt C

19

on

lig

typ

with particles and (C)

De infor veyor brock the 2 unde conv dustrion

Co.

A equipling transand

page Cover pow man

ing are Flex

WE

give dimensions and specifications. Operation of the cabinet is explained along with the abrasive system. Dust control is treated briefly. (Booklet 607) Pangborn Corp.

. . . for your copy circle No. 220

Data on Verti-Flo for waste treatment

"Packaged Industrial Waste Treatment" is the title of a four-page leaflet on Verti-Flo, a packaged unit which treats industrial waste. It is composed of a steel or concrete tank through which waste water flows and is cleaned. Diagrams of the unit are included along with an explanation of how it works. (Bulletin 315-92) Chain Belt Co. . . . for your copy circle No. 221

192-page basic manual on casters and wheels

The largest part of this wheel and caster manual treats industrial casters, devoting sections to light, medium, and heavy-duty types. Each caster is pictured and described, and accompanied with specifications. A list of parts is given for each series of casters. Similar information is included for wheels, and glides, and bumpers are treated briefly. (Catalog 60) Darnell Corp., Ltd.

. . . for your copy circle No. 222

Details, specifications for cost-cutter conveyor

Details, specifications, and general information on the cost-cutter conveyor are given in this four-page brochure. The center spread shows the 22 basic conveyor supports and undercarriages. The all purpose belt conveyor is designed for use in industrial plants, factories, on production lines, and in warehouses. (Bulletin 103) New London Engineering Co. . . . for your copy circle No. 223

Specification book on transmission equipment

A full line of power transmission equipment, including flexible couplings, variable speed pulleys and transmissions, and universal joints and motor bases is described in a 12-page illustrated technical brochure. Covered are operating data, horse-power ratings, sizes, and types for many applications and varying working conditions. Over 15 items in all are detailed. (Booklet 1200) Lovejoy Flexible Coupling Co.

. . . for your copy circle No. 224



Your Engineer is Right!

Investment Casting permits new approaches to design and production engineering, unbound by the restrictions of traditional metallurgical practices and manufacturing techniques.

Major economies are obtained when your products or components are designed . . . or redesigned . . . with tolerance, surface and inspection criteria to conform with casting techniques. The resultant savings in final cost and production time, more than repay this small investment.

Your design engineer deserves and requires the great flexibility and latitude in design and production planning offered by Investment

Casting. If application requirements demand that a part be of complex shape, intricate contours in a material that's difficult to form or machine, in short or long run quantities, Investment Casting may provide the economical answer.

CASE IN POINT!

Freedom of Design

The rudder over-balance eliminator used on the jet bomber is an investment casting of specification QQ-M-55 Magnesium, Alloy AZ-92. This intricate design is more economically produced by investment casting than any other process, permitting design freedom and assuring quality performance.



ARWOOD PRECISION CASTING CORPORATION

3037B S. Vail Ave., Los Angeles 22, California
OTHER WESTERN SALES OFFICES:

IS ASSOCIATES

4 4385 Piedmont Ave., Ockland, California

110 Administration Building, Seattle, Wash.

PARTS & EQUIP.

904 Main—P. O. Box 4506, Ft. Worth, Texas

... for more details, circle No. 55 on Reader Service Postcard

6

Phone: RAymond 3-5361

How to use Metal-Cals for marking, labeling

"Branded for Life" is a four-page booklet which tells how to use Metal-Cals for trademarking, serial numbering, service labeling, catalog and parts numbering, and dial and gage marking. Booklet demonstrates other applications for the aluminum plates and gives a montage layout of typical plates, C & H Supply Co.

... for your copy, c'rs.a No. 225

Picture book illustrating uses for coiled cords

A 12-page picture book has more than 25 illustrations showing uses for retractile cords in industry and communications. A discussion of what the cords are, how they work, and where they can be used is included, along with charts on standard types of cords with suggested applications. Koiled Kords, Inc.

. . . for your copy, circle No. 226

Leaflet on basic changes in cooling tower line

App

com

cons

helti

char

helts

and

man

tive.

and

inch

clud

each

the l

Ton-

16-

vari

which

oper

nent

term

lecti

tion

info

tion

well

app

Wor

Dal

val

in t

tics

let

tion

illu

1186

pro

star

ion

Ra

De

hy

dus

det

wh

tin

res

are

an

Hy

Li

pa for

co tic

W

Designed especially for archi. tects, engineers, air conditioning contractors and installers, this four-page brochure details the basic changes in the Wat-R. Miser line of cooling towers. Key improvements in the line are pointed out, such as complete housing water tight seal to prevent leakage at joints, motor guard protection, raised legs. The leaflet is sequentially organ. ized with the idea in mind of making the selection of a cooling tower as simple as possible. Includes specifications and tables. (Bulletin CH 56110) Drayer-Hanson

... for your copy, circle No. 227

F. SOMERS PETERSON

SAN FRANCISCO

157 - 13th St. . Phone MArket 1-2255

CENTRALIZED LUBRICATION SYSTEMS The Farval Corp. 5

COUNTING DEVICES—Mechanical, Electrical Veeder-Root, Inc.

CONVEYORS-TUBULAR & BUCKET Hapman Conveyors, Inc.* CUSTOM TEST EQUIPMENT DEHYDRATION (Dry Air) EQUIPMENT

Kahn and Company, Inc. FLEXIBLE METAL HOSE AND TUBING The American Brass Co.

American Metal Hose Div. FLEXIBLE SHAFTING-POWER DRIVES

Elliott Mfg. Co.

LOS ANGELES

1501 Maple Ave. . Phone Richmond 9-6151

HEAVY DUTY REVERSIBLE RATCHET WRENCHES Lowell Wrench Co.

PARTS CLEANING EQUIPMENT Practical Mfg. Co.*

PUSH-PULL & REMOTE CONTROL ASSEMBLIES Kupfrian Mfg. Co.

MONITORING AND CONTROL SYSTEMS SEQUENTIAL RECORDERS AND PRINTERS Taller & Cooper, Inc.

WORM GEAR SPEED REDUCERS VARIABLE SPEED DRIVES

Cleveland Worm & Gear Co.*

*Northern California Only



able with gears to fit hex or square nuts or shafts. Sizes from 1/4" to 2 1/4".

By the makers of

INDUSTRY'S FINEST REVERSIBLE RATCHET WRENCHES

LOWELL WRENCH CO.

Worcester 8. Mass.



The Kleer Flo SUPER CLEANMASTER has these features:

- J Fire hazard reduced—cover self closes by quick acting fusible link.
- Deep work shelf-no splashing.
- √ Comfortable working height no stoop-
- √ Stay-put hose leaves both hands free. √ Continuous filtering — prolongs reuse of
- cleaning compounds for months without losing efficiency.
- Safe, efficient pump driven by fan cooled, brushless, sparkless motor.

PRACTICAL MFG. CO. Minneapolis, Minn.

... for more details, circle No. 96

80-page manual on line of backward curve blowers

Forty-eight different backward curve blowers are detailed in this 80page manual, which pictures each blower, gives wheel diameter, tip speed, inlet and outlet size and area. and complete performance tables, A final section is devoted to diagrams of many arrangements complete with charts. A general discussion of the fans and their construction details is included in a section preceding the technical data. Master Fan Corp. . . . for your copy, circle No. 221

Loose-leaf notebook on luminous ceilings

This three-ring, loose-leaf notebook on acoustical aluminum honevcomb for illuminated ceilings and fixture unit lighting is divided into several indexed sections. The first shows many applications of aluminum honeycomb for ceilings, while the second gives complete installation instructions. One section covers troffers and fixtures, another gives step-by-step picture instructions for maintenance. Final section details the manufacture of Hexcel's Honeylite. Hexcel Products, Inc. . . . for your copy, circle No. 229

Dressing grinding wheels by abrasive blasting

Advantages of dressing grinding wheels by airless abrasive blasting during manufacture is the subject of this booklet. Increased dressing speed, savings in material, elimination of lacquering in recessed areas and qualities of the finished product are all discussed. (Bulletin 121-D) Wheelabrator Corp.

for your copy, circle No. 230

... for more details, circle No. 56

Application book for conveyor belting

After explaining the design and construction of Ton-Tex conveyor helting and giving four comparison charts for regular and heavy-duty helts, this 20-page booklet pictures and discusses belt applications in many fields. Metalworking, automotive, building materials, chemical. and food industries are among those included. Several pictures are included as representative of uses in each field, other uses suggested and the best type of belt to use discussed. Ton-Tex Corp.

. . . for your copy, circle No. 231

16-page booklet on variable speed drives

Variable speed drives with touch control are the subject of a booklet which gives information on features, operating principle, design, component parts, and defines engineering terms and formulas. It also has selection tables and graphic illustrations of drive dimensions. Complete information about Allspeed modifications and accessories is included, as well as pictures of Allspeed drive applications. (Booklet 1600-B7P) Worthington Corp.

. . . for your copy, circle No. 232

Data on custom-made valve stem packings

ns

he

92

ın

230

56

Custom-made valve stem packings in two types-asbestos varns and plastics-are detailed in a four-page leaflet from the standpoint of construction and manufacture. The leaflet illustrates the shapes most commonly used and lists size limitations; it also provides a recommendation chart for standard items when used against various fluids and gases. (Booklet 6901) Raybestos-Manhattan, Inc. . . . for your copy, circle No. 233

Details on industrial hydraulic lifts

Four hydraulic lifts helpful for industrial maintenance applications are detailed in this 36-page booklet, which pictures each lift and gives pertinent construction facts in easy-toread chart form. Included in the book are the bulb snatcher for light fixture and air duct servicing, Hy-Trailer, Hy-Worker, and Hy-Deck. The Hy-Lite, a mobile hydraulic lamp stand, is also treated briefly. A montage page shows industrial applications for many of the lifts, and the book concludes with platform specifications. G. W. Galloway Co.

. . . for your copy, circle No. 234

Cullman announces opening of

WAREHOUSE in LOS ANGELES



carrying a complete line of Roller Chains and Sprockets

- enlarged stocks
- new facilities
- more space
- parking area


This means you get "off-the-shelf" deliveries promptly and efficiently on your chain drive needs.

Located at 4395 East Olympic Boulevard in Los Angeles, Cullman's new warehouse carries a complete line of Grip-Master and stock sprockets together with roller chains, conveyor chains and flexible couplings. Over 800 different items in stock.

Take advantage of our warehouse services. Next time you need chains, sprockets or couplings—Phone ANgelus 9-9435



CULLMAN WHEEL COMPANY, 1337 Altgeld St., Chicago 14, Illinois, ... for more details, circle No. 57 on Reader Service Postcard



SAVOLT ENGINEERING ANALYSIS REDUCES UTILITY COSTS...savings up to 20% NO SAVINGS SHOWN... NO COST TO YOU!

Each year American Industry spends millions of dollars needlessly through improper use of utilities. Working in the interest of both user and utility. Sayolt engineering specialists increase efficiency of utilitization and determine the most economical rate structure. Keep pace with automation and increased labor costs, write or phone for full details on the Savolt Plan today!

* Engineering of new facilities * Engineering Analysis

* Rate Analysis * Coordination of Utilities

HARBOR 5217

UTILITY COST CONTROL THROUGH ENGINEERING

savolt

CORPORATION

California Registered Engineering Specialists 503 32nd Street, Newport Beach, California



... for more details, circle No. 58 on Reader Service Postcard



- 2 Drive Wheels instead of one
- 2 Braking Systems available instead of one
- 4 Wheel Stability instead of three
- · Alloy Gear Transmission instead of chains
- 100% more Steering Ease-Greater Maneuverability
- 50% less Maintenance—Easy Accessibility
- Finger-Tip Control—Greater Safety

safety, power and economy of Hydrolectrics, users report, make it possible for them to pay for themselves five to twelve times per year.

The exclusive Hydrolectric modern features give you top performance day in and day out the year around, which today's material handling requires, at the lowest cost.

> Write for complete information today!

STUEBING Designed · Engineered · Built

LIFT TRUCKS, INC. / CINCINNATI 14, OHIO



THERE IS A TRUCK FOR EVERY PURPOSE TO HANDLE ANY KIND OF MATERIAL ... for more details, circle No. 59 on Reader Service Postcard

How to select steel processing belts

"A Profitable Approach to the Selection of Steel Processing Conveyor Belts" is a 16-page booklet detailing the Wissco line of standard steel processing belts for most processes requiring a plain or stainless steel belt. Booklet gives complete specifications and outlines a simplified plan for selecting the right helt to meet specific needs. Colorado Fuel & Iron Corp.

. . . for your copy, circle No. 235

Design data for selecting belt conveyor idlers

Design and application data for selecting and purchasing belt conveyors to handle bulk materials are covered in this 12-page booklet, which has descriptions, dimensional drawings. specification tables, and suggested applications for Limberoller idlers and various troughing, impact, training, and return brackets to use with belt widths of 18 through 72 in. Both bolton and portable types of Limberollers are explained. (Bulletin LD-105) Joy Manufacturing Co. .

. . . for your copy, circle No. 236

Specification book on complete coupling line

Browning's complete line of rigid and flexible couplings is detailed in this eight-page booklet which gives complete specifications on all types and includes horsepower rating charts. Types included are fixed bore-type flexible, bushed-type flexible, bushed-type rigid, bushed-type chain, and the minimum bore chain couplings. Illustrated with pictures and diagrams. (V-169-E) Browning Manufacturing Co.

. . . for your copy, circle No. 237

Catalog on complete line of gravity roller conveyors

A 24-page catalog on Ferguson's complete line of gravity roller conveyors includes photographs and descriptions of the two-in-one conveyor that can be set low for small packages, or turned over and set high for handling packages larger than the width of the conveyor; special and aluminum gravity roller conveyors, and conveyor bearings. Specialty items, including mobile tripod units, special curved and inclined sections, cable reel units, switches, and stops are also illustrated and described. Booklet also has many application pictures. (Bulletin 100) Harry J. Ferguson Co.

. . . for your copy, circle No. 238

Reva and

three lighti single lighti Ex indus from

> tern cente rang dles main with line ward In were

cente

dles.

fixtu

alon

the f rang ft. ca Ir of il ligh was conf tion on t

shie mac nece are fori rath ove

real

trer pro ton stal util cen

tic call per tain

sev upe upo

of pri

fre

am ure

the ch

pre

W

Revamped power and lighting systems

. . . continued from page 41.

three-phase 120/208-v. banks for lighting service. An existing 25-kva. single-phase transformer is used for lighting the kiln area.

Existing two-tube, 96-in. slim line industrial lighting units were changed from their 15-ft. center mounting pattern and rehung end to end on 10-ft. centers in the forming area. This arrangement developed about 52 ft. candles on the working plane. The remainder of the plant was illuminated with new two-tube 96-in. T-12 slimline industrial units with a 20% upward component.

In the finishing area, the new units were hung 41/2 ft. end to end on 10-ft. centers, resulting in about 48-ft, candles. In the high bay kiln area similar fixtures were mounted end to end along the building trusses, 18 ft, above the floor and on 20-ft. centers-an arrangement which provides about 32 ft. candles.

In spite of the relatively high level of illumination provided by the new lighting scheme, supplementary light was found desirable at the point of contact of numerous grinding operations. Type PAR spot lights, mounted on the ceiling, answered some of these requirements, but the design of the shielding hoods on the equipment made conventional machine lights necessary on most machines. These are served by small 440/110-v, transformers, mounted on the machine, rather than by separate feeds from the overhead lighting system.

36

i.

37

e-or s, n-

i-


38

An initial 56 ft. candles of extremely uniform illumination has been provided in the office area of the Norton plant. A luminous ceiling was installed over the 2,500-sq. ft. area. It utilizes 8-ft. slim-line strips on 3-ft. centers and a single thickness of plas-

All kilns and ovens are automatically controlled by conventional temperature controllers, and a check maintained by 6 and 12-point recorders.

Electronic excitation is utilized on several variable speed table drives and upon the speed testing equipment, upon which each grinding wheel is speed tested (run at speeds in excess of recommended operating speeds), prior to shipment.

An oscilloscope, complete with beat frequency oscillator and microphone amplifier, is provided to permit measurement of the natural frequency of the grinding wheels, as an additional check upon the quality of the finished



The Accident did NOT happen thanks to A.W. ALGRIP World's only abrasive rolled steel floor plate

With patented ALGRIP underfoot, men work confidently in dangerous slipping areas-spend more time concentrating on

. . and management gets a triple advantage-improved morale, reduced accident rates and slashed insurance costs . .

because—neither oil, water nor grease can reduce the powerful friction-grip action of Algrip's uniformly embedded abrasive particles. Easily fabricated Algrip—it can be overlaid or used as a complete flooring—is tough steel plate into which a grinding-wheel type abrasive has been rolled—not coated—to a controlled depth as an integral part of the steel. Wear and tear merely expose more abrasive.

Nationwide, ALGRIP is paying for itself in safety. Make a test installation in your worst slipping area.



Algrip—approved for safety by	Underwriters'	Laboratories
ALAN WOOD STEEL COMPANY Conshohocken, Pa.		CALGRID
Please send A.W. ALGRIP Booklet AL 34	(CL)	
Name		1
Title	35 was 1750	11 11 - 1
Company	(-(-A.W):)	
Address	Manager M. P.	
CityState		

Other products: A.W. SUPER-DIAMOND Rolled Steel Floor Plate—Plates—Sheets—Strip—(Alloy and Special Grades) ... for more details, circle No. 60 on Reader Service Postcard

NEW EQUIPMENT for Western plant operation, production, and maintenance

USE RIP-OUT POST CARD, page 69, for more information on products described

PALLET TRUCK


. . . with breakaway feature for maintenance



This Worksaver pallet truck has a breakaway feature for easier maintenance. The removal of two pins, one on each side of the truck, permits the whole front of the truck to open away from the battery compartment making every hydraulic and mechanical unit accessible for service. Available in 4,000 and 6,000-lb, capacities, the Worksayers can be fitted with two different sized battery compartments. Short battery compartment models fit a six-cell. 13plate battery and are only 24 in. longer than the load. The larger model takes a six-cell, 25-plate battery and is 33 in. longer than the load. Yale & Towne Manufacturing Co. . . . for more details, circle No. 239 on postcard

PNEUMATIC TOOL

. for rotary and feed motion operations



A pneumatic machine tool designed for production drilling, reaming, tapping, countersinking, and other machining operations that require rotary and feed motions is available in 11/2, 3, and 6-in. strokes. Called the Model 150 drill unit, it is rated 1/2-in. capacity in steel and operates at 9,000 rpm. maximum. The small size permits use in confined spaces; overall dimensions are 21/8 x 31/4 x 8 11/32 in. Alkon Products Corp.

. . . for more details, circle No. 240 on postcard

SEALER-STRETCHER

. with built-in waste cut off shear

This hydraulic powered heavy duty flat steel strapping combination sealer and stretcher has a built-in waste cut off shear. The sealer-stretcher can be used for tying bulky and heavy items such as sheet steel and lumber and will accommodate 3/4 and 11/4-in. heavy duty flat steel strapping. Gerrard Steel Strapping Division, U. S. Steel Corp. . . . for more details, circle No. 241 on postcard

LOW-PRESSURE BOILER . . . for oil and gas firing



Designed to provide steam, hot water heating. or hot water service with power demands of 10, 15 20. and 25 hp., this compact packaged automatic lowpressure boiler for oil and gas firing is suitable for auxiliary use in industrial plants and warehouses. Called the Power-Pak, it is automatically responsive to load changes, quiet, and fast steaming. It has forced draft, which eliminates the

need of a stack: only a vent is required. Burner is completely mounted on the boiler; ignition transformer is mounted on the air plenum. Orr & Sembower, Inc.

. for more details, circle No. 242 on postcard

CONNECTOR

. . joins aluminum to copper conductor



A connector for joining aluminum to copper electrical conductor in severe natural environments consists of a deep aluminum cup and one of copper buttwelded together at the closed ends and hermetically sealed in a rubber ball and cement system. According to the manufacturer, the

Alcunector, as the connector is called, eliminates the two principal problems experienced in the past in joining two dissimilar metals: galvanic corrosion and thermo-elastic ratcheting. Kaiser Aluminum & Chemical Corp.

. . . for more details, circle No. 243 on postcard

HI DUTY LIFT

. with lifting capacity of 6,000 lb.




The Hi Duty 600 is a fork lift truck with a lifting capacity of 6,000 lb. rated at 24 in. and with a normal stacking height of 10 ft. lt is powered by a six-cylinder, 75-hp. industrial engine and equipped with the duo-drive transmission with two speeds forward and reverse. Overall length with out forks is 111 in., width

WE

45 in., and outside turning radius 102 in. Transitier Truck Co. . . . for more details, circle No. 244 on postcard

THE NEW CURTIS MODEL C-100 TWO-STAGE, AIR-COOLED AIR COMPRESSOR

Provides Higher Operating Efficiency Costs Less to Install



THIS NEW Curtis Two-Stage will deliver more air per minute, per horsepower and per kilowatt hour of electrical energy consumed, thus assuring a saving in your electrical bill.

It's Air Cooled, thereby eliminating expensive water bills and assuring quick and easy installation with no complicated plumbing problems.

The new C-100 embodies all the well-known Curtis engineering features such as centro-ring oiling and Timken Main Bearings.

For complete information write for illustrated folder.



MANUFACTURING COMPANY . PNEUMATIC DIVISION

1954 KIENLEN AVE. . ST. LOUIS 20, MO.

CM-23



th

ial

to ast ed the m-

ri-

um

ıtt-

the

eti-

the

tie

ard

nal It

ith

th

łth

56










... for more details, circle No. 18 on Reader Service Postcard

MOTORIZED REDUCERS


. . . with motor support bracket



A specially designed motor support bracket is a feature of these motorized reducers. The reducer base supports both the reducer and motor for easy set-up and shaft alignment. Bracket slots are standardized to suit all NEMA motors, Reducer capacity ranges from 1 to 75 hp. while double, triple, or quadruple reductions provide a selection of ratios from 5.06:1 to 238:1. Available in horizontal models for foot mounting or in vertical and vertical extended housing models for flange mounting. Foote Bros. Gear & Machine Corp.

. . . for more details, circle No. 252 on postcard

QUICK COUPLINGS ... withstand rotation, vibration



This all-purpose industrial quick coupling in both open and self-sealing types is guaranteed not to uncouple with vibration, pressure or rotation of the hose to which it is attached. The coupling, with a leakproof seal, is locked or unlocked with a simple one-quarter turn. Ball-locking grooves on the nipple are heat treated to assure longer life and higher pressures and the nipple length has been increased to withstand greater sideloads. Available in sizes from ½ to 3 in. Roylyn, Inc.

. . . tor more details, circle No. 253 on postcard

SOLENOID VALVES

. . with moisture and dust-proof enclosure



A complete line of solenoid pilot-operated control valves, known as the Speed King series, has moisture and dust-proof sole noid enclosure sealed to prevent entrance of splashing liquids or airborne contaminants, safety sole noid cover which renders the

valve electrically inoperative when cover is removed, and integral junction box large enough to accommodate 6-in. taped pigtail leads. Junction box has threaded conduit connection and retaining chain on junction box cover keeps cover with valve. Valves will control over 600 cycles per min. Valvair Corp.

. . . for more details, circle No. 254 on postcard

CIRCUIT TESTER

. . . for checking hydraulic systems



Trouble in a hydraulic system can be checked with this portable hydraulic circuit tester which weighs only 19 lb. and is contained in a light but strong case with carrying handle. With a pressure range of 300 to 2,000 psi., a maximum flow of 50 gpm. and a temperature gage reading from 60 to 220 deg. F., the hydraulic circuit tester simultaneously

measures temperature, pressure, and flow from any component port in the hydraulic system. Tester is connected by hose to the component port to be tested and to a low pressure return line. Load is applied manually by the load valve with the result showing on the flow and pressure gages. Screens protect the circuits sensitive to foreign particles. Schroeder Brothers Corp.

. . . for more details, circle No. 255 on postand

AUTOMATIC CONTROL ... for Vari-Speed Motodrives



A new automatic control for Reeves' fractional series of Vari-Speed Motodrives is actuated from any pneumatic instrument that gives signals of 3-15 psi. air pressure. This operates an air piston through valving to control the lateral movement of the speed changing mechanism, and in turn the

output speed of the variable speed drive. Principal use of the control is in continuous processing applications where the drive speed is required to automatically vary in accordance with changes in liquid level, pressure, temperature, weight, etc. A compensating feature has been built into the controller to secure a true linear relation between changes in input air pressure and variable output speed. Reeves Pully Co.

. . . for more details, circle No. 256 on postcard

FLAT-TYPE MOTOR

. . . for machine tool, equipment industry



Designed specifically for use in the machine tool and equipment industries for operating turret lathes, punch presses, milling machines, etc., where there is a minimum amount of space, this flat-type motor in totally-enclosed fan-cooled or totally-enclosed non-ventilated design weighs less than standard motors

and is easy to disassemble and reassemble. Flat-type units are of standard radial design, constructed like conventional squirrel cage motors. There are no precision alignments or complicated air-gap adjustments with which to contend. Available in ratings ranging from ½ to 7½ hp. Diehl Manufacturing Co.

. . for more details, circle No. 257 on postcord



This press at Kenworth's Seattle plant, is stretching 19-gauge USS Steel Sheet and at the same time shaping it ... a process that puts any material to a severe test. The section being formed here will eventually ride the highways and logging roads as part of the cab housing on Kenworth Tractor units like the one shown at right.

When your job calls for a special steel

irhs ed ise ith to ow ra-60 dic sly mted ow ad ure

ries

eu-

ves

res-

to ove-

the

ions y in emeen tion

out-

cord

for

and

for

hes.

ma-

e is

or in

oled

nonighs itors inits

ieh

956

USS Metallurgists see that you get it

For some jobs just any steel will do. But not always...not when you have deep draw problems or require difficult shapes like those produced by Kenworth's stretch press. These conditions usually call for a steel with special characteristics. And that's where our metallurgists came in...they made sure that Kenworth had the one right steel for the job.

By finding out how you use steel, USS Metallurgists can tailor-make a steel to fit your job requirements. Steel that's made this way, for a specific purpose, is the kind of steel that makes your production line run smoothly, reduces rejects and adds to the quality of your finished products. The same metallurgical assistance that helps Kenworth, is available to all customers of United States Steel.

free booklet!

V7 8

UNITED STATES STEEL CORPORATION COLUMBIA-GENEVA STEEL DIVISION 120 MONTGOMERY STREET SAN FRANCISCO 6, CALIFORNIA

Please send me your free handbook that gives information on the production, properties and characteristics of steel sheets.

Name_____

Address___

City____State___

USS Steel Sheets

UNITED STATES STEEL

USS


WESTERN INDUSTRY - August 1956

... for more details, circle No. 61 on Reader Service Postcard

85

FLUID DRIVE

. . for internal combustion engines



This traction type Gyrol fluid drive, designated Size 126, Type T, is designed for industrial use with internal combustion engines as a fluid power transmission for mobile materials handling vehicles and construction equipment. When modified by installation of a flexible coupling half on each end of the fluid drive, the unit is suited for constant speed electric motor applications for driving production and processing equipment, machine tools, and conveyors. As a motor driven unit the Size 126 is rated 7½ to 15 hp. for 1,200-rpm. drive speed and at 25 to 50 hp. for 1,800 rpm. American Blower Corp.

. . . for more details, circle No. 258 on postcard

POWER-ROTATED JIB CRANE ... with fraction-of-an-inch control



Available in capacities of 6, 7½, 10, and 15 tons, these power-rotated jib cranes are built with fraction-of-an-inch control for smooth handling and exact spotting. Each crane has a 25-ft. boom which, when rotated in a full circle, covers 1,965 sq. ft. of floor space. Cranes have electric rotating mechanism, as well as electrically-powered hoist and hoist trolley. Heavy-

duty electro-mechanical motor brakes and regenerative electric braking action provide absolute control of both boom and load, R. G. LeTourneau, Inc.

. . . for more details, circle No. 259 on postcard

ADJUSTA-PAK

. . . eliminates need for many boxes

Adjusta-Pak is composed of eight pieces of scored and slotted corrugated board with no right or left sides and no top or bottom. They are telescoped together to form an outer container and secured with steel strapping. This type package eliminates the need for cartons of just the right size, cuts down the expense of custom cartons, and reduces the amount of storage space needed. The range of commodities which can be packed in these containers is almost limitless, according to the manufacturer. The box was designed to make possible the overpacking of non-standard orders which ordinarily require large quantities of containers in assorted sizes. Signode Steel Strapping Co.

. . . for more details, circle No. 260 on postcard

BATTERY-POWERED HAND TRUCK ... lifts to a height of 70½ in.



The Hi-Lift Platform, a recent addition to Clark's Powrworker line of industrial trucks, is a 4,000-lb capacity battery powered hand truck with a lifting height of 51½ through 70½ in., and a down height of 6½ or 10½ in. Available in two models, the truck travels 3 mph. when empty and 2.2 mph. fully loaded in both forward and reverse. Full-load lifting speed is 9

ft. per min.; lowering speed is 20 ft. per min. Lowering speed is hydraulically adjusted to weight carried. Other features include spool-type lift control valve, built-in pressure relief valve which automatically protects the hydraulic system against excessive pressures, "dead man" brakes, fingertip controls. Clark Equipment Co.

. . . for more details, circle No. 261 on postcard

OILER

... to flood or flush a bearing



These flushing drop feed oilers provide a means of automatically flooding or flushing a bearing with a definite amount of oil at the starting period, after which the oil will feed drop by drop. Quantity of oil provided for flushing is fixed, while drop feeding can be adjusted. The drop feeding can be observed and adjusted within a wide range on the sight feed valve and any setting retained by means of a friction screw. This unit was designed primarily to meet the lubricating needs of high speed heavier load machines. Oil-Rite Corp.

. . . for more details, circle No. 262 on postcard

HYDRAULIC TORQUE CONVERTERS ... for general industrial application



Available in range of 100 to 1,000 hp., these single stage, heavy-duty torque converters come in six basic sizes, which include 17 power capacities in closely spaced ranges for matching with engines and electric motors. These power ranges are provided by modification of the converter hydraulic circuit. The three hydraulic elements-pump, turbine, and stator-are aluminum alloy castings. National Supply Co.

. . . for more details, circle No. 263 on pestcard

features:

- - Utilizes new 800 MA high output lamps
 - May be mounted within 12" of ceiling
 - . Meets ASA school standard
 - High adaptation level with low brightness and brightness ratios
 - Flexible in arrangement

tomorrow's lighting today

NEW SMOOT-HOLMAN LUMINAIRE PERFECT VISION

When all cost factors are considered. Smoot Holman's Perfect Vision indirect luminaire will be the choice for commercial, school and institutional lighting requirements. Its revolutionary "new as tomorrow" design gives more light per dollar than ever thought possible... yet continues Smoot Holman leadership in quality and efficiency.

Investigate the many advantages of this excitingly new, architecturally beautiful luminaire. Contact your local Smoot-Holman office or write direct for Catalog PV-288 SMOOT-HOLMAN Inglewood, Calif.



SERVICE IN THE WEST AND SOUTHWEST FOR ALL SCHOOL COMMERCIAL AND INDUSTRIAL LIGHTING

0

POSITIVE TEMPERATURE CONTROL -- No Over-Heat! TRENT "HIGH-TEMPERATURE" JACKETS

with TRENT "Folded-and-Formed" Heating Units

Only TRENT "Folded-and-Formed" ribbon type resistor heating element provides controlled, uniform radiant heat up to 2000°F.

... the greatest radiating surface per square inch of element cross section of any electrical heating element! And only TRENT Heating Jackels offer these design advantages to assure efficient processing operations wherever high-temperature radiant heat with positive control is essential.

- Temperatures to 2000°F. without Pressure Equipment
 - Maximum Heat Input
 - "Double-Boiler" type Unit and Chamber Control
 - . Heat Zone Control-either Manual or Automatic
 - Brick Insulation or Appropriate Low Temperature Insulation Depending on Operating Require-
 - · All-Welded Internal Connections
 - Rapid Heat Decline after Unit is De-energized
 - Maximum Element and Jacket Life
 Minimum Maintenance

Let an experienced Trent Heating Engineer show you how Trent "High-Temperature" Jackets with Trent "Folded-and-Formed" Heating Units can mean trouble-free controlled heat for the kettles, tanks, autoclaves and similar process vessels you use or design. Or write for Bulletin 72-E.

Trent Representatives in **Principal Cities** Coast to Coast



... for more details, circle No. 63 on Reader Service Postcard



STRONG enough for any shipment LOW enough in Cost to discard after use LIGHT enough to cut shipping costs

GREAT LAKES CARBON CORPORATION 612 So. Flower St., Los Angeles 17, Calif.

EVJU PRODUCTS COMPANY

Sales Agents for California and Hawaii 465 California St., San Francisco 6829 Rita Ave., Huntington Park

... for more details, circle No. 64 on Reader Service Postcard

SELEWRITING DOCUMENTS

. for expediting plant operations



Embossed, selfwriting metal identification documents. color-coded for direction of various production actions form the basis of this system to expedite and integrate plant operations. System includes a simple mechanical method for transcribing embossed data to forms involved. Attached by wire, the metal tags identify and classify materials. tools, and parts to control issuance, direct movement, and define work operations. Called Dashaplates, the tags are of a metal alloy resistant to corrosion and various chemicals commonly used. Embossed data can be transcribed by a stroke of a portable automatic wiring tool called the Datawriter. Dashew Business Machines, Inc.

. . . for more details, circle No. 264 on postcard

HIGH-TIERING TRUCK ... operates in 6-ft, aisles



This straight engine powered high tiering truck is designed to operate in aisles as narrow as 6 ft. and is available in capacities up to 4,000 lb. The handler-stacker transmits the engine power for lifting and traveling with an all hydraulic drive, controlled by a single lever. The flow of oil to a hydraulic motor powering the drive wheel STR

seal

sup

to t

stra

STI

red

thu

in

ele

cor tio

eri

loa

pro

wit

eliminates the usual clutch, transmission, and friction-type brake. An L-P Gas system is optional to minimize fumes from the 18-cu. in. engine. Lifting heights up to 15 ft. are available. Colson Corp.

. . . for more details, circle No. 265 on postcord

VARIABLE SPEED MOTOR . for low-speed applications



A variable speed, internally geared Varidrive motor, with take-off shaft and motor on the same side, has been designed for lowspeed applications requiring variable speed, where weight distribution and limited space are important factors. Available in two types, upright and horizontal, the unit may be had with either

dripproof, totally-enclosed, or explosion-proof motors. Motors, with horsepower up to 5, are compact, provide slow speeds and high torque without resorting to the use of separate gear boxes, speed changers, extra couplings, or guards Mechanical and electrical remote controls and Varitrol automatic controls are available. U. S. Electric Motors, Inc.

. . for more details, circle No. 266 on postcard

STRAPPING SEALER



This pump-type, multicut strapping sealer provides fast and easy operation where strapping is applied in close proximity to conveyor top or floor, according to the manufacturer. Bottom handle rests against the object being strapped, such as pallets, containers, and skids, and

sealing action is obtained by movement of the top handle supplying a multi-cut joint. All models operate at 90 deg. to the strap, and each is adaptable for all gages of tensional strapping. Brainard Steel Division, Sharon Steel Corp.

. . . for more details, circle No. 267 on postcard

STEPLESS CONTROL

ft.

its

led

ow tor eel pe

ft.

ard

er-

aft

de, owirere imaces, the ner ow-

rol

56

... for overhead traveling cranes

Stepless control for overhead electric traveling cranes reduces the number of mechanical contactors required, thus eliminating a major source of maintenance required in crane electrical equipment. Based on the principle of electronics, the control scheme uses gas-filled tubes in the control circuit. Stepless control provides many speed variations, allowing control and precision spotting in both lowering and hoisting directions under all conditions from no load to full load. Control also provides complete plugging protection so that motors may be reversed from full position in one direction to full position in the other direction without danger of damage. Harnischfeger Corp.

. . . for more details, circle No. 268 on postcard

CIRCUIT BREAKER

. . extends molded case breaker range



An 800-ampere M-frame circuit breaker extends the operating range of molded case breakers from 600 to 800 amperes, providing the higher continuous current rating which has formerly required larger equipment.

The 800-ampere breaker can be used with panelboards, power panels, switchboards, motor controls, bus duct plugs, and individual enclosures. The breaker offers optional pressure connectors for either double or triple cable connections per phase within the circuit breaker case. Three-inch pole-center design dimensions permit accessibility for front cable or rear bus and stud connections. I-T-E Circuit Breaker Co. for more details, circle No. 269 on postcard

GAS-OIL BURNERS

. . . with integral air register

An integral air register which reduces installation time is a feature on the models in this new line of combination gas-oil burners for industrial applications. Burner section and air register are shipped as separate units but may be quickly and easily bolted together on the job. Oil burner is a rotary cup burner designed to fire with No. 6 or lighter oil; ratings run from 9 to 125-gal. per hour. Ringtype gas burner may be used with either natural or manufactured gas and has capacities ranging from 1,650,000 to 18,750,000 Btu input per hr. Iron Fireman Manufacturing Co.

Signals you can hear... Signals you can see...

CHECK THESE TELEPHONE SIGNALS FOR ALL-AROUND EFFICIENCY!



EXECUTIVE OFFICE— 3-light signal



SECRETARY'S DESK— 4-light signal

Light-up signals that tell you at a glance which phone is ringing and what phones are in use . . . special bells that sound off anywhere in your plant . . . a musical tone for a restful lobby — the right telephone signal in the right place can cut delays, reduce strain, improve efficiency all around you! Find out all about low-cost telephone signalling for your plant or office. Just call your telephone business office.



Pacific Telephone



RECEPTION ROOM— 3-lamp signal



LOBBY-musical chime



STOCK ROOM—loud bell



LOUDEST SIGNAL— 18" horn

... for more details, circle No. 65 on Reader Service Postcard

Push Carts balance the load

For faster. easier handling

MORE LOAD LESS EFFORT MANY HEFE



"Muscle-matched" Gar-Bro push carts haul 30% more load with half the effort because they are balanced-and lighter at the handle-when fully loaded. Weigh nearly a third less than ordinary carts, with no sacrifice of strength.

no sacrifice of strength.

Designed to handle castings, sand, ashes, chemicals, rubbish and many other bulk materials.

Two widths: 30" with 6 cu. ft. capacity; 35" with 8 cu. ft. capacity. Wheels have steel spokes, depressed hubs, 4" roller bearings. Heavyduty 4.00 x 18" 4-ply pneumatic tires. Rocker dump type carts and rocker attachments also available.
Write for catalog and further information.

Gar-Bro Manufacturing Co.

2415 E. WASHINGTON BLVD. . LOS ANGELES 21, CALIF.

... for more details, circle No. 66 on Reader Service Postcard



The perfect answer for the always-visible storage of small to medium items. Discs revolve both ways independently, (on ball bearings) each disc has 5 compartments with removable bin fronts and boltless adjustable subdividers. Everything always handy for quick storage and

easy issuing. Distributed by:






5424 E. Slausen Ave., Les Angeles 22, Calif. Telephone: RAymond 3-3227 899-73rd Ave., Oakland 21, Calif. Telephone: Thinidad 2-7621

... for more details, circle No. 67 on Reader Service Postcard

FIXED CENTER DRIVES use A and B section V-belts



These variable pitch motor pulleys in 35%, 4, 5, and 53/4-in. diameter with ratings from 1/3 to 1 hp. are for use with A and B section V-belts and come in various combinations of fixed-center drives providing speed varia-tions up to 7½:1 ratio. The fixed-center drive consists of two pulleys, one mechanically operated and one spring loaded. Pulley discs are made of non-serrated, non-interlocking machined cast iron for longer belt life, Oil impress. nated bearings on the pulley shaft eliminate the necessity of lubricating. Gerbing Manufacturing Corp.

. . . for more details, circle No. 271 on postcard

PNEUMATIC TIMER . for automatic control circuits



Designed for heavy-duty applications, this pneumatic timer for use in automatic control circuits has a time delay of 1/5 to 180 sec. with an accuracy of plus or minus 10% of the setting. Cast frame rigid construction resists shock and vibration and provides a stable timing element and housing. All wiring terminals are accessible from the front of the unit and are mounted on plastic supports. Operation of the timer can be changed from on-delay to off-delay with a screwdriver. General Electric Co.

for more details, circle No. 272 on postcard

and

hav

bub

des

rati

floo

NE

90 NE


mo

tion tion

WE

FORK TRUCK for use with low headroom






the electric trucks also have a caster trail axle design which makes possible a high degree of truck maneuverability without loss of physical strength. Elwell-Parker Electric Co.

. . . for more details, circle No. 273 on postcard

EXTRACTORS ... for lines with high oil, water



n

de

1

tic

ith

2116

ast

on

on

AĬĬ

the

OB

on

as

ra

ere

for

18

ite

e a

re

the

on

nal

of

lb.

ich

ity

56

Oil and water extractors with an air capacity of 100 cfm, are well suited for lines where the amount of oil and water is excessively high. The extractor supplies dry regulated air to as many as six heavy-duty spray guns at a time. A combination of spiral baffles with absorbent filters in each of the extractors removes moisture, oil, rust, dirt, and other foreign matter from the air before it reaches the spray gun. An automatic drain opens when the air supply is shut off and closes when it is turned on again. Binks Manufacturing Co.

. . . for more details circle No. 274 on postcard

SOLENOID VALVE



This diaphragm-type solenoid valve was designed to meet the need for an off-the-shelf multi-purpose valve. Because of its diaphragm action and full-flow ports, the valve is capable of handling large capacities with a minimum pressure drop, and is suitable for shutoff control of a large variety of liquids and gases over a wide range of operating pressures up to 250 psi. Of multipoised design, the

valve may be operated in any position and used with side and inverted mountings. Valves are normally closed and have forged brass bodies, packless construction, and bubble-tight shutoff. General Controls Co.


. . . for more details, circle No. 275 on postcard

MOTOR CONTROL CENTERS ... designed to save maximum space

This line of 7 in. high motor control centers has been designed for use where a large number of motors with ratings up to 5 hp. must be protected and controlled and floor space is at a premium. They permit ten-high mounting arrangement in a standard 90 in. high section. Up to 20 NEMA size No. 1 starters can be plugged into a standard 90 in. high back-to-back section. Units are supplied with NEMA Class A, B, or C wiring. The 7-in. units may be mounted with 14-in. and larger modules for flexible section arrangements for motor controls ranging from fractional to 100 hp. Federal Pacific Electric Co.

. . . for more details, circle No. 276 on postcard

NOW, Speeds from 0 to 180" per minute



Model VU-120 weighs only 35 lbs. Main wheels run on ball bearings; casters swivel on ball bearings, run on oilite bearings, are shrouded as protection against stag.

Operates at same speeds forward or reverse. Cuts straight lines, circles, square or bevel kerfs. Adaptable to many automatic welding applications.

Now constant running motor and 3-position torque-converter transmission of new Model VU-120 bring you speeds from 0 to 180" per minute—forward and reverse—without loss of power at low speeds. In neutral position, machine free wheels so you can set up easily and quickly. Wide speed range enables you to adapt travel carriage to many automatic welding applications, using either submerged or inert arc.

You get remarkable accuracy from the Model VU-120. Floating rear caster practically eliminates side tilt and wobble. There's no "creeping"—shut off machine and it stops instantly.

Universal torch holder accommodates any model VICTOR machine cutting torch, with or without gear rack. Two torch holders can be used if desired. Case is pre-drilled for extra torch holder, side guide roller, or counterweight.

Try the fast-operating VU-120. Ask your VICTOR dealer for a demonstration on your job NOW...or write us for descriptive Bulletin 353.

FOR MAXIMUM
EFFICIENCY AND SAFETY,
USE GENUINE VICTOR
TIPS AND PARTS



Torches on Model VU-120 easily angled for bevel cuts. Machine accommodates both 2 or 3-hose torches, and in certain set-ups each holder can handle multiple torches.



VICTOR EQUIPMENT COMPANY

Mfrs. of welding & cutting equipment; hardfacing rods, blasting nozzles; cobalt & tungsten cattings; straightline and shape cutting machines.

844 Folsom St. San Francisco 7 3821 Santa Fe Avenue Los Angeles 58

... for more details, circle No. 68 on Reader Service Postcard

COME TO EMSC WITH YOUR

MANUFACTURING PROBLEMS

MACHINING

- STRUCTURAL FABRICATION
- . HEAT TREATING
 - GALVANIZING

Thirty years of experience, plus the tremendous facilities of Emsco's two large plants in Los Angeles and Houston, Texas, are available for the design and fabrication of medium to heavy structural and machine shop work for all industries. Call us today.

ALAMEDA, LOS ANGELES LUDLOW 7-5261

... for more details, circle No. 69 on Reader Service Postcard



Power Transmission Equipment. **Ball & Roller Bearings**

> 5 Strategic locations to serve you











Serving the Southwest

. . for more details, circle No. 70 on Reader Service Postcard

TANDEM PLIMPS

. . . for heavy-duty mobile equipment



These heavy-duty geartype hydraulic pumps were designed especially for anplications on heavy-duty mobile equipment. Series 3000-2000 is a tandem pump for applications where two separate hydranlic circuits are required The larger of the two pumps operates at pressures un to 1.000 psi, at 1,200 rpm, and delivers 36 to 64 gpm. to provide the main hydraulic power source. The smaller pump delivers 10 to 25 gpm. and may be used for auxiliary circuits such as power steering. An important feature is the pressure-balanced LIFT

Brak

of 1

have

has

mod

to w

FILT

Si

have

grin

imp of l

ferro

and

comp

WES

wear plate; by balancing pressure on the front and back of the wear plates, a fixed clearance is maintained between the wear plates and the gear faces regardless of pressure. New York Air Brake Co.

. . . for more details, circle No. 277 on pastand

HEAVY-DUTY FORK

operates in aisles of 6 ft.



This heavy-duty fork lift truck can carry and stack in aisles as narrow as 6 ft. The battery-powered Traveloader is built on the sideloading principle, so that it doesn't have to turn to face its load. Thus the required aisle width is fixed by the width, not the length, of truck and load. With a capacity of 4,000 lb., the Model TE-4 is of the standup rider type, has full sized wheels, automotive-

type steering, and hydraulic brakes. Maximum lift is 130 in. at 31-fpm. loaded lift speed. Baker-Raulang Co.

. . . for more details, circle No. 278 on postcard

BELT FASTENERS

for splicing conveyor belt



Speed is the main advantage of these belt fasteners for splicing conveyor belts, according to the manufacturer. Templets eliminate the inconvenience of inserting fasteners from the pulley side of belts, and a new boring bit and alloy steel wrench have been designed for use in standard electric or air impact tools. Tests made in the field by

the manufacturer showed that a two-man team could apply fasteners on a 30-in, wide joint in from 15 to 20 min. with this method. Flexible Steel Lacing Co.

. . . for more details, circle No. 279 on postcord

LIFT TRUCKS with trunnion steer wheels



ty

es

m

ns

n

d

ps to

nd

al.

rer

ea-

ick

re

ft.

de-

t it

ace

Ted

the

of

9

the

the

full

ive-

сата

ad.

ten-

VOI

the

lets

ners

elts

and

een

ols

by

vith

cart

956

A new series of lift trucks with 3,000, 4,000, and 5,000-lb. capacity models on pneumatic tires are gasoline-powered and reflect current automotive trends, such as a silhouette that is close to the ground and automobile-like controls. Trunnion steer wheels, short overall length, and a

short turning radius are other features of the new trucks. Brakes are self-energizing in both directions with a total of 125 sq. in. of braking area. The two smaller models have a load lifting speed of 50 fpm., while the larger model has a speed of 48 fpm. Fast forward travel speed for all models is 13.8 mph. Hyster Co.

. . . for more details, circle No. 280 on postcard

TRANSFORMER LINE ... with 28 standard sizes



These single-phase power and lighting transformers are available in 28 standard sizes from 50 va. to 400 kva. These transformers have dual primary and dual secondary windings, and can also be used for 240 v., three-wire services. They are designed for optimum copper to core loss ratio. Core and coil are protected by a ventilated steel case, while coils are vacuum im-

pregnated with a polymerizing varnish and are blocked to withstand internal stress. Hevi Duty Electric Co.

. . . for more details, circle No. 281 on postcard

FILTERS

... for grinding machine coolants

Six filters with capacities of from 5 to 60 gal. per min. have been developed for filtering heavily contaminated grinding machine coolants. The accordian pleated, plastic impregnated filter elements trip particles down to a size of 10 microns. Capable of removing either ferrous or nonferrous metal particles, the filters are easily replaceable and will handle either water soluble oils or thread grinding compounds. *Purolator Products, Inc.*

. . . for more details, circle No. 282 on postcard



... for more details, circle No. 71 on Reader Service Postcard
WESTERN INDUSTRY — August 1956

HAVE YOU TRIED THIS EXTRAORDINARY CLEANER?

It saves money before painting

Oakite Rustripper is an alkaline material that strips paint, pigment residues, phosphate coatings and undercoat rust in one operation. Ask for booklet "Here's the best shortcut in the field of organic finishing".

It saves money before plating

Oakite Rustripper removes rust, heat scale and oil from steel in one operation. Avoids hydrogen embritlement and other disadvantages of acid pickling. Ask for booklet "Here's the best shortcut in the field of electroplating".

FREE For either or both illustrated booklets, write Oakite Products, Inc., 1001 E. First St., Los Angeles, or 681 Market St., San Francisco, Calif.





Technical Service Representatives in Principal Cities of U.S. and Canada

Export Division
Cable Address: Oakite

... for more details, circle No. 72 on Reader Service Postcard



... for more details, circle No. 73 on Reader Service Postcard



838 fluorescent lamps, each 96" long, provide the light source for this luminous ceiling at Beckman Instruments Inc., Berkeley Division

New 'OPEN SKY' lighting boosts production 20%

Engineers work virtually 'under the open sky' at the Beckman Instruments plant, Richmond, California. A remarkable, new luminous ceiling is the reason. Planned by P. G. and E.'s lighting engineers, the luminous ceiling floods 13,000 square feet of engineering space with clear, diffused light-measuring 175 foot-candles at any point. There's no glareand not a shadow in sight!

Results? Let Beckman's Berkeley manager Tom Allinson tell the story: "Production efficiency is up 20%. Inspection costs are down 30%. And employee morale is high. Naturally, we're thoroughly sold on good lighting!"

Assembly, fabrication and inspection areas have also been re-lighted, giving the Richmond plant perhaps the finest lighting on the West Coast.

Improved lighting can pay off for you, too. And, since the services of P. G. and E.'s lighting engineers are free, why not ask them to make an on-the-spot check of your lighting soon?

> P.GandE. Pacific Gas and Electric Company

Ask your contractor about Certified Lighting

... for more details, circle No. 74 on Reader Service Postcard

408-E-856

WESTERN INDUSTRY - August 1956

FIRST

powe

ventil.

HE INDUSTRIAL WEST ON ITS WAY

plants • production • distribution • personnel



FIRST ELECTRIFIED ROCK-AND-ORE TRUCK to be manufactured in the United States, this Kenworth 802-E is powered by traction motors receiving current from overhead trolleys at Riverside Cement Co.'s limestone recovery speration in Crestmore, Calif. For off-the-trolley operation, a cable reel is mounted under hood. Mine safety and rentilation were requirements that led General Electric and Riverside Cement engineers to the electrification design.

ree

lso aps

956

GUIDELINES

■ HARVEY ALUMINUM RESUMES CONSTRUCTION on Oregon reduction plant but the 54,000-ton capacity plant, on which work was halted in early stages four years ago at The Dalles, Ore., is only a Harvey starter: Future planning calls for 1957 completion of the reduction plant, a 13,000-ton expansion late in 1958, a second complete reduction plant (capacity of 67,000 tons per year) in the 1960-63 stretch, topped off with a 130,000-ton alumina plant sometime during the same period. Resume-construction orders were a result of a \$44,000,000 loan from private funds; \$2,000,000 goes to Bonneville Power Administration for transmission lines to get power into plant.

Vital statistics: Completion of the reduction plant will make Harvey the fifth producer of primary aluminum and operators of the first fully integrated aluminum facility in the Northwest.

NEW TAP ON N. MEX. RESOURCES: Dewey Portland Cement Co., Kansas City, Mo., is planner of New Mexico's second cement plant. (Permanente announced Scholle, N. Mex., \$10,000,000 plant plans late in June.) Dewey Portland plans call for another \$10,000,000 plant in Placitas. Still won't produce much over N. Mex. cement requirements: Reported annual cement consumption is 2,000,000 bbl. Permanente mill will have capacity of 1,400,000 bbl.; Dewey Portland forecasts a little lower at 1,250,000 bbl., leaving only 650,000 bbl. with which to enter Texas Panhandle and northern Arizona markets: Looks like expansion's ahead here, too.

Another reply to the more-cement cry comes from Calaveras Cement: Production capacity was boosted by 1,000,000 bbl. June 13 when giant new fifth kiln was fired up at San Andreas, California plant.

- **JET TRANSPORTATION IS TWO STEPS CLOSER** to commercial reality: Boeing Airplane pushed its last propeller-driven plane off its Seattle, Wash., production line and swung into all-jet operation in late July. Rohr Aircraft announced plans almost simultaneously to build \$500,000 assembly plant in nearby Auburn, Wash., for production of jet power pods for Boeing's 707 Stratocruiser and KC-135 Stratotanker.
- TWO WESTERN PULP MILLS PLANNED in spite of over-production debate that is reportedly going on within the paper and paperboard industry. (\$2,000,000,000 industry-wide expansion scheduled to take place by 1959 adds up to over-production, say some members of the industry!) Fibreboard Products joins Simpson Lumber in joint venture on \$35,000,000 300-ton capacity mill at Eureka, Calif., and Crown Zellerbach is studying possibility of building a 400-ton per day mill at Astoria, Ore.
- MORE PEOPLE MEANS MORE SEWER PIPE MEANS CLAY PROSPECTING MEANS \$5,000,000 PLANT: Gladding, McBean & Co. will build a plant near Corona, Calif., and the site of its own private "gold mine" (a 100-year supply of high quality Bedford clay located after 10 years of prospecting) for the manufacture of vitrified clay pipe—for industrial, municipal and home sewer systems—and other clay products.

Industrial fire brick prices will go down in the Northwest as a result of another Gladding, McBean enterprise: A new \$1,300,000 plant will manufacture high-grade fire brick for the first time in eastern Washington at Mica. Natural gas—needed to fire process kilns—entering the Northwest played a major role in making it possible and perhaps helped create a higher demand for the refractories by attracting new "furnace" industries to the Northwest.

News details on following pages

THE INDUSTRIAL WEST ON ITS WAY

is a special monthly feature of . . .



... serving plant operating executives in the nation's fastest growing region.

609 Mission St., San Francisco 5, Calif.



CLEARIN THE

HURDLES for Western Industry

National Carloading Corporation over the years has developed procedures specifically designed to clear the hurdles and overcome obstacles for Western Industry ... both in securing supplies from the East fast ... and in delivering products to profitable markets East of the Mississippi. National shippers have learned that the integrated service provided by National's more than 150 stations, serving 30,000 communities, gives them a big push in establishing themselves with customers from coast-to-coast.

Get the jump on your competition. Break through the tape—the red tape that holds back many a prospective winner. Simplify your shipping. Call your local National station for one-call, one-responsibility, oneinvoice, service on all your outbound LCL freight for points East of the Mississippi. Specify SHIP VIA NATIONAL CAR-LOADING CORPORATION on all your orders to Eastern suppliers. National can lead you to new and expanded markets . . . the winning way ... "THE BEST WAY."

FREE! National News, a monthly publication of National Carloading Corporation, is designed for you... provides a wealth of information on business and transportation ... which you'll enjoy . . . and use. A request on your letterhead will bring it to you regularly

National Carloading Corporation

JUDSON SHELDON DIVISION . JUDSON FREIGHT FORWARDING DIVISION World Headquarters: 19 Rector Street, New York 6, N. Y.

Pacific Coast Headquarters: 354 S. Spring St., Los Angeles, Cal., Trinity 8421 District Office: 6625 White-Henry-Stuart Bldg., Seattle, Wash., Mutual 1490 District Office: 245 California St., San Francisco, Cal., Garfield 1-6279

... for more details, circle No. 75 on Reader Service Postcard



ATLAS MISSILES will be built in \$40,000,000 plant planned by Convair-Astronautics.

Convair details Astronautics plant

A \$40,000,000 research, development, manufacturing, and preliminary testing facility for the Atlas intercontinental ballistic missile will be built at Montgomery Field in San Diego by the Convair Division of General Dynamics Corp. The new plant will be known as Convair-Astronautics.

Construction of the plant will begin this summer and is scheduled for completion in 1957. Cost of the land. buildings, and part of the equipment will be borne by Convair, while special equipment will be Air Force financed.

According to J. R. Dempsey, director of the Atlas program, astronautics was chosen as the name for the firm because it is the most representative of the future products on which the organization is working. Astronautics is the science that treats with the possibility of interplanetary space travel.

\$4,000,000 plant underway for Marchant

Construction will start this month on the future world headquarters and main factory of Marchant Calculators, Inc., in Oakland, Calif. Reportedly, the 4,000,000 plant, which will contain 12 acres under one roof, will be one of the nation's largest light manufacturing establishments. To be located on property adjacent to Marchant's present assembly facilities and near the company's group of production plant and offices on the north side of Oakland, executive, administrative, patent, sales, service, engineering and research offices will be located in a

Narmco expanding facilities for Multiwave pilot plant

Narmco Metlbond Co. is expanding its facilities for the pilot plant production of Multiwave, a recently developed flexible sandwich core material. The pilot plant should be in operation by November 1, according to the company.

Addition of the new production facilities is the first step in the firm's program to expand the output of the aircraft structural material. The fabrication facilities will initially house two automatic core-producing machines, and future plans call for three more machines to produce Multiwave.

four-story front section of the new building. The factory section will be a continuous 800-ft. long two-story structure with a sub-floor under most of the building. Manufacturing operations will be performed on the first floor. Assembly, testing and inspection facilities will be housed on the second floor. Sub-floor area will be devoted to maintenance and stores departments.

Construction schedule calls for progressive occupancy of the new facility with the first moves scheduled for mid-summer of 1957.

On Mark Engineering builds San Fernando Valley plant

Construction has started on a \$1,000,000 plant for On Mark Engineering Co., Glendale, Calif., on a 12-acre site at the San Fernando Valley Airport in Van Nuys, Calif. The firm expects to occupy the new facilities about the first of November.

About \$500,000 will be invested this year in erecting 35,000 sq. ft. of hangar, warehouse, shop, and office space and in the construction of parking areas and an aircraft wash rack. An additional \$500,000 will go for further improvements in the succeeding 24 mo.

Harvey sets dates on aluminum plant

Harvey Aluminum of Torrance, Calif., has completed financial and contractual arrangements for construction of its 54,000-ton aluminum reduction plant at The Dalles, Ore. Work at the 500-acre site should be completed late in 1957. ho

It

pl

th

aı

I M I P a L S

Casos n Fr

Power for the reduction plant will come from the Bonneville Power Administration. Harvey will put up more than \$2,000,000 for transmission facilities to bring power to the plant from the Big Eddy Switching Station.

Harvey will increase capacity of the plant by 13,000 tons in late 1958. A long term program calls for construction of a 130,000-ton alumina plant and a second reduction plant of 67,000 tons annual capacity during 1960-1963.

G-E plans Lamp Div. warehouse in L.A.

General Electric Co. will construct a \$2,000,000 lamp division warehouse, distribution, and office center in the Vail Field area of Los Angeles. The 117,300-sq. ft. single story, reinforced concrete structure should be completed and occupied by January 1957.

The new General Electric center will serve the Southern California, Arizona, and Southern Nevada areas and will employ approximately 100 people initially. In addition to warehouse and distribution facilities, the structure will house the regional sales headquarters of the large, miniature, and photo lamp departments.

Cullman Wheel opens Los Angeles warehouse

Cullman Wheel Co. has opened a warehouse in Los Angeles to carry its line of Grip-Master and stock sprockets, along with roller chains, conveyor chains, and flexible couplings. Cullman has headquarters in Chicago.

Textron division to build second Coquille plant

The Coquille Plywood Division of Textron, Inc., plans to build a second plywood plant at Coquille, Ore., to cost \$2,000,000. It will be located adjacent to the firm's present facilities

and is scheduled for completion in about 6 mo.

The plant, located on 14 acres, will house a complete plywood operation and provide work for some 200 men. It will add about 8,000,000 sq. ft. of plywood monthly to the firm's present production of 10,000,000 sq. ft.

California Packing acquires site for multiproduct plant

California Packing Corp. has acquired a 130-acre site on the outskirts of Stockton, Calif., on which it expects to build a multiproduct canning plant. Construction should start this fall and the first unit should be in operation during the 1957 canning season.

When completed the plant will have individual units for packing tomatoes and tomato products, asparagus, peaches, figs, and other products. A single story masonry structure, the plant will have more than 18 acres of floor space and should employ during peak season about 1.500 people.

\$7,500,000 for first Western Airco plant

Air Reduction Pacific Co. will build a new air liquefaction plant in the Los Angeles area to produce 55 tons of high purity liquid oxygen daily, as well as 15 tons of liquid nitrogen, and 3½ tons of liquid argon. Cost of the plant will be about \$7.500.000.

The plant, which is scheduled for completion during the second half of 1957, will supply California, New Mexico, and Arizona industrial areas. It will be the fourth air liquefaction plant for Air Reduction, which operates three other plants in the East. The Los Angeles plant will be under the supervision of E. W. MacCorkle.

Cutter Laboratories acquires Geo. A. Coleman Co. stock

Cutter Laboratories, Berkeley, Calif., has completed arrangements to acquire all the outstanding common stock of the Geo. A. Coleman Co., Inc., owners of Pacific Plastic Products of San Francisco. This acquisition will mark Cutter's second entry into the plastics field in less than a year. It recently acquired Plastron Specialties, Inc., in Los Angeles.

Pacific Plastic Products will operate as a wholly owned Cutter subsidiary, with Robert Greenhood as president.



VITRIFIED CLAY PIPE will be produced by Gladding, McBean in new \$5,000,000 plant.

33-structure plant for Gladding, McBean

Immediate construction of a \$5,000,000 plant for the manufacture of vitrified clay pipe has been announced by Gladding, McBean & Co., Los Angeles. The firm plans a total of 33 structures with 200,000 sq. ft. of space.

Site of the new plant is near Corona, Calif., where the firm has discovered


Rucker to distribute Hannifin Corp. line

The Rucker Co. of Oakland and South Gate, Calif., has been appointed a California distributor for Hannifin Corp.'s line of filters, regulators, and lubricators for use in compressed air lines. Hannifin has headquarters in Des Plaines. Ill.

over 1,000,000 tons of high grade sewer pipe clay in Bedford Canyon. Initial capacity of the plant will be 6,000 tons a month; the firm expects to produce 12,000 tons a month in about three years. The new plant will house a 600-ft. tunnel kiln and 10 periodic or "bee-hive" kilns.

Isotope Products opens Los Angeles sales office

Isotope Products, Inc., manufacturer of industrial instrumentation, has opened a sales office in Los Angeles to provide better service to industry on the West Coast *David Kneeland* will be in charge of the office.



STARTING THE FLAME on Calaveras Cement's new kiln is burner Howard Little.

Calaveras boosts production with new fifth kiln

Annual production capacity at Calaveras Cement Co.'s San Andreas, Calif., plant has been boosted by 1,000,000 bbl. as a result of installation of a giant fifth kiln. The kiln's flame, shown

being initially started by Howard Little, at right, will maintain working temperatures of 2,800-deg. F. Control board for push-button regulation of the kiln is shown at the extreme right.



Full-flow "Quick" Coupling from Stock Sizes 1/4" to 3" Heat-treated Steel

.





From raw materials to mighty rolling mills...from instrumentation to field testing...Roylyn Couplings provide connections, simply and easily, for full flow of the vitally important fluids that nourish the machines in World-Wide industry.

IMPORTANT FEATURES:

- FHLL FLOW
- MINIMUM MAINTENANCE
- · HEAVY DUTY
- POSITIVE LOCK
- SIZES 1/4" TO 3"
- . OPEN &
- SELF-SEALING
- IMMEDIATE DELIVERY

Industrial Applications:



- . METAL WORKING
- . POLLING MILLS
- · ANNEALING PLANTS
- . REFINERIES PAPER MILLS
- CANNEDIES
- · PETROLEUM
- INSTRUMENTATION

Write for free illustrated catalog...




· Represented in Northern California by .

GILMORE STEEL & SUPPLY CO., INC. 840 Brannan Street, San Francisco 3, California

KLondike 2-0511

... for more details, circle No. 76



NEW SPOKANE BUILDING is underway for Joseph T. Ryerson & Son, Inc. On hand at the ground breaking were (left to right): Raymond N. Carlen, vice president in charge of operations, Ray M. Bialkowsky, plant manager, George W. Porter, manager, reinforcing products department, Marien W. Dudek, plant superintendent, James M. Mead, vice president in charge of procurement, and William N. Larson, office and credit manager.

Ryerson constructing offices at Spokane service plant

Joseph T. Ryerson & Sons, Inc., is constructing a new office building at its Spokane, Wash., service plant. The new steel and brick structure, to contain about 4,500 sq. ft. of space, should

General Petroleum plans \$6.500,000 NW expansion

General Petroleum Corp. has announced a \$6,500,000 expansion for its refinery at Ferndale, Wash., which will include three projects scheduled for completion by September of 1957.

Major part of the expansion will be devoted to the construction of a second Sovaformer, which will treat a maximum of 9,000 bbl. daily of straight run gasoline by a high temperature-pressure process.

Shell expansion scheduled for fall completion

Expansion work on Shell Chemical Corp.'s synthetic rubber plant in Torrance, Calif., is scheduled for fall completion. The work includes installation of a new unit to produce a special latex for the manufacture of foam rubber products, extensions to the butadiene facilities, and modernization of the synthetic rubber unit.

When modernization is completed, the synthetic rubber unit will be able to make 110,000 long tons of a broad range of rubber types a year, as compared to its original capacity of 89,000 tons of a more restricted range. Butadiene production will also be increased.

be completed about the first of September.

Former office space will be converted to warehouse space, increasing plant capacity. The plant was substantially enlarged in 1953 also when 10,000 sq. ft. of space was added for new reinforcing steel division.

2nd big cement plant for New Mexico

Placitas. N. Mex., has been chosen as the site for a \$10,000,000 plant for Dewey Portland Cement Co. of Kansas City. Placitas is about 17 mi. north of Albuquerque.

Capacity of the Dewey plant will be 1,250,000 bbl. of cement a year, which will bring the firm's total annual output to 7,000,000 bbl.

P & C Hand to build \$81,000 plant addition

P & C Hand Forged Tool Co. is building a one-story concrete addition to its plant in Milwaukie, Ore. The addition, to cost about \$81,000, will add 18,000 sq. ft. of space to the plant.

California Vegetable to build on Modesto industrial tract

California Vegetable Concentrates, Inc., of Modesto, Calif., has announced plans to build a new plant on the Tidewater Southern Modesto industrial tract.

California Vegetable will build a 50,000-sq. ft. building with concrete slab tilt up construction on 10 acres of the tract. The firm plans to start production there by January 1, 1957.

SIDE STREAM
STRIPPER FOR TIDEWATER
OIL COMPANY

DESIGNED AND

ERECTED BY

BECHTEL CORPORATION


FABRICATED BY

Kaiser Steel

Fabricating Division

NAPA AND FONTANA, CALIF

BUILT TO SERVE THE WEST...
THROUGH PRECISION STEEL FABRICATION



GENUINE RED LINE

UNISORB?

Mounts your machinery without bolts or lagging!

No holes in your expensive floors!

Reduces vibration as much as 85%!

Installation costs lowered about 30%!

AND THAT'S NOT ALL!

More quiet operation of machines improves workers morale—lowers occupation fatigue—reduces rejects on production machines—prolongs life of machinery and buildings!

INCREASED EFFICIENCY WITH LOWERED COSTS!

To share in these benefits, now enjoyed by thousands of plants, phone, write or wire to

Taylor Felt and Supply Company

Pacific Coast distributors for

THE FELTERS COMPANY (Boston)

718 Mission Street San Francisco 5 Phone YUkon 6-0300 416 West 8th Street Los Angeles 14 Michigan 8631

... for more details, circle No. 78



LARGEST OF ITS KIND in the world, new Los Angeles PIE terminal includes 705-ft. dock.

PIE opens giant new So. Calif. terminal

A 35-acre project located in the central manufacturing district of Los Angeles, Pacific Intermountain Express's new Southern California terminal, is said to be the largest of its kind in the world. PIE commenced operations in the new terminal July 23.

Included in the terminal features are shops, offices and a 705-ft. dock built to accommodate 144 trailers. The terminal dock features a Towveyor system which, via a 1/4-mi. endless chain, hauls rubber-tired carts loaded with freight to various distribution loading areas. Intercoms and

pneumatic message systems increase the efficiency of the operation by providing instantaneous transmission of verbal or written message between offices and all sections of the dock. The new terminal employs 700 persons. Steud vice J aries, quart Sor which West tor oi The I has a

Cal

can

000,0 Calif

go i

cann

space

Calif

will

130-

ment

essin

peac

othe

cann

Gla to p

indu

at N

Nor

of it

pres

ingt

port

inte

ries.

14.0

ann will

Mc

Cod

botl

hav

serv

ture

kno

Res

labo

and

tive

Fib

app

WE

0

Sherwin-Williams opens San Leandro plant

Sherwin-Williams Co. has held an open house and reception marking the official opening of its new container plant in San Leandro, Calif. Participating in the event were Arthur W.


PONER to Match Your Equipment

WISCONSIN HEAVY-DUTY Air-Cooled

ENGINES

• The extreme compactness and relatively light weight of these engines enable the original equipment builder to develop smaller, lighter equipment to replace heavier, bulkier machines powered by more cumbersome engines . . . or to include Wisconsin Engines as power components on new equipment . . . without sacrificing heavy-duty performance and dependability. Thirteen models, (3 to 36 hp.) offer power selectivity to match your equipment.

Tell us about your power problem. Detailed "Specs" and engineering data gladly supplied.



15 to 36 hp



WISCONSIN MOTOR CORPORATION

World's Largest Builders of Heavy-Duty Air-Cooled Engines
MILWAUKEE 46, WISCONSIN

... for more details, circle No. 79 on Reader Service Postcard
WESTERN INDUSTRY — August 1956

Steudel, president, and S. B. Coolidge. vice president and director of auxiliaries, both from the firm's headquarters in Cleveland, Ohio.

Some 250 guests toured the plant which is now producing tin cans for West Coast paint manufacturers, motor oil marketers, and other industries. The new plant, which cost \$1,500,000. has a capacity of 175,000,000 cans annually.

Calpak plans \$5,000,000 cannery in Stockton, Calif.

Start-construction date for a \$5. 000,000 canning plant in Stockton. Calif., has been tentatively set at this fall with the first unit scheduled to go into operation during the 1957 canning season. Over 18 acres of floor space will be provided in the new California Packing Corp. plant which will be located on a newly acquired 130-acre industrial site. Peak employment will be at least 1.500 workers.

Operations will consist of processing peeled tomatoes, free-stone peaches, asparagus, and figs. Some other fruit products will also be canned.

Gladding, McBean Northwest to produce high grade brick

The first high-grade fire brick for industrial furnaces will be produced at Mica in eastern Washington when Gladding, McBean & Co.'s Pacific Northwest Division begins operation of its new \$1,300,000 plant. The new plant will double the output of the present facility and will serve Washington, Idaho, Montana, and a large portion of Oregon.

Production will include super, high, intermediate, and low-duty refracto-ries, as well as a full line of face brick and pavers. It is expected that over 14,000,000 bricks will be produced annually starting late in 1957. Facility will be under the direction of R. J. McAlpin and Del McConnell.

Coatings & Fiberglas formed as special consulting service

L. J. Morris and F. C. Lombardo, both formerly of Amercoat Corp., have formed a specialized consulting service for paint and plastic manufacturers and users. The firm will be known as the Coatings & Fiberglas Research Co., and have offices and laboratories in Los Angeles.

Services will include counseling and formulation of industrial protective coatings and resin-impregnated Fiberglas with qualities for specific

applications.

Lighten your load with colson casters !



EVERYTHING MOVES EASIER on Colson Casters. No need

to hunt for special casters for your equipment, machinery or furniture. Colson has the world's largest selection -

1458 different sizes, shapes and types.

There's a Colson Caster to meet your requirements exactly-from stock. Phone or write today for information.





Your requirements in custom manufactured hose from one inch diameter upwards can best be met by Goodyear.

See Goodyear, too, for sealoading hose, oil suction and discharge hose up to 12 inches in diameter and 50 feet in length.

Our engineers can solve your materials handling problems with special hose constructions for conveying water, petroleum derivatives, steam, acids, beverages, abrasive solids and like products.




GOODYEAR RUBBER CO.

2400 Third St. AT 2-99

AT 2-9969 San Francisco 7, Calif.

... for more details, circle No. 81 on Reader Service Postcard



grams and charts give dimensions and speeds for sizes from 1 to 125 hp.

See for yourself how "the head pulley with the motor inside" solves conveyor problems. Write for your FREE copy of this Yuba-Schrock

107



folder now.

YUBA MANUFACTURING CO.

701 East H Street * Benicia, California

. . . for more details, circle No. 82 on Reader Service Postcard

New pulp mill plans proposed by Crown Zellerbach

Crown Zellerbach Corp. is considering a kraft pulp and paper mill for Astoria, Ore., with a capacity of 400 tons daily. The firm has received a letter from Clatsop County Court regarding the use of timber from 140,000 acres of county-owned tax delinquent land in the area to help supply raw material.

Zellerbach owns 180,000 acres of tree farm land in the Clatsop vicinity that could be pooled with the timber under discussion to supply the mill. The firm will next ask the Oregon Board of Forestry for rights to cut timber on a sustained yield basis from the public land.

\$1,000,000 furniture plant planned for So. California

International Furniture, a Chicago, Ill.-homed firm, broke ground recently for a new \$1,000,000 plant in Corona, Calif. Covering 71,000 sq. ft. of a 31-acre site, the plant will employ about 130 production employees in the manufacture, assembly and uphostering of seating and dual-purpose living room furniture when the plant gets into operation in November of this year.

Future planning calls for doubling of the plant size and increasing production employment to between 250 and 300 persons.

Titanium Metals opens first titanium warehouse

The first warehouse for titanium metal has been established in Los Angeles by Titanium Metals Corp. of America, and is stocked with types and sizes of metal in greatest demand by West Coast airframe and missile fabricators.

The firm recently expanded its mill processing facilities and purchased a specially designed \$3,000,000 Sendzimir mill for precision rolling of wide sheet.

Standard Oil plans \$1,000,000 expansion in Idaho

The Boise, Ida., terminus of the Salt Lake Pipe Line Co. will be expanded to increase tankage capacity by 370,000 barrels at a cost of about \$1,000,000 by Standard Oil Company of California. Completion of the expansion will speed movement of products through the twin-line section from Salt Lake to Boise. Expansion will also increase the capacity of the Spokane lines.

Wash line v for co tanks pandi 610,0 Un boost

Sto

Roh

crude

built burn, pods 135 cruis We sq. ft new 50-ac

for t

struc

will

stalle

Pitts ope A and been

Colo The tribu and rado state

Pars Filo

pres

and Cali Wes Cor will and

pan Cru

is Cru

R. I

Co.

Storage capacity at the Pasco. Wash., terminal of the Salt Lake pipe line will also be increased by plans for construction of three 45,300-bbl. tanks and one 35,810-bbl. tank, expanding the terminal's capacity to 610.000 bbls.

Under consideration is a \$500,000 hoost for the Rangely, Colo.-Salt Lake crude oil line through installation of

additional booster pumps.

10.-

linply

of

ber

ill.

zon ent

'om

190

ntly

ona.

of a

olov in

hol-

nnse

lant

r of

ling

pro-

250

ium

Los

of

ypes

and

ssile

mill

ed a

end-

wide

aho

Salt

nded

by

hou

pany

ex-

rodfrom

also

kane

956

Rohr will build assembly plant in Washington

A \$500,000 assembly plant will be built by Rohr Aircraft Corp. in Auburn, Wash., to assemble jet power pods for Boeing Airplane Co.'s KC-Stratotanker and 707 Strato-135

Work will start soon on the 33,000sq. ft. building, the first unit of the new plant which will be located on a 50-acre site. Completion is scheduled for this fall. Rohr has leased another structure in the area where operations will begin as soon as equipment is installed.

Pittsburgh Plate Glass opens Denver warehouse

A new 67,000-sq. ft. regional office and warehouse costing \$500,000 has been put into operation in Denver, Colo., by Pittsburgh Plate Glass Co. The new facility will handle the distribution of Pittsburgh Plate's paint and glass products to dealers in Colorado and parts of the surrounding states.

Heading up the Denver operationpresently employing 85 people-as general manager is T. A. Nelson. Curt Parson is manager of paint sales.

Filon Plastics appoints two Western distributors

Record Supply Co. of Reno, Nev., and George C. Jacobs Co. of Eureka, Calif., have been appointed as new Western distributors for Filon Plastics Corp., El Segundo, Calif. Both firms will stock Filon's line of corrugated and flat Fiberglas reinforced plastic panels.

Crucible Steel breaks ground for new Denver branch facility

A new branch office and warehouse is underway in Denver, Colo., for Crucible Steel Co. On hand at the ground breaking ceremonies were R. L. Stark, Crucible's Denver branch manager. L. R. Paist, assistant manager of the Denver branch, and construction officials of Newstrom-Davis Co., contractors on the job.



THE LARGEST ORGANIZATION DEVOTED ENTIRELY TO AIR PROCESSING*

For Such Products As

Ahrasiyas Armaturae

Asbestos Shingles

Bicycles Ceramics Chemicals Cork Drugs Electrodes

Felts

Foundry Cores

Floor Coverings

Film

Foods Insulation

Laminated Products

Paper Pulp **Plastics** Powder Rubber Refrigerators Ranges Textiles

Television Tubes

Tools

Welding Rods Wire Products and similar products In the fields of industrial treating, drying, curing and baking, ROSS provides more of the required air processing equipment than any other maker of such equipment. Five modern plants geared for volume production, 13 fully staffed sales and engineering offices and one of the finest research laboratories of its kind in the world are available for ROSS service throughout the U. S. A. and Canada. More than 35 years of experience solving air processing problems add to your assurance of securing the right results from your processing operations.

See Sweet's Plant Engineering File or write us for Bulletin SF-3 describing all ROSS Systems.

J. O. ROSS ENGINEERING

CORPORATION

Main Office: 444 MADISON AVE., NEW YORK 22, N. Y. West Coast Offices Located At 6417 BANDINI BLVD., LOS ANGELES, CAL. 823 SKINNER BLDG., SEATTLE, WASH.

... for more details, circle No. 83 on Reader Service Postcard

HOW TO PROTECT

PIPE, PIPE JOINTS, TANKS AND COUPLINGS AGAINST

CORROSION



Apply TAPECOA

the Quality Coal Tar or Asphalt Coating in Handy Tape Form

There's no need to gamble in fighting corrosion. Since 1941, TAPECOAT has proved its ability to give lasting protection on pipe, pipe joints, couplings, conduit, cable and insulated piping above or below ground. Its resistance to moisture, acids, alkalis, electrolysis, salt water and other severe corrosive and abrasive conditions has established TAPECOAT as the time-tested quality protection to cut maintenance and replacement costs.

TAPECOAT is made as a coal tar or

an asphalt coating in handy rolls of 2", 3", 4", 6", 18" and 24" widths. It is easy to apply, using a torch to soften or bleed the pitch, and then wrapped spirally around the vulnerable surface.

For details on your specific needs, call our nearest distributor.

WEST COAST DISTRIBUTORS

TAY HOLBROOK, Inc. 165 Eighth Street., San Francisco, Calif. Phone: MArket 1-6800 PALMER SUPPLY COMPANY 222 Westlake Ave., North, Seattle, Wash. Phone: Eliot 5141

557 E. Walnut St., Pasadena 1, Calif. Phone: SYcamore 5-4151

[apeco

Originators of Coal Tar and Asphalt Coatings Tape Form

1563 Lyons Street Evanston, Illinois

... for more details, circle No. 84 106

Rverson's Rvertex-Glyco division changes name




H. J. LeBeck

The Rvertex-Glyco Division of Joseph T. Rverson & Son, Inc., has changed its name to the Industrial Plastics and Bearings Division. According to the firm, the new name gives a clearer picture of the operations of the division.

Rverson has also appointed Harold J. LeBeck as assistant to the manager of the division. LeBeck has served as a sales representative for industrial plastics and bearings. He will direct the promotion and sale of plastic pipe, valves and fittings, also plastic sheets, bars, and fabrications.

New No. California offices for Goodall Rubber

Offices of Goodall Rubber Co. (Calif.) have been moved to a new location at 221 E. Grand Ave. in So. San Francisco, Calif. Formerly located at 398 Fifth St. in San Fran-



complete manufacturing facilities within easy trucking distance of your plant

TUBULAR RIVETS . SPLIT RIVETS COLD-FORMED SPECIALTIES RIVET-SETTING

LEORD RIVET MACHINE CO.

MACHINES

PACIFIC DIVISION

12937 IMPERIAL HIGHWAY, NORWALK, CALIFORNIA PHONE: WHITTIER, CALIF., OXFORD 3-3777

OTHER PLANTS IN MILFORD, CONN.; HATBORO, PENNA.; AURORA, ILL.; ELYRIA, OHIO

... for more details, circle No. 85



OVERNIGHT DELIVERY to most areas of the most popular models and sizes of Nutting Floor Trucks, Casters and Wheels.

FACTORY CARLOAD SHIPMENTS at regular intervals reduce your freight expense and provide adequate replacement of stock items.

YOUR NEAREST

PORTLAND

REPRESENTATIVE

OAKLAND

E. C. Buehrer Associates, Inc. F. E. Bennett Company Second Sales Company L. J. Clarke & Company 351 5th Street

Phone: TEMPLEBAR 6-2082 Phone: CAPITOL 8-2321 Phone: MAIN 0737 LOS ANGELES

H. L. Stewart & Associates 1547 Estudillo Avenue Phone: ANGELES 1-2194

426 N. W. 6th Avenue

PHOENIX

L. J. Clarke & Company Equipment Supply Co. H. H. McVeigh 18 East Lincoln Street 16 Post Office Place West 310 First. Phone: ALPINE 4-1754 Phone: 3-9074

SEATTLE

95 Connecticut Street SALT LAKE CITY

2625 N. 1st Avenue Phone: 4-6233 SPOKANE

West 310 First Avenue Phone: RIVERSIDE 5927

Since

NUTTING TRUCK AND CASTER COMPANY

1727 DIVISION STREET

FARIBAULT, MINNESOTA

... for more details, circle No. 86 on Reader Service Postcard

space could R. Coods

dsco.

facilit sq. ft. 1.300 Garr

Den Ga in Be branc ply is repre

Th Mel from bran neeri tain

turin

Aut two A N. I. distr pose

hoff the Equ will Fib

on

Si hoar oper Plan or n abo

Yal

Fru sale

WE

cisco, the district office outgrew its space and moved so that a necessary 40% increase in warehouse stocks could be made.

R. W. Steinke, district manager for Goodall Rubber, heads up the new facility which provides over 10,000 eq. ft. of warehouse space and about 1300 sq. ft. of office area.

Garrett division opens Denver branch office

Garrett Corp.'s Airsupply Division in Beverly Hills, Calif., has opened a branch office in Denver, Colo. Airsupply is Western sales and engineering representative of Garrett's manufacturing divisions.

The new branch will be headed by Mel Kalb, who has been transferred from Airsupply's main office. The branch will provide sales and engineering service in the Rocky Mountain area.

Automatic Switch appoints two Western distributors

VET Co.

ORNIA

E)

eight

e re

IVE

5927

Automatic Switch Co. of Orange, N. J., has appointed two new Western distributors for its line of general purpose solenoid valves. Hendrie & Bolthoff Co. of Denver, Colo., will serve the mountain area, while Hydraulic Equipment Co. of Los Angeles, Calif., will serve Southern California.

Fibreboard, Simpson cooperate on Eureka paperboard mill

Simpson Lumber Co. and Fibreboard Paper Products Corp. are cooperating to build jointly a pulp and paperboard mill at Eureka, Calif. Plans are now underway for a 300-ton or more capacity mill, which will cost about \$35,000,000.

WESTERNERS AT WORK . . .

Yale & Towne Manufacturing Co.




F. O. Boufford

. . . has appointed Frank Boufford Western regional sales manager. Formerly serving with Yale & Towne as national accounts salesman in New York, he succeeds Garnett A. Vining, who recently resigned from the post. Prior to joining Yale & Towne, Boufford served with The Electric Storage Battery Co.

Fruehauf Trailer Co.

... has made Paul F. Woth branch manager in Sacramento, Calif. He was previously sales representative in the Los Angeles area.



Cape Arago Lumber Co., Empire, Oregon, uses Ledeen CYLINDERS on gang trimmer

This battery of 4" Ledeen Cylinders has been giving dependable, trouble-free service on this gang trimmer for over 4 years. Low maintenance and long life are reasons why Ledeen Cylinders find wide acceptance and countless applications in the timber industry.

Standard cylinders available from stock in $1\frac{1}{2}$ " through 12" bores... Special cylinders up to 20". These cylinders offer a wide range of capacities to meet your power requirements.

HOW MUCH CYLINDER POWER DO **YOU** NEED?

Send for this cylinder capacity chart. It will help you determine the size Ledeen Cylinder you need to meet your power requirements.

VALVES • CYLINDERS

VALVE ACTUATORS

AIR-HYDRAULIC PUMPS

AND BOOSTERS

	CA	PAC	ITT I	01 6	TEIM	DERS	101	VARI	QUS	PRES	URES	. 185	PER.	SQUA	RE IN	CH	
Dis. of Cylinder	100	40	76	-	10	100	196	200	198	100	100	100	796	1000	1998	1000	1666
190	65	78	92	105	112	121	195	262									
2"	135	162	109	216	243	270	405	540	810	1,080	1,350	1.420	2.020	2.100	4.010	5.400	0.10
2"	214	278	440	502	305	620	842	1,756	1,004	2.512	3,140	3.828	4.710	6.790	9,410	12,560	10.42
*	567	480	793	907	1.021	1,134	1,791	2,268	3.402	6.538	5,670	6.804	8,500	11,340	16,740	22,680	34.02
4"	1,225	1.990	1.855	2.121	2.304	2.651	2,975	5,302	7.952	10,404	13,210	15.998	19 660	26,510	29.965	52.420	FW.129
9*	2.356	2.827	2.007	3.760	4.290	4,712	7,066	11,424	14,156	10,540	73.560	28.270	15.140	47 120	70.680	94.240	141.13
10*	2.661	4.418	5.154	1.090	6.627	7,363	11,645	14,726	22.009	29 452	36.810	44,178	55,225	73.630	110.645	147.760	220.EB
12"	5.302	4,360	7,420	0.400	9,540	10,403	15.954	21.255	31,609	42,412	53,020	53.610	79 120	194.630	159,045	217,060	218,09
Agures :	gross are digitally by	San-ete	of Figure	e pres	es e fin	polit (for 1876 to 1	The great	or promo	m arm 1	MR 51-	d. 100 a	menting to	poter re	dente -	rigo-rota etc	Fustery of	same Ay

Write for Bulletin 500



... for more details, circle No. 87 on Reader Service Postcard



Standardize

ON -

Always SWIVEE and ROCL

DARNELL

CASTERS | WHEELS



Check These **Greater Dollar Saving Features**

RUBBER TREADS . . . a wide choice of treads suited to all types of floors, including Darnelloprene oil, water and chemicalresistant treads, make Darnell Casters and Wheels highly adapted to rough usage.

RUST-PROOFED . . . by zinc plating, Darnell Casters give longer, care-free life wherever water, steam and corroding chemicals are freely used.

LUBRICATION . . . all swivel and wheel bearings are factory packed with a high quality grease that "stands up" under attack by heat and water. Zerk fittings are provided for quick grease-gun lubrication.

STRING GUARDS . . . Even though string and ravelings may wind around the hub, these string guards insure easy rolling at all times.

> JUST OFF THE PRESS

The NEW

DARNELL MANUAL

DARNELL CORPORATION, LTD.

DOWNEY (LOS ANGELES COUNTY) CALIFORNIA 60 WALKER STREET, NEW YORK 13, NEW YORK 36 NORTH CLINTON STREET CHICAGO 6, ILLINO!S

... for more details, circle No. 88

Latrobe Steel Co.

. . has promoted Philip E. Gordon to district manager of the Los Angeles sales district. He will supervise sales efforts in California, Oregon, and Washington. He was formerly a sales representative in Detroit. Gordon succeeds C. W. Barnthouse, who will remain as Western sales manager

Sun Chemical Corp.

... has transferred Harry D. Kennedy to the Los Angeles office of its subsidiary, A. C. Horn., Inc., as branch manager. He will be supervising sales in Southern California for the complete line of Horn paints, building and maintenance materials, and industrial coatings. He was formerly in the Washington area.

Jeffrey Manufacturing Co.

... has named William T. Davis to the Western territory sales office as application engineer. He was formerly in the Houston office and will now headquarter in the San Francisco Bay Area. Home offices for the firm are in Columbus, Ohio.

Buck Manufacturing Co.



sales in the 11 Western states for the firm's portable electro-magnetic drill presses, vises, and plate clamps. Swan has served with Aero-Coupling Corp. and Hall-Scott Mo-

tors Co.

... has named Rob-

ert Swan as Western

regional sales man-

ager. He will be in

charge of dealer

Westinghouse Electric Corp.

, has appointed William L. Trudgian as Pacific Coast regional agency and construc-tion manager. He succeeds Clyde H. Wood. Trudgian has been North Pacific district agency and construction manager in Seattle. His new headquarters will be in San Francisco. Ray T. Killen will succeed Trudgian in Seattle. Robert E. Ralstin has been appointed to the newly established position of area sales manager for apparatus in the Portland office. Lyle Connell will take over as superintendent of quality control at the firm's Sunnyvale, Calif., plant.

MILLER-ROBINSON CO.

HIGH FREQUENCY INDUCTION PROCESSING

> SILVER BRAZING LOCALIZED HEAT TREATING

Precision Machine Parts Complete Fabrication of Brazed Assemblies Prototype Development

7007 Avalon Blvd., Los Angeles 3 Pleasant 2-6141

... for more details, circle No. 89



ervis

Cran . . ha

of ite

rell R

Perry

Santa

to the

Rock ... h

Oakl

ior t

Hara

Arizo

Unio

and

San

sup

All

ren

Ea

W

WHEN I SAY. 'GET WIRE', I MEAN GET IT FROM INDUSTRIAL WIRE."

- Wire Cloth and Screen
- Wire Products
- · Wire straightened and cut
- Wire of all types Immediate delivery

INDUSTRIAL PRODUCTS CORPORATION

5649 Alhambra Avenue, CA 2-7131 Los Angeles 32, California

... for more details, circle No. 90







Lower installation and maintenance costs-handle more cars better. Foster nationwide warehouses also stock every New Rail Section 12# through 175#, Switch Material and Accessories to meet your specific job requirements.

SEND FOR CATALOG WI-8

RAILS - TRACK EQUIPMENT - PIPE - PILINE ILB ILOSTIFICA

PITTSBURGH 80 . NEW YORK 7 . ATLANTA 8 . HOUSTON 2 . LOS ANGELES \$

... for more details, circle No. 91

Jervis B. Webb Co.



has appointed Jack Peters general manager of the Jervis B. Webb Co. of California. He succeeds Paul Kuhn. vice president and general manager, who is retiring. Kuhn has been with Webb for many vears and will continue to serve on a consulting basis.
Peters is the former

sales manager for Webb of California and before that served as a sales engineer.

tut

. 90

11

has appointed Frank R. Perry manager of its Los Angeles branch, to succeed Darrell R. Nordwall, who has been transferred. Perry joined Crane in 1927 at its former Santa Barbara branch and was transferred to the Los Angeles branch in 1942.

Rockwell Manufacturing Co.

... has made J. A. Capasso, formerly a salesman in the Delta Power Tool Division's Oakland, Calif., district office, sales manager tor the San Diego district. He succeeds Harold F. Martin. His territory will include Arizona and part of Southern California.

Union Malleable Manufacturing Co.



D. A. Kates

... has appointed David A. Kates as vice president in charge of the Western division. Kates has been in charge of sales and warehousing in the Western territory for the past three years. He will supervise sales and distribution of the firm's complete line of pipe fittings in 10 Western states

and will direct warehousing operations in San Francisco, Denver, and Portland from his Los Angeles headquarters. He will also supervise the nipple manufacturing and warehousing facilities in Vernon, Ore.

Allis-Chalmers Manufacturing Co.

... has named Irwin W. Best, Jr., as a sales representative in the Seattle district. Best recently completed Allis-Chalmers training course for graduate engineers.

Eastman Chemical Products, Inc.



Nelce C. Taylor the job of full-time West Coast service engi-neer. He will serve the firm's plastics customers throughout the West and work from the Los Angeles office of Wilson & Geo. Meyer & Co., Pacific Coast sales repre-sentative for East-

has assigned to

N. C. Taylor of Eastman Kodak Co. Before his West Coast assignment, Taylor was service engineer for an eastern territory.

CLASSIFIED SECTION

Space is sold as advertisers' inches. All advertisements in this section are ½ inch short of contracted space to allow for borders and composition. Rates are \$9.00 a column inch. Copy should be sent in by the 25th of preceding month if proofs are required; by the 28th if no proofs are required.

Position Wanted

ACTIVE ASSOCIATE

With Technical Sales experience wanted by Atomic Loboratory in Los Angeles. Modest investment. Inquiries invited from men of integrity and experience. (Atomic experience desirable but not essential—will train right man). Send detailed resume to Box No. 7-A, ¢/o WESTERN INDUSTRY, 609 Mission St., San Francisco

Business Opportunity

SALES - SERVICE - ENGINEERING

Satisfied with the present, but seeking a stronger future. Seven years administrative sales experience. Six years engineering, with a National manufacturer of logging and construction equipment. Family man, age 39. Thorough training in engineering and business adminstration. Anxious to shoulder some of your wales twarestibilities. sales responsibilities.

Write

Western Industry, Box 8-A 609 Mission St., San Francisco, Calif.

For Sale

ELLIOTT GENERATOR—For Sale!

Practically new 200KW steam turbine generator, used as standby machine in food processing plant in Memphis, Tenn., for last ten years, cost new then more than \$13,000; can be converted from DC to AC for \$\$,135. Today's price new approx. \$18,000. Offered subject to prior sale for immediate delivery, f.o.b. Memphis, complete, at only \$7,500. Might take less for "quick sale." Dealers invited. Details by writing Box 8-A, Western Industry, 609 Misson \$1., \$an Francisco.

Kelite Corp.



R. J. Racine

. . . has appointed Robert I. Racine as Western regional sales manager. He was formerly asso-ciated with Wyan-dotte Chemicals Corp. as manager of industrial sales and has had field sales experience and technical service in the metals industries. Kelite manufactures industrial chemicals and steam cleaning equipment.

Rinshed-Mason Co.

has made Roscoe F. Johnson a member of the technical staff of its West Coast Division in Anaheim, Calif. Johnson has served for a number of years with manufacturers of metal decorating and can coatings, marine, and architectural finishes. Arthur G. Grey has joined the sales staff, while Kieth Muller has been transferred from the east to the California plant as industrial salesservice representative.

PHOTOS Sell PRODUCT

WHY PAY MORE? HOUR SERVICE

You Can't Buy A Better Photo At Any Price

) 1000-7c ea., 500-8c ea. Glossies (100-10c ea., 50-13c ea.

Postcards \ 5000-\$21 per M. 21/2c ea. in 1000 lots

FREE DELIVERY ANYWHERE Made from your negative or photo

WRITE FOR COMPLETE PRICE LIST

HOllywood 7-6179 UANTITY PHOTOS, Inc.

5509 SUNSET BLVD., HOLLYWOOD 28, CALIF

(20/ 1 mg)

MATERIAL HANDLING EQUIPMENT

Lift Trucks . Hand Trucks . Conveyors Hoists & Cranes Casters & Wheels

IRVING G. KING & CO. * SINCE 821 MATEO ST. L. A. 21

B. F. Goodrich Co.

... has named Edward Bosworth plant engineer of its Los Angeles plant. He replaced Thomas J. Cook. Bosworth joined Goodrich in 1929 as an engineer and was recently transferred to Los Angeles as senior engi-neer at the West Coast tire plant.

J. O. Ross Engineering Corp.

... has appointed R. W. Grott as district manager of the Seattle branch office. The office serves the Washington and Oregon territory. Grott has been in the Los Angeles office for five years as sales engineer.

United States Rubber Co.

. has named W. D. Ralston as Portland district sales manager for the U. S. tires division, replacing E. S. Morgan. Ralston has served as the Seattle and San Francisco district truck tire salesman and as San Francisco assistant district sales manager prior to his present assignment.

ADVERTISERS

in the August 1956 WESTERN INDUSTRY

ec

	Consent Floring Company 35	Datarran E Camara Ca					
^	General Electric Company	Peterson, F. Somers, Co					
Acme Steel Company	Goodyear Rubber Co104	90					
Alan Wood Steel Company	Great Lakes Carbon Corporation 88						
Allis, Louis, Co	oreal bakes carbon corporation	Q					
AmForge Division 23	н	Quaker Rubber Division					
American Felt Company9		H. K. Porter Company, Inc.					
American Monorail Co., The	Hyster Company 7						
Subsidiary of Anaconda Copper Mining Company 9							
Are Equipment Corporation	1	Reeves Pulley Division					
Arwood Precision Casting Corp	Industrial Air Products	Reliance Electric & Engineering Co 26 Republic Supply CompanyCover 3					
		Richards-Wilcox Manufacturing Co 76					
		Richfield Oil Corporation					
Baker-Raulang Company 10	1	Ridge Tool Company, The					
Buda Division,		Ross, J. O., Engineering Corporation 105					
Allis-Chalmers Mfg. Co	Johnston, A. P., Co., Inc	Roylyn, Inc					
c							
Caine Steel Company of California 74	K						
Chase Brass & Copper Company, Inc 27	Kaiser Steel Corporation 101	\$					
Chisholm-Moore Hoist Division	Kaiser Steel Corporation	Savolt Corporation 80					
Columbus McKinnon Chain Corp 13		Shell Oil Company					
Clark Equipment Company		Slick Airways, Inc					
Cleveland Tramrail Division	ı	Smoot-Holman Co					
The Cleveland Crane & Engineering Co. 34	Ledeen Mfg. Co107	Soule Steel Company					
Cleveland Vibrator Company 58	Lift Trucks, Inc	Stephens-Adamson Mfg. Company					
Clingan & Fortier	Linde Air Products Co.	Engineering Division					
Colorado Fuel and Iron Corporation 62 Colson Equipment & Supply Company103 Columbia-Geneva Steel Division	Union Carbide & Carbon Co	anguitating provided in the contract of the co					
United States Steel Corporation 85		Ť					
Consolidated Freightways, Inc 67	M	Tapecoat Company, The 106					
Crane Co	Magline Inc	Taylor Felt & Supply					
Crown Zellerbach Corporation 11	Maitby, Edward D., Co 92	Toledo Pipe Threading Machine					
Cullman Wheel Company	Marwedel, C. W., Division	Company, The					
Curtis Manufacturing Co.	The Garrett Corp 57	Towmotor Corporation 25					
(Industrial Division) 83	Metal & Thermit Corporation	Trent Inc					
D	Minneapolis-Honeywell Regulator 64						
D	Milford Rivet & Machine Co						
Darnell Corporation, Ltd	Miller-Robinson Co 108	Union Oil Company					
Dayton Foundry	Moto-Truc Company, The	United Air Lines 3					
Dick, R. & J., Company, Inc		United States Steel Corporation					
bitty, R. M. S., Company, Inc.	N	Columbia-Geneva Steel Division 85					
E	National Carloading Corporation 97	V					
Emsco Manufacturing Company 92	Nutting Truck & Caster Co106	Victor Equipment Co					
F	0	w					
Falk Corporation, The	Oakite Products, Inc	Webb Jervis B. Company of California 15					
Foster, L. B., Co		Webb, Jervis B., Company of California . 15 West Bend Equipment Corp 60 White Motor Company, The					
G	,	Wisconsin Motor Corporation102					
Gar-Bro Manufacturing Company 90	Pacific Gas and Electric Company 94						
	Pacific Scientific Company	Y					
Garrett Supply Co.	Pacific Telephone & Telegraph Company 89	Yuba Manufacturing Co104					
(Division of Garrett Corp.) 49	Perin, Ira G., Co	Toba manufacturing Co					

Johnston Stainless Welding Rods

Practical, Down-to-Earth Welding Reds Alloys as they are supposed to be Corrosion Resistant— Clean metal Strong— Low in cracking A. P. JOHNSTON CO., INC. 1845 E. 57th St., Los Angeles 58



let REPUBLIC SUPPLY your needs!

It's really alarming the way a fire can get out of control so quickly. And it's downright fearsome the way some plants lack the proper protection—especially when speed is the most important weapon in fighting a fire.

Right now is a good time to check your smoke-eating equipment, and to make sure you have enough. Whether you need anything from axes to waste cans—hose nozzles to a complete pumper truck—the one best source for all these important fire protection needs is Republic Supply.

Republic's large stocks and experienced personnel are available to help you feel secure whenever you hear a siren. Call your nearest Republic Supply warehouse, or write for a copy of Republic's fire equipment catalog—there's no obligation!

THE republic supply

COMPANY OF CALIFORNIA



88

17

3

85

91

04

Fire Extinguishers: CO₂ extinguishers in all sizes from 2½ b. portable models, to 100 b. wheeled units. Also Pyrene Foam, Water and Chemical types wailable.



Allenco Hose Racks & Cabinets: For both new and existing buildings — recessed and open type hose racks made by Allenco with or without portable extinguishers.



Fog Nozzles: For every purpose and size hose. Army, Navy, Coast Guard and Underwriters' Laboratory approved types.



John Bean Fire Trucks: A complete line of Fire Trucks for municipalities, industrial plants and refineries. Foam trucks or pumpers, Republic engineers will be happy to discuss your needs.

Māin offices in Los Angeles & San Leandro. Phones—Los Angeles: RAymond 3-2511, PArkview 8-7151; San Leandro: LOckhaven 2-0414, Enterprise 1-1060 Fire equipment • pipe, valves & fittings • abrasives • shop supplies & tools • rigging materials • mechanical rubber goods • machinery • oil field supplies

An independently owned and operated company serving Western Industry
... for more details, circle No. 93 on Reader Service Postcard



Through an intricate process by which once wasted wood is transformed into pulp and then dried and pressed into a finished paperboard product, Western Kraft Corp., near Albany, Ore., daily turns out literally miles of linerboard for the manufacture of kraft corrugated boxes.

In this process are many machines of varying size and operating conditions ... each is protected by Mobil lubricants recommended by General Petroleum's lube engineers when the first switch was turned at Western Kraft in 1955.

Manufacturing plants all over the West have found it's good business to deal with General Petroleum, a company backed by more than 90 years experience in serving industry with *dependable* lubricants and *personal* service. Prove it for yourself...call your nearest G.P. office today.

General Petroleum Corporation

